

DAFTAR PUSTAKA

Abraham, D. and Manuel, M. (2020) ‘Signal periodicity detection using Ramanujan subspace projection’, *Journal of Electrical Engineering*, 71(5), pp. 326–332. Available at: <https://doi.org/10.2478/jee-2020-0044>.

Antonov, M. and Krysan, I. (2020) ‘An Electronic Key with Galvanic Isolation for Monitoring the State of Elements in Energy Converters’, *Proceedings of the 25th IEEE International Conference on Problems of Automated Electric Drive. Theory and Practice, PAEP 2020*, pp. 20–23. Available at: <https://doi.org/10.1109/PAEP49887.2020.9240828>.

Atrisandi, A.D. *et al.* (2016) ‘Noise and artifact reduction based on EEMD algorithm for ECG with muscle noises, electrode motions, and baseline drifts’, *Proceedings - 2015 4th International Conference on Instrumentation, Communications, Information Technology and Biomedical Engineering, ICICI-BME 2015*, (Table I), pp. 98–102. Available at: <https://doi.org/10.1109/ICICI-BME.2015.7401343>.

Block, B.M. and Mercorelli, P. (2015) ‘Conceptual understanding of complex components and Nyquist-Shannon sampling theorem: A design based research in Engineering’, *IEEE Global Engineering Education Conference, EDUCON*, 2015-April(March), pp. 462–470. Available at: <https://doi.org/10.1109/EDUCON.2015.7096011>.

Bodile, R.M. and Talari, V.K.H.R. (2021) ‘Removal of power-line interference from ECG using decomposition methodologies and kalman filter framework: A comparative study’, *Traitement du Signal*, 38(3), pp. 875–881. Available at: <https://doi.org/10.18280/ts.380334>.

Brucal, S.G.E. *et al.* (2018) ‘Development of a 12-Lead ECG Signal Processing Algorithm Using NI LabVIEW® and NI ELVIS®’, *2018 IEEE 7th Global Conference on Consumer Electronics, GCCE 2018*, pp. 186–189. Available at:

<https://doi.org/10.1109/GCCE.2018.8574627>.

Bui, N.T. *et al.* (2020) ‘Real-Time Filtering and ECG Signal Processing Based on Dual-Core Digital Signal Controller System’, *IEEE Sensors Journal*, 20(12), pp. 6492–6503. Available at: <https://doi.org/10.1109/JSEN.2020.2975006>.

Chen, L.Y. and Soliman, E.Z. (2019) ‘P Wave Indices—Advancing Our Understanding of Atrial Fibrillation-Related Cardiovascular Outcomes’, *Frontiers in Cardiovascular Medicine*, 6(May), pp. 1–6. Available at: <https://doi.org/10.3389/fcvm.2019.00053>.

Choi, M. *et al.* (2016) ‘Reduction of motion artifacts and improvement of R peak detecting accuracy using adjacent non-intrusive ECG sensors’, *Sensors (Switzerland)*, 16(5). Available at: <https://doi.org/10.3390/s16050715>.

Cohen, P.R. and Gudenkauf, B.M. (2024) ‘Myocardial Infarction Simulated From Improper Telemetry (MISFIT): An Autobiographical Case Report’, *Cureus*, 16(1), pp. 1–12. Available at: <https://doi.org/10.7759/cureus.53197>.

Devindi, I. *et al.* (2024) ‘A novel ECG compression algorithm using Pulse-Width Modulation integrated quantization for low-power real-time monitoring’, *Scientific Reports*, 14(1), pp. 1–15. Available at: <https://doi.org/10.1038/s41598-024-68022-5>.

Dou, L. *et al.* (2017) ‘Application of adaptive generalized mathematical morphology theory in de-noising of ECG signals’, *2017 9th IEEE International Conference on Communication Software and Networks, ICCSN 2017*, 2017-Janua, pp. 870–874. Available at: <https://doi.org/10.1109/ICCSN.2017.8230236>.

Ebrahimzadeh, E. *et al.* (2015) ‘ECG signals noise removal: Selection and optimization of the best adaptive filtering algorithm based on various algorithms comparison’, *Biomedical Engineering - Applications, Basis and Communications*, 27(4). Available at: <https://doi.org/10.4015/S1016237215500386>.

Emara, A.S. *et al.* (2020) ‘Using optimized butterworth-based $\Sigma\Delta$ bitstreams for the

testing of high-resolution data converters’, *NEWCAS 2020 - 18th IEEE International New Circuits and Systems Conference, Proceedings*, pp. 299–302. Available at: <https://doi.org/10.1109/NEWCAS49341.2020.9159837>.

Gaikwad, K.M. and Chavan, M.S. (2015) ‘Removal of high frequency noise from ECG signal using digital IIR butterworth filter’, *Proceedings - 2014 IEEE Global Conference on Wireless Computing and Networking, GCWCN 2014*, pp. 121–124. Available at: <https://doi.org/10.1109/GCWCN.2014.7030861>.

Gifari, M.W., Zakaria, H. and Mengko, R. (2015) ‘Design of ECG Homecare:12-lead ECG acquisition using single channel ECG device developed on AD8232 analog front end’, *Proceedings - 5th International Conference on Electrical Engineering and Informatics: Bridging the Knowledge between Academic, Industry, and Community, ICEEI 2015*, pp. 371–376. Available at: <https://doi.org/10.1109/ICEEI.2015.7352529>.

Greco, N. *et al.* (2017) ‘A 100-mW fully integrated DC-DC converter with double galvanic isolation’, *ESSCIRC 2017 - 43rd IEEE European Solid State Circuits Conference*, pp. 291–294. Available at: <https://doi.org/10.1109/ESSCIRC.2017.8094583>.

Islam, S.M., Farid, S.U. and Kiber, A. (2015) ‘Denoising ECG Signal using Adaptive Filter Algorithms and Cubic Spline Interpolation for Regaining Missing data points of ECG in Telecardiology System’, 4(12), pp. 7–16.

Ivanovic, M.D. *et al.* (2019) ‘Signal Quality in Reconstructed 12-Lead Ambulatory ECGs Recorded Using 3-Lead Device’, *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, pp. 5481–5487. Available at: <https://doi.org/10.1109/EMBC.2019.8857251>.

Jiang, Y. *et al.* (2018) ‘Effective biopotential signal acquisition: Comparison of different shielded drive technologies’, *Applied Sciences (Switzerland)*, 8(2). Available at: <https://doi.org/10.3390/app8020276>.

Kalpande, S., Sahu, N.K. and Lone, H. (2025) ‘Investigating the Generalizability

of ECG Noise Detection Across Diverse Data Sources and Noise Types', 1(1), pp. 1–11. Available at: <http://arxiv.org/abs/2502.14522>.

Khan, T.R. *et al.* (2019) 'Improved embedded vehicle safety system with STM32', *2019 22nd International Conference on Computer and Information Technology, ICCIT 2019*, (February), pp. 1–4. Available at: <https://doi.org/10.1109/ICCIT48885.2019.9038294>.

Kong, W. *et al.* (2017) 'FFT-Based Method With Near-Matrix Compression', 65(11), pp. 5975–5983.

Kurniawan, B. and Romzi, M. (2022) 'Pembuatan dan Pelatihan Administrator Website pada Dinas Kesehatan Kabupaten Ogan Komering Ulu', *Jurnal Pengabdian Masyarakat (abdira)*, 2(3), pp. 253–258. Available at: <https://doi.org/10.31004/abdira.v2i3.202>.

Kwon, O. *et al.* (2018) 'Electrocardiogram Sampling Frequency Range Acceptable for Heart Rate Variability Analysis', *Healthcare Informatics Research*, 24(3), p. 198. Available at: <https://doi.org/10.4258/hir.2018.24.3.198>.

Lai, J. *et al.* (2023) 'Practical intelligent diagnostic algorithm for wearable 12-lead ECG via self-supervised learning on large-scale dataset', *Nature Communications*, 14(1). Available at: <https://doi.org/10.1038/s41467-023-39472-8>.

Laksono, S. (2021) 'Interpretasi Ekg Normal Praktis Bagi Pemula: Suatu Tinjauan Mini', *Jurnal Kedokteran*, 7(1), p. 1. Available at: <https://doi.org/10.36679/kedokteran.v7i1.408>.

Lee, J., Kim, M. and Kim, J. (2016) 'Reconstruction of Precordial Lead Electrocardiogram from Limb Leads Using the State-Space Model', *IEEE Journal of Biomedical and Health Informatics*, 20(3), pp. 818–828. Available at: <https://doi.org/10.1109/JBHI.2015.2415519>.

Leng, Y.L.Y. *et al.* (2015) 'Electrocardiogram derived QRS duration >120 ms is associated with elevated plasma homocysteine levels in a rural australian cross-

sectional population’, *Medicine (United States)*, 94(27), p. e1080. Available at: <https://doi.org/10.1097/MD.0000000000001080>.

Li, L. and Zhang, X. (2022) ‘EMI Analysis of a Switching Power Supply’, *Journal of Physics: Conference Series*, 2246(1). Available at: <https://doi.org/10.1088/1742-6596/2246/1/012048>.

Lin, Y. and Sriyudthsak, M. (2016) ‘Design and Development of Standard 12-Lead ECG Data Acquisition and Monitoring System’, *Procedia Computer Science*, 86(March), pp. 136–139. Available at: <https://doi.org/10.1016/j.procs.2016.05.034>.

Liu, K., Wang, R. and Lyu, S. (2024) ‘Inverted decoupling internal model control for MIMO time-delay systems based on improved Butterworth Filter’, *IEEE Access*, 12(December), pp. 193241–193253. Available at: <https://doi.org/10.1109/ACCESS.2024.3513972>.

Lo, C.I. *et al.* (2018) ‘Evaluation of the accuracy of ECG captured by CardioChip through comparison of lead I recording to a standard 12-lead ECG recording device’, *Acta Cardiologica Sinica*, 34(2), pp. 144–151. Available at: [https://doi.org/10.6515/ACS.201803_34\(2\).20170919A](https://doi.org/10.6515/ACS.201803_34(2).20170919A).

Luo, X. (2016) ‘Design of Portable ECG Device Based on STM32’, (Mmebc), pp. 386–389. Available at: <https://doi.org/10.2991/mmebc-16.2016.81>.

Luong, D.T., Thuan, N.D. and Hoang, D.H. (2015) ‘Removal of Power Line Interference from Electrocardiograph(ECG) Using Proposed Adaptive Filter Algorithm’, 15(2).

Majid Hussain, M. *et al.* (2016) ‘Effect of uneven wetting on E-field distribution along composite insulators’, *34th Electrical Insulation Conference, EIC 2016*, (June), pp. 69–72. Available at: <https://doi.org/10.1109/EIC.2016.7548568>.

Makwana, G. and Gupta, L. (2015) ‘De-noising of electrocardiogram (ECG) with adaptive filter using MATLAB’, *Proceedings - 2015 5th International Conference on Communication Systems and Network Technologies, CSNT 2015*, pp. 511–514.

Available at: <https://doi.org/10.1109/CSNT.2015.126>.

Malghan, P.G. and Hota, M.K. (2024) '50Hz Power Line Interference Removal from an Electrocardiogram Signal Using a VME-DWT-Based Frequency Extraction and Filtering Approach', *International Journal of Image, Graphics and Signal Processing*, 16(4), pp. 56–73. Available at: <https://doi.org/10.5815/ijigsp.2024.04.05>.

Nawal, M., Sharma, M.K. and Bundele, M.M. (2016) 'Design and implementation of human identification through physical activity aware 12 lead ECG', *2016 International Conference on Recent Advances and Innovations in Engineering, ICRAIE 2016* [Preprint]. Available at: <https://doi.org/10.1109/ICRAIE.2016.7939536>.

Nesterova, M. and Wallash, A. (2021) 'Impact of Miniature H-Field Probe on Measured Fields', *IEEE Letters on Electromagnetic Compatibility Practice and Applications*, 2(1), pp. 11–14. Available at: <https://doi.org/10.1109/lemcpa.2020.2982952>.

Nguyen, T.N. *et al.* (2023) 'The Design and Construction of a 12-Channel Electrocardiogram Device Developed on an ADS1293 Chip Platform', *Electronics (Switzerland)*, 12(11). Available at: <https://doi.org/10.3390/electronics12112389>.

Pääkkönen, R. *et al.* (2016) 'Possibilities to decrease the extremely low-frequency electric field exposure with a Faraday cage under a 400 kV power line', *2016 Progress In Electromagnetics Research Symposium, PIERS 2016 - Proceedings*, (1), pp. 2109–2112. Available at: <https://doi.org/10.1109/PIERS.2016.7734884>.

Prabhakararao, E. and Dandapat, S. (2019) 'Automatic quality estimation of 12-lead ECG for remote healthcare monitoring systems', *2018 IEEE EMBS Conference on Biomedical Engineering and Sciences, IECBES 2018 - Proceedings*, pp. 554–559. Available at: <https://doi.org/10.1109/IECBES.2018.8626686>.

Qaisar, S.M. (2020) 'Baseline wander and power-line interference elimination of ECG signals using efficient signal-piloted filtering', *Healthcare Technology*

Letters, 7(4), pp. 114–118. Available at: <https://doi.org/10.1049/htl.2019.0116>.

Que, C.X. *et al.* (2017) ‘Design and realization of 12-lead electrocardiosignal acquisition and processing system’, *2016 13th International Computer Conference on Wavelet Active Media Technology and Information Processing, ICCWAMTIP 2017*, pp. 436–439. Available at: <https://doi.org/10.1109/ICCWAMTIP.2016.8079889>.

Quiroz-Juarez, M.A. *et al.* (2018) ‘Cardiac Conduction Model for Generating 12 Lead ECG Signals with Realistic Heart Rate Dynamics’, *IEEE Transactions on Nanobioscience*, 17(4), pp. 525–532. Available at: <https://doi.org/10.1109/TNB.2018.2870331>.

Rachman, R.A., Wisana, I.D.G.H. and Nugraha, P.C. (2021) ‘Development of a Low-Cost and Efficient ECG devices with IIR Digital Filter Design’, *Indonesian Journal of electronics, electromedical engineering, and medical informatics*, 3(1), pp. 21–28. Available at: <https://doi.org/10.35882/ijeemi.v3i1.4>.

Ródenas García, M. *et al.* (2022) ‘Review of low-cost sensors for indoor air quality: Features and applications’, *Applied Spectroscopy Reviews*, 57(9–10), pp. 747–779. Available at: <https://doi.org/10.1080/05704928.2022.2085734>.

Rodenas, J. *et al.* (2018) ‘An Efficient Algorithm Based on Wavelet Transform to Reduce Powerline Noise from Electrocardiograms’, *Computing in Cardiology*, 2018-September, pp. 1–4. Available at: <https://doi.org/10.22489/CinC.2018.200>.

Santhoshkumar, G.P., Karthikprabu, B. and Sasikumar, S. (2020) ‘Intelligent circuit breaker to prevent the transformer from lightening by using solid state devices for opto coupler’, *International Journal of Engineering Trends and Technology*, 68(3), pp. 32–37. Available at: <https://doi.org/10.14445/22315381/IJETT-V68I3P207S>.

Selvaraj, S. *et al.* (2021) ‘Filtering the ECG signal towards heart attack detection using motion artifact removal technique’, *Proceedings of the 3rd International Conference on Intelligent Communication Technologies and Virtual Mobile Networks, ICICV 2021*, (Icicv), pp. 185–188. Available at:

<https://doi.org/10.1109/ICICV50876.2021.9388515>.

Seo, M. *et al.* (2018) ‘Adaptive noise reduction of multichannel signals obtained by capacitive ECG sensors’, *2018 4th International Conference on Frontiers of Signal Processing, ICFSP 2018*, pp. 39–43. Available at: <https://doi.org/10.1109/ICFSP.2018.8552062>.

Setiawan, A.W., Djohan, R.A. and Tawakal, F.I. (2019) ‘Deteksi Aritmia Menggunakan Sinyal EKG dengan Metoda Deteksi Puncak-R’, *Seniati*, pp. 123–128. Available at: <https://doi.org/10.36040/seniati.v5i4.1153>.

Setyawati, R. *et al.* (2020) ‘An Improved Measurement Accuracy of Fetal Heart Rate using Digital Filter’, *Indonesian Journal of electronics, electromedical engineering, and medical informatics*, 2(3), pp. 136–142. Available at: <https://doi.org/10.35882/ijeeemi.v2i3.5>.

Sidorov, A. V., Zinoviev, G.S. and Udovichenko, A. V. (2018) ‘Three phase ac voltage cuk converter with galvanic isolation’, *International Conference of Young Specialists on Micro/Nanotechnologies and Electron Devices, EDM*, 2018-July, pp. 617–619. Available at: <https://doi.org/10.1109/EDM.2018.8435018>.

Sivaraman, J. *et al.* (2015) ‘Modifiye ekstremite elektrot sistemini kullanarak atriyal aktivite ile ilişkili EKG ölçümlerinin normal sınırları’, *Anatolian Journal of Cardiology*, 15(1), pp. 2–6. Available at: <https://doi.org/10.5152/akd.2014.5155>.

Sultana, N. and Kamatham, Y. (2015) ‘Mitigation of noise and interference in ECG signals with Savitzky-Golay least squares polynomials and Discrete Wavelet Transform’, *Proceedings of 2015 IEEE International Conference on Electrical, Computer and Communication Technologies, ICECCT 2015* [Preprint]. Available at: <https://doi.org/10.1109/ICECCT.2015.7226125>.

Sun, C.Y. and Lee, S.Y. (2018) ‘A Fifth-Order Butterworth OTA-C LPF with Multiple-Output Differential-Input OTA for ECG Applications’, *IEEE Transactions on Circuits and Systems II: Express Briefs*, 65(4), pp. 421–425. Available at: <https://doi.org/10.1109/TCSII.2017.2695366>.

Valenzuela, A.C. *et al.* (2021) ‘Design of a Faraday cage for biomedical measurements based on site electromagnetic field mapping’, *AIP Conference Proceedings*, 2348(April). Available at: <https://doi.org/10.1063/5.0053164>.

Warmerdam, G.J.J. *et al.* (2017) ‘A fixed-lag Kalman smoother to filter power line interference in electrocardiogram recordings’, *IEEE Transactions on Biomedical Engineering*, 64(8), pp. 1852–1861. Available at: <https://doi.org/10.1109/TBME.2016.2626519>.

Yoneyama, K. *et al.* (2020) ‘Creating 12-lead electrocardiogram waveforms using a three-lead bedside monitor to ensure appropriate monitoring’, *Journal of Arrhythmia*, 36(6), pp. 1107–1108. Available at: <https://doi.org/10.1002/joa3.12441>.

You, D. *et al.* (2020) ‘Article power line interference reduction technique with a current-reused current-feedback instrumentation amplifier for ecg recording’, *Applied Sciences (Switzerland)*, 10(23), pp. 1–12. Available at: <https://doi.org/10.3390/app10238478>.

Zhang, M. and Wei, G. (2020) ‘An integrated EMD adaptive threshold denoising method for reduction of noise in ECG’, *PLoS ONE*, 15(7 July), pp. 1–30. Available at: <https://doi.org/10.1371/journal.pone.0235330>.

Zhang, Q. and Frick, K. (2019) ‘All-ECG: A Least-number of Leads ECG Monitor for Standard 12-lead ECG Tracking during Motion*’, *2019 IEEE Healthcare Innovations and Point of Care Technologies, HI-POCT 2019*, pp. 103–106. Available at: <https://doi.org/10.1109/HI-POCT45284.2019.8962742>.

Zhumataev, N.S., Zhumadirova, A.K. and Narynbayev, D.S. (2024) ‘Resource-Saving Overcurrent Protection’.