

ABSTRAK

Nita Claudia Agustine

HUBUNGAN STATUS GIZI BALITA DAN PERILAKU MEROKOK
KELUARGA DENGAN KEJADIAN PNEUMONIA PADA BALITA DI
WILAYAH KERJA PUSKESMAS CANDI

xv + 68 Halaman + 10 Tabel + 12 Lampiran

Pada golongan anak kecil di usia bawah lima tahun, pneumonia adalah sejenis penyakit pada sistem pernapasan yang paling umum dan berpotensi mematikan, utamanya di banyak negara berkembang. Penelitian ini mempunyai tujuan untuk menyelidiki hubungan antara insidensi pneumonia pada anak kecil usia bawah lima tahun di wilayah kerja Puskesmas Candi dengan status gizi anak-anak tersebut serta kebiasaan merokok keluarga.

Ada 43 responden yang dipilih melalui teknik *consecutive sampling*, adalah keluarga dengan bayi berusia 0 hari hingga kurang dari 5 tahun yang mencari perawatan di Puskesmas Candi. Studi ini menggunakan pendekatan cross-sectional dan analisis deskriptif. Sebuah kuesioner tentang status gizi balita berdasarkan buku KMS dan kebiasaan merokok keluarga di rumah digunakan untuk mengumpulkan data.

Penelitian ini menunjukkan 14% balita diklasifikasikan sebagai kurang gizi, sedangkan 86% memiliki status gizi yang memadai. Selain itu, 80% keluarga menyatakan bahwa setidaknya ada anggota keluarga merokok di rumah. Kesehatan gizi balita dan insidensi pneumonia tidak menunjukkan hubungan yang signifikan berdasarkan analisis bivariat menggunakan uji Chi-Square ($p=0.190$); namun, terdapat hubungan kuat antara kebiasaan merokok keluarga dan insidensi pneumonia pada balita ($p=0.000$). Kebiasaan merokok keluarga memiliki dampak merugikan terhadap kesehatan balita, terutama dengan meningkatkan risiko pneumonia. Keluarga dengan anak kecil harus memahami pentingnya mencegah merokok di dekat mereka, melindungi kesehatan mereka, dan Secara teratur membawa anak-anak ke layanan kesehatan untuk pemeriksaan rutin.

Kata kunci: Pneumonia, Perilaku Merokok, Status Gizi, Balita

Referensi: 24 buku dan jurnal

ABSTRACT

Nita Claudia Agustine

RELATIONSHIP OF INFANT NUTRITIONAL STATUS AND FAMILY SMOKING BEHAVIOR WITH THE INCIDENCE OF PNEUMONIA IN INFANTS IN THE WORKING AREA OF THE TEMPLE HEALTH CENTER

xv + 68 Pages + 10 Tables + 12 Appendices

In children under the age of five, pneumonia is the most common and potentially deadly disease of the respiratory system, especially in many developing countries. This study aims to investigate the relationship between the incidence of pneumonia in children under five years of age in the work area of the Candi Health Center with the nutritional status of these children and Family Smoking Habits.

There were 43 respondents who were selected through consecutive sampling technique, were families with babies aged 0 days to less than 5 years who sought treatment at the Candi Health Center. This study uses cross-sectional approach and descriptive analysis. A questionnaire on the nutritional status of toddlers based on the KMS book and family smoking habits at home was used to collect the data.

The study showed 14% of toddlers were classified as malnourished, while 86% had adequate nutritional status. In addition, 80% of families stated that at least one family member smokes at home. Infant nutritional health and incidence of pneumonia showed no significant association based on bivariate analysis using The Chi-Square Test ($p=0.190$); however, there was a strong association between Family Smoking and incidence of pneumonia in infants ($p=0.000$). Family smoking habits have a detrimental impact on the health of toddlers, especially by increasing the risk of pneumonia. Families with young children should understand the importance of preventing smoking near them, protecting their health, and regularly taking children to health services for routine checkups.

Keywords: Pneumonia, Smoking Behavior, Nutritional Status, Toddlers

References: 24 books and journals