

DAFTAR PUSTAKA

- Aggarwal, K. et al. (2019) "Application of Six Sigma Metrics and Method Decision Charts in Improving Clinical Chemistry Laboratory Performance Enhancement," *International Journal of Advances in Medicine*, 6(5), p. 1524. Available at: <https://doi.org/10.18203/2349-3933.ijam20194155>.
- Arlinda, I. (2020) "Pengaruh Lama Penyimpanan Frozen Poled Sera Terhadap Stabilitas Kadar SGOT dan SGPT dengan Pengawet Ethylen Glycol." Available at: <http://repo.poltekkesdepkes-sby.ac.id/3292/>.
- Bastian, B., Ulva, M. and Rahmadani, I.R. (2024) "Pemanfaatan *Pooled sera* sebagai Bahan Kontrol Pemantapan Mutu Internal Pemeriksaan SGPT," *Jurnal Kesehatan Vokasional*, 9(2), pp. 115–125. Available at: <https://doi.org/10.22146/jkesvo.95611>.
- Bishop, M. et al. (2023) *Clinical Chemistry Principles, Techniques, and Correlations*. Ninth. United States of America: Jones & Bartlett Learning.
- Burtis, C.A. and Bruns, D.E. (2015) *Tietz Fundamentals of Clinical Chemistry And Molecular Diagnostics*. Seventh. Amsterdam: Elsevier B.V.
- Clinical Laboratory Improvement Amendments (CLIA) (2022) "Clinical Laboratory Improvement Amendments of 1988 (CLIA) Proficiency Testing Regulations Related to Analytes and Acceptable Performance," *Federal Register*, 87(131), pp. 41994–41242. Available at: <https://www.federalregister.gov/documents/2022/07/11/2022-14513/clinical-laboratory-improvement-amendments-of-1988-clia-proficiency-testing-regulations-related-to>.
- Cobas (2024) "PeciControl ClinChem Multi 2," pp. 1–2. Available at: www.roche.com.
- Coskun, A. (2024) "Bias in Laboratory Medicine: The Dark Side of the Moon," *Annals of Laboratory Medicine*, 44(1), pp. 6–20. Available at: <https://doi.org/10.3343/alm.2024.44.1.6>.
- Fadhilah, F., Riyadi, S.A. and Yuliani, E. (2022) "Effect of Varied Concentrations of Ethylene Glycol as Pooled Serum Preservative on the Stability of Alkaline

Phosphatase (ALP) Ezyme,” *Nusantara Science and Technology Proceedings*, 2022, pp. 25–30. Available at: <https://doi.org/10.11594/nstp.2022.2204>.

Fenny Anggraini, Enny Khotimah and Sari Sekar Ningrum (2022) “Analisis Pemantapan Mutu Internal Pemeriksaan Glukosa Darah Di Laboratorium RS Bhayangkara Tk.I Raden Said Sukanto Tahun 2021,” *Binawan Student Journal*, 4(1), pp. 24–30. Available at: <https://doi.org/10.54771/bsj.v4i1.320>.

Fuadi, R. (2019) “Using Six Sigma To Evaluate Analytical Performance of Hematology Analyzer,” *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 25(2), pp. 165–169. Available at: <https://doi.org/10.24293/ijcpml.v25i2.1375>.

Gruber, L., Hausch, A. and Mueller, T. (2024) “Internal Quality Controls in the Medical Laboratory: A Narrative Review of the Basic Principles of an Appropriate Quality Control Plan,” *Diagnostics*, 14(19). Available at: <https://doi.org/10.3390/diagnostics14192223>.

Handayati, A. (2022) “Design of Home Made Lyophilized Serum as a Control Material for Internal and External Quality Control in Clinical Laboratories,” *Health Notions*, 6(12), pp. 502–507. Available at: <http://heanoti.com/index.php/hnhttp://heanoti.com/index.php/hn/article/view/hn61203>.

Hartani, K.P. and Handayati, A. (2023) “Stability of Lyophilized *Homemade* Control Serum After Reconstitution on SGOT and SGPT Levels Stored in Freezer at Temperature (-2° to -4°C) and -20°C for 8 Weeks,” *Indonesian Journal of Medical Laboratory Science and Technology*, 5(1), pp. 53–67. Available at: <https://doi.org/10.33086/ijmlst.v5i1.3278>.

Huang, Y., Loveday, C. and Vincent, A. (2024) “Potential use of Six Sigma Metrics in The Quality Control Review of Hospital Glucose Meters,” *Heliyon*, 10(17), p. e36651. Available at: <https://doi.org/10.1016/j.heliyon.2024.e36651>.

Ilma Ainun Nisa et al. (2023) “Comparison of Variant Index Score (VIS) of *Homemade* and Commercial Lyophilized Serum,” *International Journal of Advanced Health Science and Technology*, 3(6), pp. 341–346. Available at: <https://doi.org/10.35882/ijahst.v3i6.283>.

Isra, Niken and Christiani, A. (2021) “Control Serum Stability Comparison

Glutamic Oxaloacetic Transaminase Stored at Temperatures 10°C And -40°C in Laboratory Installation RSUP dr. M Djamil Padang,” *Advance in Health Sciences Research*, 39(SeSICNiMPH), pp. 309–313.

Kementerian Kesehatan RI (2020) *Rencana Aksi Nasional Pencegahan dan Pengendalian Hepatitis*. Edited by I.O. Sukmaputri and L. Marpaung. Jakarta. Available at:

[https://www.globalhep.org/sites/default/files/content/action_plan_article/files/2022-05/RAN HEP 2020-2024 KDT_0.pdf](https://www.globalhep.org/sites/default/files/content/action_plan_article/files/2022-05/RAN%20HEP%2020-2024%20KDT_0.pdf).

Khotimah, E. and Sun, N.N. (2022) “Analisis Kesalahan Pada Proses Pra Analitik Dan Analitik Terhadap Sampel Serum Pasien Di Rsud Budhi Asih,” *Jurnal Medika Hutama*, 03(04), pp. 402–406. Available at: <http://jurnalmedikahutama.com>.

Kulkarni, S., Pierre, S.A. and Kaliaperumal, R. (2020) “Efficacy of Pooled Serum Internal Quality Control in Comparison with Commercial Internal Quality Control in Clinical Biochemistry Laboratory,” *Journal of Laboratory Physicians*, 12(03), pp. 191–195. Available at: <https://doi.org/10.1055/s-0040-1721151>.

Kusmiati, M., Nurpalah, R. and Restaviani, R. (2022) “Presisi Dan Akurasi Hasil Quality Control Pada Parameter Pemeriksaan Glukosa Darah Di Laboratorium Klinik Rumah Sakit X Kota Tasikmalaya,” *JoIMedLabS*, 3(1), pp. 27–37.

Lestari, W.S. et al. (2022) “Sera Pooled Stability As a SGPT Control Material With Storage Time and Temperature Variation,” *Journal of Medical Laboratory and Science*, 2(1), pp. 33–39. Available at: <https://doi.org/10.36086/medlabscience.v2i1.1255>.

Liu, Q. et al. (2023) “Application of a Six Sigma Model to Evaluate the Analytical Performance of Cerebrospinal Fluid Biochemical Analytes and The Design of Quality Control Strategies for These Assays: A Single-centre Study,” *Clinical Biochemistry*, 114(February), pp. 73–78. Available at: <https://doi.org/10.1016/j.clinbiochem.2023.02.005>.

Maharani, E.A. et al. (2022) “Penggunaan Six Sigma Sebagai Evaluasi Kontrol Kualitas Pada Hematology Analyzer Sysmex Xn-1000,” *Jurnal Riset Kesehatan Poltekkes Depkes Bandung*, 14(2), pp. 263–269. Available at: <https://doi.org/10.34011/juriskesbdg.v14i2.2106>.

Marlin, W., Widyantara, A.B. and Rahmawati, Y. (2024) “Analisis Hasil Quality

Control Pemeriksaan Ureum dan Kreatinin dengan Metode Six Sigma di RSUD Muhammadiyah Yogyakarta Tahun 2023,” *Jurnal Kesehatan Tambusai*, 5(September), pp. 9117–9125.

McPherson, R.A. and Pincus, M.R. (2021) *Henry’s Clinical Diagnosis and Management by Laboratory Methods*. 24th. Philadelphia: Elsevier Inc.

Van Moll, C. et al. (2023) “The Nature, Causes, and Clinical Impact of Errors in the Clinical Laboratory Testing Process Leading to Diagnostic Error: A Voluntary Incident Report Analysis,” *Journal of Patient Safety*, 19(8), pp. 573–579. Available at: <https://doi.org/10.1097/PTS.0000000000001166>.

Ozdemir, S. and Ucar, F. (2022) “Determination of Sigma Metric Based on Various TEa Sources for CBC Parameters: The Need for Sigma Metrics Harmonization,” *Journal of Laboratory Medicine*, 46(2), pp. 133–141. Available at: <https://doi.org/10.1515/labmed-2021-0116>.

Panda, C.R. et al. (2023) “The Evaluation of the Quality Performance of Biochemical Analytes in Clinical Biochemistry Laboratory Using Six Sigma Matrices,” *Cureus*, 15. Available at: <https://doi.org/10.7759/cureus.51386>.

Permenkes (2010) “Peraturan Menteri Kesehatan Republik Indonesia Nomor 411/MENKES/PER/III/2010,” *Laboratorium Klinik*. Jakarta: Kementerian Kesehatan RI.

Permenkes (2013) “Peraturan Menteri Kesehatan RI No 43 Tahun 2013 Tentang Cara Penyelenggaraan Laboratorium yang Baik.” Jakarta: Kementerian Kesehatan RI.

Plebani, M. et al. (2022) “Rethinking Internal Quality Control: The Time is Now,” *Clinical Chemistry and Laboratory Medicine*, 60(9), pp. 1316–1317. Available at: <https://doi.org/10.1515/cclm-2022-0587>.

Rahmania, A.P. et al. (2024) “Variance Index Score (VIS) Evaluation of Homemade and Commercial Control Sera on AST And ALT Assays,” *Jurnal Riset Kesehatan*, 13(2), pp. 121–127. Available at: <https://doi.org/10.31983/jrk.v13i2.11778>.

Rifai, N. et al. (2023) *Tietz Textbook of Laboratory Medicine*. Seventh. United States of America: Elsevier Inc.

Siregar, M.T. et al. (2018) *Bahan Ajar Teknologi Laboratorium Medik (TLM)*

Kendali Mutu. 1st. Pusat Pendidikan Sumber Daya Manusia Kesehatan Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan.

Tewabe, H., Mitiku, A. and Yenesew, A. (2024) “Validation of the Efficacy of Pooled Serum for Serum Glucose Inhouse Quality Control Material in Comparison with Commercial Internal Quality Control in Clinical Chemistry Laboratory,” *Practical Laboratory Medicine*, 39(January), p. e00377. Available at: <https://doi.org/10.1016/j.plabm.2024.e00377>.

Thakur, V. et al. (2023) “Use of a Lean Six Sigma Approach to Investigate Excessive Quality Control (QC) Material Use and Resulting Costs,” *Clinical Biochemistry*, 112(December 2022), pp. 53–60. Available at: <https://doi.org/10.1016/j.clinbiochem.2022.12.001>.

Westgard, J.O. and Barry, P.L. (2016) *Basic QC Practices : Training in Statistical Quality Control for Medical Laboratories*.

World Health Organization. (2024) *Global Hepatitis Report 2024*. Available at: <https://www.who.int/publications/i/item/9789240091672>.

Wulandari, N.N., Handayati, A. and Endarini, L.H. (2023) “Stabilitas Serum Kontrol Liofilisat Buatan Sendiri Setelah Rekonstitusi Terhadap Kadar Kolesterol dan Trigliserida yang Disimpan dalam Freezer Suhu (-2°C) sampai (-4°C) dan (-20°C),” *Jurnal Penelitian Kesehatan Suara Forikes*, 14(4), pp. 67–72. Available at: <http://forikes-ejournal.com/index.php/SF>.

Yadav, D. et al. (2024) “Beyond the Basics: Sigma Scores in Laboratory Medicine With Variable Total Allowable Errors (TEa),” *Clinica Chimica Acta*, 565(September 2024), p. 119971. Available at: <https://doi.org/10.1016/j.cca.2024.119971>.

Younossi, Z.M. et al. (2024) “The Global Epidemiology of Nonalcoholic Fatty Liver Disease and Nonalcoholic Steatohepatitis Among Patients With Type 2 Diabetes,” *Clinical Gastroenterology and Hepatology: The Official Clinical Practice Journal of The American Gastroenterological Association*, 22(10), pp. 1999-2010.e8. Available at: <https://doi.org/10.1016/j.cgh.2024.03.006>.