

DAFTAR PUSTAKA

Aggarwal, K. *et al.* (2019) 'Application Of Six Sigma Metrics And Method Decision Charts In Improvising Clinical Chemistry Laboratory Performance Enhancement', 6(5), pp. 1524–1530.

Anggra, W.N., Ibrahim and Yusuf, R.N. (2021) 'Comparasion Between Pooled Sera Material and Commercial Serum on the Accuracy of Triglyceride Check', *In 2nd Syedza Saintika International Conference on Nursing, Midwifery, Medical Laboratory Technology, Public Health, and Health Information Management (SeSICNiMPH 2021)*. Atlantis press, 39(SeSICNiMPH), pp. 330–334.

Anggraini, F., Khotimah, E. and Ningrum, S.S. (2022) 'Analisis Pemantapan Mutu Internal Pemeriksaan Glukosa Darah Di Laboratorium Rs Bhayangkara Tk.I Raden Said Sukanto Tahun 2021', *Binawan Student Journal*, 4(1), pp. 24–30. Available at: <https://doi.org/10.54771/bsj.v4i1.320>.

Arisanti, D., Harimuswarah, M.R. and Rianto, M.R. (2019) 'Gambaran Mutu Pelayanan Pada Laboratorium Klinik RSUD Labuang Baji Kota Makassar', *Bidang Ilmu Administrasi*, 2019, pp. 141–145.

Aryani, T., Putri, N.E. and Rahmawati, Y. (2024) 'Pengawasan Mutu Pemeriksaan Kolesterol dan Trigliserida Menggunakan Bahan Kontrol Komersial Setelah Penyimpanan Suhu Ruang Quality Control of Cholesterol and Triglyceride Testing Using Commercial Control Materials After Room Temperature Storage', 7(10), pp. 3712–3718. Available at: <https://doi.org/10.56338/jks.v7i10.5578>.

Astri, B.T. and Ismawatie, E. (2024) 'Plenary Health : Jurnal Kesehatan Paripurna Volume 1 Issue 3 2024 Page 148-154 Korelasi Antara Kadar Hba1c Dengan Kreatinin Pada', 1(3), pp. 148–154.

Astriani, R.D. *et al.* (2023) 'Cost Effectiveness Analysis (CEA) Bahan Kontrol Hemoglobin Komersial dan Buatan Sendiri', *Journal of Medical Laboratory Research*, 2(1), pp. 7–11. Available at: <https://doi.org/10.36743/jomlr.v2i1.620>.

Chaudhry, A.S., Inata, Y. and Nakagami-Yamaguchi, E. (2023) 'Quality Analysis Of The Clinical Laboratory Literature And Its Effectiveness On Clinical Quality Improvement: A Systematic Review', *Journal of Clinical Biochemistry and Nutrition*, 73(2), pp. 108–115. Available at: <https://doi.org/10.3164/jcbtn.23-22>.

Clinical Laboratory Improvement Amendments (CLIA) (2022) 'Clinical Laboratory Improvement Amendments of 1988 (CLIA) Proficiency Testing Regulations Related to Analytes and Acceptable Performance', *Federal Register*, 87(131), pp. 41994–41242.

Daulay, R.A. *et al.* (2023) 'Proses Metabolisme Lipid Dalam Perspektif Al-Qur'an Dan Hadis', *Jurnal Riset Pendidikan Dan Pengajaran*, 2(2), pp. 183–198. Available at: <https://doi.org/10.55047/jrpp.v2i2.465>.

Devi, A. and Negi, A. (2023) 'Pooled Sera as an Alternative to Commercial Internal Quality Control in Clinical Laboratories', *Journal of Clinical and Diagnostic Research*, pp. 1–4. Available at: <https://doi.org/10.7860/jcdr/2023/64088.18567>.

Fuadi, R. (2019) 'Using Six Sigma To Evaluate Analytical Performance of Hematology Analyzer', *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 25(2), pp. 165–169. Available at: <https://doi.org/10.24293/ijcpml.v25i2.1375>.

Handayati, A. (2022) 'Design of Home Made Lyophilized Serum as a Control Material for Internal and External Quality Control in Clinical Laboratories', 6(12), pp. 502–507.

Van Heerden, M., George, J.A. and Khoza, S. (2022) 'The Application Of Sigma Metrics In The Laboratory To Assess Quality Control Processes In South Africa', *African Journal of Laboratory Medicine*, 11(1), pp. 1–7. Available at: <https://doi.org/10.4102/AJLM.V11I1.1344>.

Jemani and Kurniawan, M.R. (2019) 'Analisa Quality Control Hematologi di Laboratorium Rumah Sakit An-Nisa Tangerang', *Binawan Student Journal*, 1(2), pp. 80–85.

Kepmenkes RI (2022) *Keputusan Menteri Kesehatan Republik Indonesia Nomor Hk.01.07/Menkes/2011/2022, Menteri Kesehatan Republik Indonesia Peraturan Menteri Kesehatan Republik Indonesia.*

Khotimah, E. and Sun, N.N. (2022) ‘Analisis Kesalahan Pada Proses Pra Analitik Dan Analitik Terhadap Sampel Serum Pasien Di Rsud Budhi Asih’, *Jurnal Medika Hutama*, 03(04), pp. 402–406. Available at: <http://jurnalmedikahutama.com>.

Kulkarni, S., Pierre, S.A. and Kaliaperumal, R. (2020) ‘Efficacy of Pooled Serum Internal Quality Control in Comparison with Commercial Internal Quality Control in Clinical Biochemistry Laboratory’, *Journal of Laboratory Physicians*, 12(03), pp. 191–195. Available at: <https://doi.org/10.1055/s-0040-1721151>.

Kusmiati, M., Nurpalah, R. and Restaviani, R. (2022) ‘21. Presisi Dan Akurasi Hasil Quality Control Pada Parameter Pemeriksaan Glukosa Darah Di Laboratorium Klinik Rumah Sakit X Kota Tasikmalaya’, *JoIMedLabS*, 3(1), pp. 27–37.

Lembaga Pemantapan Mutu Laboratorium Kesehatan Indonesia (2018) *PEMANTAPAN MUTU EKSTERNAL.*

Lhajjam, H. *et al.* (2023) ‘The Importance Of The Internal Quality Controls In Medical Laboratories To Ensure High Quality Results’, *Jornal Brasileiro de Patologia e Medicina Laboratorial*, 59(2), pp. 7–17. Available at: <https://doi.org/10.1900 /JBPML.2023.59.02.002>.

Maharani, E.A. *et al.* (2022) ‘Penggunaan Six Sigma Sebagai Evaluasi Kontrol Kualitas Pada Hematology Analyzer Sysmex Xn-1000’, *Jurnal Riset Kesehatan Poltekkes Depkes Bandung*, 14(2), pp. 263–269. Available at: <https://doi.org/10.34011/juriskesbdg.v14i2.2106>.

McPherson, R.A. and Pincus, M.R. (2022) ‘Clinical Diagnosis And Management’, *Henry’s Clinical Diagnosis and Management by Laboratory Methods*, p. 136. Available at: <https://doi.org/10.1016/b978-1-4377-0974-2.00066-x>.

Nabilah, S., Khotimah, E. and Pramitaningrum, I.K. (2023) ‘Pemantapan Mutu Internal Pra-analitik pada Pemeriksaan Glukosa Darah Puasa di Laboratorium Duren Sawit’, *Binawan Student Journal*, 5(2), pp. 58–64.

Novita Sari, D. (2023) ‘Stabilitas Serum Liofilisat Buatan Sendiri Sebagai Bahan Kontrol Kualitas Terhadap Parameter Blood Urea Nitrogen Dan Kreatinin’, *Analisis Kesehatan Sains*, 12(1), pp. 11–16. Available at: <https://doi.org/10.36568/anakes.v12i1.81>.

Nurtya, A. *et al.* (2023) ‘Hypertension And Lipid Profiles In Middle-Aged Male Patients: A Study At A Tertiary Hospital In Surabaya, Indonesia’, 59(4), pp. 321–328.

Patel, S., Sharma, S. and Sharma, H. (2022) ‘Assessment of Analytical Quality through Sigma Metrics & its Application for Selection of Westgard Rule’, *International Journal of Innovative Science and Research Technology*, 7(12), pp. 1573–1577.

Peng, S.Q. *et al.* (2021) ‘Practical Application Of Westgard Sigma Rules With Run Size In Analytical Biochemistry Processes In Clinical Settings’, *Journal of Clinical Laboratory Analysis*, 35(3), pp. 1–5. Available at: <https://doi.org/10.1002/jcla.23665>.

Perkumpulan Endokrinologi Indonesia (2021) *Panduan Pengelolaan Dislipidemia Di Indonesia 2021*. PB Perkeni.

Permenkes (2013a) *Peraturan Menteri Kesehatan Nomor 43 Tahun 2013 Tentang Cara Penyelenggaraan Laboratorium Klinik Yang Baik, Lampiran Peraturan Menteri Kesehatan Nomor 43 Tahun 2013 Tentang Cara Penyelenggaraan Laboratorium Klinik Yang Baik*.

Permenkes (2013b) ‘PERMENKES No. 43 Tahun 2013 Tentang Cara Penyelenggaraan Laboratorium Klinik Yang Baik’, *Menteri Kesehatan Republik Indonesia Peraturan Menteri Kesehatan Republik Indonesia*, 69(1216), pp. 1–4.

Permenkes (2022) ‘Peraturan Menteri Kesehatan Republik Indonesia Nomor 30 Tahun 2022 Tentang Indikator Nasional Mutu Pelayanan Kesehatan Tempat

Praktik Mandiri Dokter Dan Dokter Gigi, Klinik, Pusat Kesehatan Masyarakat, Rumah Sakit, Laboratorium Kesehatan, Dan Unit Transfusi Darah’, *Menteri Kesehatan Republik Indonesia Peraturan Menteri Kesehatan Republik Indonesia*, (879), pp. 2004–2006.

Pramesti, L.A. *et al.* (2024) ‘Stabilitas Assayed Serum Control Terhadap Kadar Kolesterol Total , Bilirubin Total , Dan Aktivitas ALT Pada Suhu -21 ° C Stability Of Assayed Serum Control Against Total’, pp. 907–919.

Prasetya, H.R., Muhajir, N.F. and Dumatubun, M.P.I. (2021) ‘Penggunaan Six Sigma Pada Pemeriksaan Jumlah Leukosit Di Rsud Panembahan Senopati Bantul’, *Journal of Indonesian Medical Laboratory and Science (JoIMedLabS)*, 2(2), pp. 165–174. Available at: <https://doi.org/10.53699/joimedlabs.v2i2.72>.

Prasetya, W. and Yastanto, A.J. (2023) ‘Evaluasi Waktu Pengeringan pada Metode Freeze Drying terhadap Karakteristik Kacang Tanah, Bawang Putih dan Tomat Menggunakan Alat Labconco FreeZone 2.5 L’, *Indonesian Journal of Laboratory*, 1(2), p. 100. Available at: <https://doi.org/10.22146/ijl.v1i2.87724>.

Pratama, R.A., Yulianti, D.K. and Setiawan, D. (2021) ‘Aplikasi Metrik Sigma Dalam Pemanjapan Mutu Internal Pada Pemeriksaan Ureum Disalah Satu Pangandangan’, pp. 175–184.

Priyono, A.F. *et al.* (2023) ‘Gambaran Profil Lipid Pada Pasien Hipertensi Berdasarkan Umur Lansia Di Rsud Dr. H. Abdul Moeloek Provinsi Lampung’, *Jurnal Ilmu Kedokteran dan Kesehatan*, 9(10), pp. 2686–2693. Available at: <https://doi.org/10.33024/jikk.v9i10.9608>.

Rahayu, W. (2023) ‘Uji Stabilitas Serum Liofilisat Buatan Sendiri Sebagai Bahan Kontrol Terhadap Parameter Kolesterol Dan Trigliserida’, (1), pp. 1–23.

Rais, E.E., Aziz, I.R. and Surdianah, S. (2024) ‘Pemeriksaan total kolesterol pada sampel serum darah dengan menggunakan metode fotometrik di Balai Besar Laboratorium Kesehatan Makassar’, *Filogeni: Jurnal Mahasiswa Biologi*, 4(1), pp. 19–27. Available at: <https://doi.org/10.24252/filogeni.v4i1.42013>.

Ramdhani, F.H. (2023) 'Uji Stabilitas Pooled Sera Yang Disimpan Di Suhu 2 - 8°C Pada Pemeriksaan Albumin The Pooled Sera Stability Test is Stored at a Temperature of 2 - 8°C on Albumin', *Borneo Journal Of Medical Laboratory Technology*, 6(1), pp. 371–375. Available at: <https://journal.umpr.ac.id/index.php/bjmlt/article/view/6073>.

Reubun, Y.T.A. *et al.* (2020) 'Pengeringan Beku Ekstrak Herba Pegagan (*Centella asiatica*)', 13(2), pp. 113–117. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/33085411>.

Siregar, M.T. *et al.* (2018) *Bahan Ajar Teknologi Laboratorium Medis Kendali Mutu*.

Solnica, B. *et al.* (2024) '2024 Guidelines of the Polish Society of Laboratory Diagnostics and the Polish Lipid Association on laboratory diagnostics of lipid metabolism disorders', *Archives of Medical Science*, 20(2), pp. 357–374. Available at: <https://doi.org/10.5114/aoms/186191>.

Teshome, M., Worede, A. and Asmelash, D. (2021) 'Total Clinical Chemistry Laboratory Errors And Evaluation Of The Analytical Quality Control Using Sigma Metric For Routine Clinical Chemistry Tests', *Journal of Multidisciplinary Healthcare*, 14, pp. 125–136. Available at: <https://doi.org/10.2147/JMDH.S286679>.

Wahyu Wijayati, R.P. and Ayuningtyas, D. (2021) 'Identifikasi Waste Tahap Pra Analitik dengan Pendekatan Lean Hospital di Laboratorium Patologi Klinik RS XYZ Depok Jawa Barat Tahun 2021', *Jurnal Manajemen Kesehatan Indonesia*, 9(2), pp. 101–112. Available at: <https://doi.org/10.14710/jmki.9.2.2021.101-112>.

Westgard, J.O. (2016) *Basic QC practices : training in statistical quality control for medical laboratories*.

Westgard, J.O. and Westgard, S.A. (2014) *Westgard Sigma Rules, Westgard QC*. Available at: <https://westgard.com/lessons/westgard-rules/westgard-rules/westgard-sigma-rules.html>.

Westgard Rules (2023). Available at: <https://westgard.com/westgard-rules.html#whymrl>.

Widyaningtias, S., Widyantara, A.B. and Dhiah, N. (2024) 'Analisis Hasil Quality Control Dan Six Sigma Pada Pemeriksaan Asam Urat Di Rsud Dr. R. Goeteng Taroenadibrata Purbalingga', 5(September), pp. 9187–9195.

Wulandari, N.N., Handayati, A. and Endarini, L.H. (2023) 'Stabilitas Serum Kontrol Liofilisat Buatan Sendiri Setelah Rekonstitusi Terhadap Kadar Kolesterol dan Trigliserida yang Disimpan dalam Freezer Suhu (-2°C) sampai (-4°C) dan (-20°C)', *Jurnal Penelitian Kesehatan Suara Forikes*, 14(4), pp. 67–72. Available at: <http://forikes-ejournal.com/index.php/SF>.

Yahya, M. *et al.* (2022) 'Quality Assurance and Quality Control in Clinical Laboratories : A Review', 8, pp. 589–598.

Yudita, F. (2019) 'Laboratorium X Palangka Raya Evaluation Of Quality Control of Blood Glucose Examination In Laboratory X Palangka Raya', pp. 358–365.