

DAFTAR PUSTAKA

- [1] D. Teasdale and C. Hamilton, "Baby on the move: issues in neonatal transport," *Paediatric Care*, vol. 20, no. 1, pp. 20–25, Feb. 2008, doi: 10.7748/paed2008.02.20.1.20.c6353.
- [2] Ester Iacono, Francesca Tosi, and Alessandra Rinaldi, *Ergonomics and Design: Neonatal Transport Incubator For Pathological Newborn Transportation*. 2018.
- [3] Y. C. Co'o, I. D. G. H. Wisana, and A. Kholiq, "Fuzzy Logic Temperature Control on *Baby incubator transport* Battery Efficiency," *Jurnal Teknokes*, vol. 17, no. 1, Mar. 2024, doi: 10.35882/teknokes.v17i1.643.
- [4] T. Gunn and E. W. Outerbridge, "Effectiveness of neonatal transport."
- [5] J. Browning, D. Walding, J. Klasen, and Y. David, "Vibration Issues of Neonatal Incubators During In-Hospital Transport," *J Clin Eng*, vol. 33, no. 2, pp. 74–77, Apr. 2008, doi: 10.1097/01.JCE.0000305869.41200.be.
- [6] Chih-Chiang Hua and Meng-Yu Lin, "A study of charging control of lead-acid battery for electric vehicles," in *ISIE'2000. Proceedings of the 2000 IEEE International Symposium on Industrial Electronics (Cat. No.00TH8543)*, IEEE, pp. 135–140. doi: 10.1109/ISIE.2000.930500.
- [7] D. D. Patel and Z. M. Salameh, "Characterization of GP30EVLF 30 Ah Lithium Iron Phosphate battery cells," in *2015 IEEE Power & Energy Society General Meeting*, IEEE, Jul. 2015, pp. 1–5. doi: 10.1109/PESGM.2015.7286586.
- [8] K. B. Pranata, M. P. T. Sulistyanto, M. Ghufron, and M. Yusmawanto, "Pengaruh Variasi Arus Pengisian Pengosongan Muatan Pada Model Baterai Lead Acid Terhadap Perubahan Efisiensi Energi," *Jurnal Fisika Flux: Jurnal Ilmiah Fisika FMIPA Universitas Lambung Mangkurat*, vol. 16, no. 1, p. 42, May 2019, doi: 10.20527/flux.v16i1.5311.
- [9] L. Penelitian *et al.*, "PENGISIAN BATERAI LI-ION DENGAN METODE *CONSTANT CURRENT, CONSTANT VOLTAGE, CONSTANT CURRENT-CONSTANT VOLTAGE*," vol. 6, no. 1, [Online]. Available: <http://jurnal.ensiklopediaku.org>
- [10] C. N. Storrs and M. R. H. Taylor, "Transport of Sick Newborn Babies," *Br Med J*,

- vol. 3, no. 5718, pp. 328–332, Aug. 1970, doi: 10.1136/bmj.3.5718.328.
- [11] M. Jiménez-Palomares, M. Fernández-Rejano, E. M. Garrido-Ardila, J. Montanero-Fernández, P. Oliva-Ruiz, and J. Rodríguez-Mansilla, “The impact of a preterm baby arrival in a family: A descriptive cross-sectional pilot study,” *J Clin Med*, vol. 10, no. 19, Oct. 2021, doi: 10.3390/jcm10194494.
- [12] A. J. Macnab, D. Schweers, M. D. Kendall, J. H. Komori, M. Biddie, and A. J. Macnab, “Improved Transport Incubator Temperature Control with Insulating Thermal Cover.”
- [13] D. M. System, *Petunjuk Baby Incubator TI500*, 1st ed. Jakarta Selatan: Draeger Medical System, 2021.
- [14] D. S. Sutrisno, “DESAIN DAN IMPLEMENTASI BATERAI CHARGER,” Institut Teknologi Sepuluh November, Surabaya, 2019. Accessed: Sep. 23, 2024. [Online]. Available: <http://repository.its.ac.id/id/eprint/63446>
- [15] Z. Irfan, “ANALISIS EFISIENSI PENGISIAN MUATAN BATERAI Lithium Iron Phosphate (LiFePO₄),” Universitas Islam Indonesia Yogyakarta, Yogyakarta, 2020. Accessed: Sep. 23, 2024. [Online]. Available: <https://dspace.uii.ac.id/handle/123456789/28700>
- [16] M. Danielle Fendji, F. Mbah Kimbong, I. Tsipouridis, and P. Tsafack, “Design and Implementation of a Digital Control System for Lead Acid Battery Charging,” *Journal of Electrical and Electronic Engineering*, Feb. 2023, doi: 10.11648/j.jeee.20231101.13.
- [17] H. Z. Z. Beh, G. A. Covic, and J. T. Boys, “Effects of pulse and DC charging on lithium iron phosphate (LiFePO₄) batteries,” in *2013 IEEE Energy Conversion Congress and Exposition*, IEEE, Sep. 2013, pp. 315–320. doi: 10.1109/ECCE.2013.6646717.
- [18] S. Dwitya Nugraha *et al.*, “Desain Baterai Charger Kendaraan Listrik dengan Metode Constan Current dan Constan Voltage.”
- [19] R. Adawiyah, “IMPLEMENTASI METODE MINKOWSKY DISTANCE UNTUK DETEKSI KELAHIRAN BAYI PREMATUR BERBASIS CASE BASED REASONING,” *Jurnal Informatika dan Komputer) Akreditasi*

- KEMENRISTEKDIKTI*, vol. 3, no. 1, 2020, doi: 10.33387/jiko.
- [20] Bambang Guruh Irianto, Sari Luthfiyah, and Anita Mifthahul Maghfiroh, “Integrating Telemedicine with Baby Incubators at Puskesmas Dampit to Ensure Seamless Health Services,” vol. 03, no. 01, Jun. 2024, doi: <https://doi.org/10.35882/ficse.v3i142>.
- [21] M. Shaib, M. Rashid, L. Hamawy, M. Arnout, I. El Majzoub, and A. J. Zaylaa, “Advanced portable preterm baby incubator,” in *2017 Fourth International Conference on Advances in Biomedical Engineering (ICABME)*, IEEE, Oct. 2017, pp. 1–4. doi: 10.1109/ICABME.2017.8167522.
- [22] F. Naznin, “Excerpt from the Proceedings of the 2013 COMSOL Conference in Bangalore State of Charge (SOC) Governed Fast Charging Method for Lithium Based Batteries*in * Patent pending.”
- [23] Y. Ye, Y. Shi, and A. A. O. Tay, “Electro-thermal cycle life model for lithium iron phosphate battery,” *J Power Sources*, vol. 217, pp. 509–518, Nov. 2012, doi: 10.1016/j.jpowsour.2012.06.055.
- [24] R. J. Wai and S. J. Jhung, “Design of energy-saving adaptive fast-charging control strategy for Li-FePO₄ battery module,” *IET Power Electronics*, vol. 5, no. 9, pp. 1684–1693, Nov. 2012, doi: 10.1049/iet-pel.2012.0172.
- [25] N. Najib, A. Syakur, and Y. A. Soetrisno, “PERANCANGAN SISTEM CHARGING BATERAI PADA PROTOTIPE ALAT UKUR TEGANGAN UJUNG FEEDER BERBASIS IOT,” *Transient: Jurnal Ilmiah Teknik Elektro*, vol. 10, no. 1, pp. 42–47, Mar. 2021, doi: 10.14710/transient.v10i1.42-47.
- [26] M. Thowil Afif and I. Ayu Putri Pratiwi, “Analisis Perbandingan Baterai Lithium-Ion, Lithium-Polymer, Lead Acid dan Nickel-Metal Hydride pada Penggunaan Mobil Listrik - Review,” *Jurnal Rekayasa Mesin*, vol. 6, no. 2, pp. 95–99, Aug. 2015, doi: 10.21776/ub.jrm.2015.006.02.1.
- [27] S. Parizi, A. M. Nur Putra, R. Anfu Salam, G. Ramadhan, A. Anugrah, and Y. Warmi, “SNESTIK Seminar Nasional Teknik Elektro, Sistem Informasi, dan Teknik Informatika PERANCANGAN MODEL WIRELESS FAST CHARGING MENGGUNAKAN *CONSTANT VOLTAGE* PADA KENDARAAN LISTRIK”,

doi: 10.31284/p.snestik.2022.2734.

- [28] F. Rahmatullah, “Desain dan Simulasi Battery Charger Metode CC-CV (*Constant Current-Constant Voltage*) dengan Kontrol Logika Fuzzy Menggunakan MATLAB,” *CYCLOTRON*, vol. 4, no. 2, Aug. 2021, doi: 10.30651/cl.v4i2.8621.
- [29] M. A. Pradhana, “PENGISI DAYA BATERAI LiFePO₄ SEBAGAI SUMBER ENERGI PADA SEPEDA LISTRIK,” *Transient: Jurnal Ilmiah Teknik Elektro*, vol. 11, no. 2, pp. 70–74, Jun. 2022, doi: 10.14710/transient.v11i2.70-74.
- [30] C. Brañas, J. C. Viera, F. J. Azcondo, R. Casanueva, M. Gonzalez, and F. J. Díaz, “Battery charger based on a resonant converter for high-power lifepo₄ batteries,” *Electronics (Switzerland)*, vol. 10, no. 3, pp. 1–20, Feb. 2021, doi: 10.3390/electronics10030266.