

## DAFTAR PUSTAKA

Alanazi, N.A. *dkk.* (2022) “The Role of Laboratory Testing in Disease Diagnosis: A Comprehensive Review,” *Migration Letters*, 19(S8), hal. 608–617. Tersedia pada: <https://migrationletters.com/index.php/ml/article/view/9790>.

Amanatullah, M.R., Haiti, M. dan Hutabarat, M.S. (2025) “KADAR ASAM URAT MENGGUNAKAN TABUNG VACUTAINER PLAIN DAN TABUNG VACUTAINER SERUM SEPARATOR DENGAN CHEMISTRY ANALYZER URIC ACID LEVELS USING TUBES PLAIN VACUTAINER SERUM AND VACUTAINER TUBE SEPARATOR WITH CHEMISTRY ANALYZER PENDAHULUAN Laboratorium klinik m,” 24(1), hal. 76–85.

American College of Clinical Pharmacy (2018) “Reference Values for Common Laboratory Tests,” *American College of Clinical Pharmacy*, hal. 2018. Tersedia pada: [https://www.accp.com/docs/sap/Lab\\_Values\\_Table\\_ACSAP.pdf](https://www.accp.com/docs/sap/Lab_Values_Table_ACSAP.pdf).

Ayala-Lopez, N. *dkk.* (2021) “Comparative evaluation of blood collection tubes for clinical chemistry analysis,” *Clinica Chimica Acta*, 520(April), hal. 118–125. Tersedia pada: <https://doi.org/10.1016/j.cca.2021.05.019>.

Azizah, F.N. (2023) “Pengaruh Variasi Waktu Penundaan Pemisahan Serum Terhadap Hasil Pemeriksaan Glukosa,” *the Journal of Muhammadiyah Medical Laboratory Technologist*, 6(2), hal. 184–191. Tersedia pada: <https://doi.org/10.30651/jmlt.v6i2.14594>.

Bailey, D.N. dan Fitzgerald, R.L. (2024) *Clinical Chemistry: A Practical Learning and Teaching Toolkit*. American Society for Clinical Pathology (ASCP) Press. Tersedia pada: <https://books.google.co.id/books?id=IFPM0AEACAAJ>.

Baskin, L. *dkk.* (2019) *Errors in patient preparation, specimen collection, anticoagulant and preservative use: how to avoid such pre-analytical errors*. Second Edi, *Accurate Results in the Clinical Laboratory: A Guide to Error Detection and Correction, Second Edition*. Second Edi. Elsevier. Tersedia pada: <https://doi.org/10.1016/B978-0-12-813776-5.00002-9>.

Bastin, A. *dkk.* (2022) “A comparative study on the effect of blood collection tubes on stress oxidative markers,” *PLoS ONE*, 17(4 April), hal. 1–12. Tersedia pada: <https://doi.org/10.1371/journal.pone.0266567>.

Baynes, J.W. dan Dominiczak, M.H. (2021) *Medical biochemistry - Indonesia 5th Edition*. Elsevier Health Sciences. Tersedia pada: [https://www.google.co.id/books/edition/Medical\\_Biochemistry\\_Indonesian\\_5th\\_Edit/bwjgEAAAQBAJ?hl=id&gbpv=1&dq=inhibitor+transpor+elektron&pg=PA300&printsec=frontcover](https://www.google.co.id/books/edition/Medical_Biochemistry_Indonesian_5th_Edit/bwjgEAAAQBAJ?hl=id&gbpv=1&dq=inhibitor+transpor+elektron&pg=PA300&printsec=frontcover).

Bishop, M.L., Fody, E.P. dan Schoeff, L.E. (2018) *Clinical Chemistry: Principles, Techniques, and Correlations*. Wolters Kluwer (G - Reference, Information and Interdisciplinary Subjects Series). Tersedia pada: <https://books.google.co.id/books?id=AS50vgAACAAJ>

Booth, K.A. dan Mundt, L. (2024) *Phlebotomy A Competency-Based Approach*. McGraw Hill.

Burtis, C.A. dan Bruns, D.E. (2015) *Tietz Fundamentals of Clinical Chemistry And Molecular Diagnostics, Journal of Chemical Information and Modeling*. Elsevier Health Sciences. Tersedia pada: <https://books.google.co.id/books?id=p7XwAwAAQBAJ>.

Cano-Corres, R., Sole-Enrech, G. dan Aparicio-Calvente, M.I. (2023) "Definition of icteric interference index for six biochemical analytes," *Biochemia Medica*, 33(2), hal. 1–8. Tersedia pada: <https://doi.org/10.11613/BM.2023.020702>.

Caruso, B., Bovo, C. dan Guidi, G.C. (2020) "Causes of preanalytical interferences on laboratory immunoassays - a critical review," *Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine*, 31(1), hal. 70–84. Tersedia pada: <https://pmc.ncbi.nlm.nih.gov/articles/PMC7109499/pdf/ejifcc-31-70.pdf>.

Damhuri, P.O., Hartuti, Y. dan Ica, M. (2023) "Pengaruh Waktu Penundaan Pemeriksaan Terhadap Kadar Kolesterol," *Jurnal Sains dan Teknologi Laboratorium Medik*, 9(1), hal. 18–21. Tersedia pada: <https://jurnal.akjp2.ac.id/index.php/jstlm/article/view/133>.

DEVI, A. dan Goswami, B. (2023) "A comparative study of sample collection tubes for routine biochemical parameters.," *Baghdad Journal of Biochemistry and Applied Biological Sciences*, 4(01), hal. 27–38. Tersedia pada: <https://doi.org/10.47419/bjbabs.v4i01.203>.

Dila Wanti, H., Fadhilah, F. dan Taufiqurrohman, O. (2020) "Pengaruh Hemolisis Dalam Serum Terhadap Aktivitas Enzim Aspartat Aminotransferase Dengan Metode Kinetik-Ifcc," *Journal of Indonesian Medical Laboratory and Science (JoIMedLabs)*, 1(1), hal. 48–56. Tersedia pada: <https://doi.org/10.53699/joimedlabs.v1i1.6>.

Dj, H.D. dkk. (2023) "Perbedaan Penggunaan Tabung Vacutainer Plain Dan Clot Activator Terhadap Waktu Pemeriksaan Gula Darah Puasa Di Rumah Sakit Sultan Syarif Mohamad Alkadrie," *Jurnal Laboratorium Khatulistiwa*, 6(2), hal. 44. Tersedia pada: <https://doi.org/10.30602/jlk.v6i2.1171>.

Fernández Prendes, C. dkk. (2023) "Handling of lipemic samples in the clinical laboratory," *Advances in Laboratory Medicine*, 4(1), hal. 5–15. Tersedia pada: <https://doi.org/10.1515/almed-2023-0003>.

Giantini, A. dkk. (2023) "Comparison of Various Blood Vacuum Tubes Brand for Clinical Chemistry, Hormonal, Hematology, and Hemostasis Parameters," *Bali Medical Journal*, 12(3), hal. 2968–2974. Tersedia pada: <https://doi.org/10.15562/bmj.v12i3.4685>.

Gros, N. dan Stopar, T. (2023) "Preanalytical Quality Evaluation of Citrate Evacuated Blood Collection Tubes—Ultraviolet Molecular Absorption Spectrometry Confronted with Ion Chromatography," *Molecules*, 28(23). Tersedia

pada: <https://doi.org/10.3390/molecules28237735>.

Grzych, G., Pekar, J.D. dan Maboudou, P. (2019) “Better Glucose Stability in Serum than in Plasma Samples after 12-h Stay at Room Temperature,” *Diabetes Technology and Therapeutics*, 21(7), hal. 413–414. Tersedia pada: <https://doi.org/10.1089/dia.2019.0061>.

Güler, E.M. (2024) “Comparison of Clot Activator Gel Biochemistry Tubes,” *Haydarpasa Numune Training and Research Hospital Medical Journal*, 64(2), hal. 254–260. Tersedia pada: <https://doi.org/10.14744/hnhj.2023.97355>.

Handayati, A. *dkk.* (2023) *Modul Kimia Klinik 2*.

Hanuraga, A. (2024) “Effect of Duration and Temperature on Serum Glutamic Oxaloacetic Transaminase (SGOT), Serum Glutamic Pyruvic Transaminase (SGPT), and Alkaline Phosphatase (ALP) Levels,” hal. 1–6.

Hasanuddin, A., Thahir, S. dan Hardianti, D. (2019) “Gambaran Kadar Serum Glutamate Oxalocetik Transminase (SGOT) dan Glutamate Pyruvat Transminase (SGPT) pada Pasien Diabetes Melitus di RSUD Syekh Yusup Kab. Gowa,” *Jurnal Media Laboran*, 9(2), hal. 23–28.

Hoeltke, L.B. (2018) *The Complete Textbook of Phlebotomy*. Cengage Learning. Tersedia pada: <https://books.google.co.id/books?id=qt-5DQAAQBAJ>.

Jung, J. *dkk.* (2020) “Effect of Collection Tube Type on Glucose Stability in Whole Blood,” *Annals of clinical and laboratory science*, 50(4), hal. 557–559. Tersedia pada: <http://www.annclinlabsci.org/content/50/4/557.full.pdf>.

Karakoyun, I. (2020) “Comparison of 30 Biochemical Analytes in 3 Different Blood Collection Tubes,” 18(2), hal. 61–69. Tersedia pada: [https://tkb.dergisi.org/pdf/pdf\\_TKB\\_363.pdf](https://tkb.dergisi.org/pdf/pdf_TKB_363.pdf).

Kemkes RI (2013) “PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 43 TAHUN 2013 TENTANG CARA PENYELENGGARAAN LABORATORIUM KLINIK YANG BAIK.”

Keohane, E.M., Otto, C.N. dan Walenga, J.M. (2020) *Rodak'S Hematology: Clinical Principles and Applications, Sixth Edition*. Saunders.

Kesuma, S., Fera dan Lamri (2024) “Perbedaan Aktivitas Enzim Aspartate Aminotransferase (AST) Pada Serum Segera Dan Ditunda Pemisahannya Selama 2 Jam,” *Jurnal Ilmu Kedokteran dan Kesehatan*, 11(2), hal. 301–306.

Lala, V., Zubair, M. dan Minter, D.A. (2024) “Liver Function Tests.,” in. Treasure Island (FL). Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK482489/>.

Larson, D. (2017) *Clinical Chemistry - E-Book: Clinical Chemistry - E-Book*. Saunders. Tersedia pada: <https://books.google.co.id/books?id=zxqKCwAAQBAJ>.

Lima-Oliveira, G. *dkk.* (2018) “Sample management for clinical biochemistry assays: Are serum and plasma interchangeable specimens?,” *Critical Reviews in Clinical Laboratory Sciences*, 55(7), hal. 480–500. Tersedia pada:

<https://doi.org/10.1080/10408363.2018.1499708>.

Lima-Oliveira, G. *dkk.* (2021) "Clot activators and anticoagulant additives for blood collection. A critical review on behalf of COLABIOCLI WG-PRE-LATAM," *Critical Reviews in Clinical Laboratory Sciences*, 58(3), hal. 207–224. Tersedia pada: <https://doi.org/10.1080/10408363.2020.1849008>.

Lippi, G. *dkk.* (2018) "Blood Glucose Determination: Effect of Tube Additives," *Advances in Clinical Chemistry*, 84, hal. 101–123. Tersedia pada: <https://doi.org/10.1016/bs.acc.2017.12.003>.

Di Lorenzo, M.S. dan Strasinger, S.K. (2022) *Blood Collection for Healthcare Professionals: A Short Course*. Tersedia pada: <https://books.google.com.mx/books?id=UkJpEAAAQBAJ>.

Marshall, W.J. *dkk.* (2021) *Clinical Chemistry Ninth Edition, Clinical Chemistry*. Tersedia pada: [www.elsevier.com/permissions](http://www.elsevier.com/permissions).

McCall, R. (2019) *Phlebotomy Essentials*. Wolters Kluwer Health. Tersedia pada: <https://books.google.co.id/books?id=3PWrdwAAQBAJ>.

Mehvish Sana *dkk.* (2022) "Effect of delayed serum separation on various chemistry analytes.," *The Professional Medical Journal*, 29(12), hal. 1789–1792. Tersedia pada: <https://doi.org/10.29309/tpmj/2022.29.12.7178>.

Nugraha, G. (2022) *Teknik Pengambilan dan Penanganan Spesimen Darah Vena Manusia untuk Penelitian, Teknik Pengambilan dan Penanganan Spesimen Darah Vena Manusia untuk Penelitian*. Tersedia pada: <https://doi.org/10.14203/press.345>.

Obermeyer, Z. dan Pope, D. (2021) "Clinical and Translational Report Variation in common laboratory test results caused by ambient temperature Variation in common laboratory test results caused by ambient temperature," hal. 1314–1326.

Panigrahi, M. dan Panda, S. (2018) "Effect of ovulation on serum cholesterol in women of reproductive age group," *International Journal of Reproduction, Contraception, Obstetrics and Gynecology* [Preprint]. Tersedia pada: <https://doi.org/10.18203/2320-1770.ijrcog20180036>.

Plebani, M. *dkk.* (2020) "Serum or plasma? An old question looking for new answers," *Clinical Chemistry and Laboratory Medicine*, 58(2), hal. 178–187. Tersedia pada: <https://doi.org/10.1515/cclm-2019-0719>.

Pratiwi, C.D. *dkk.* (2022) "Pengaruh Serum yang Disimpan Selama Lima Hari Suhu 2-8°C dengan Serum yang Diperiksa Langsung pada Pemeriksaan Kolesterol Total," *Borneo Journal of Medical Laboratory Technology*, 4(2), hal. 292–296. Tersedia pada: <https://doi.org/10.33084/bjmlt.v4i2.3790>.

Rifai, N. *dkk.* (2018) *Tietz textbook of clinical chemistry and molecular diagnostics*. 6th editio. St. Louis, Missouri SE - xx, 1867 pages : illustrations en partie en couleur ; 29 cm: Elsevier. Tersedia pada: <https://doi.org/LK> - <https://worldcat.org/title/1013901907>.

Rifai, N. (2023) *Tietz Textbook Of Laboratory Medicine*. 7th ed. Elsevier Enhanced

Digital Version.

Setiawan, B., Nugraheni, U.R. dan Rahayu, M. (2021) “Vacutainer serum separator sebagai alternatif tabung penampung darah pada pemeriksaan kadar ureum,” *the Journal of Muhammadiyah Medical Laboratory Technologist*, 4(1), hal. 81. Tersedia pada: <https://doi.org/10.30651/jmlt.v4i1.7447>.

Siregar, M.T. dkk. (2018) *Kendali Mutu – Bahan Ajar Teknologi Laboratorium Medis*. BPPDSMK Kemenkes RI 2018. Tersedia pada: [http://bppsdkm.kemkes.go.id/pusdiksdm/wp-content/uploads/2018/09/Kendali-Mutu\\_SC.pdf](http://bppsdkm.kemkes.go.id/pusdiksdm/wp-content/uploads/2018/09/Kendali-Mutu_SC.pdf).

Subiyono, Martsiningsih, M.A. dan Gabrela, D. (2016) “Gambaran kadar glukosa darah metode GOD-PAP (Glucose Oksidase – Peroxidase Aminoantipirin) sampel serum dan plasma EDTA (Ethylen Diamin Terta Acetat),” *Jurnal Teknologi Laboratorium*, 5(1), hal. 45–48.

Sunheimer, R. dan Graves, L. (2018) *Clinical Laboratory Chemistry*. Pearson Education. Tersedia pada: <https://books.google.co.id/books?id=nxy-DgAAQBAJ>.

Thomas, M.K., Muhammad, Z. dan Prasanna, T. (2023) “Blood Glucose Monitoring,” in. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK555976/>.

Turchiano, M. dkk. (2013) “Impact of Blood Sample Collection and Processing Methods on Glucose Levels in Community Outreach Studies,” *Journal of Environmental and Public Health*, 2013(1), hal. 256151. Tersedia pada: <https://doi.org/https://doi.org/10.1155/2013/256151>.

Vignoli, A. dkk. (2022) “Serum or Plasma (and Which Plasma), That Is the Question,” *Journal of Proteome Research*, 21(4), hal. 1061–1072. Tersedia pada: <https://doi.org/10.1021/acs.jproteome.1c00935>.

Wardani, H.D.A.K. dan Saktiningsih, H. (2024) “The Differences on Triglyceride Levels was Centrifuged Samples after Freezing for 30 Minutes and 2 Hours,” *Jurnal Biologi Tropis*, 24(2), hal. 916–920. Tersedia pada: <https://doi.org/10.29303/jbt.v24i2.6928>.

Winter, W.E., Flax, S.D. dan Harris, N.S. (2017) “Coagulation testing in the core laboratory,” *Lab Medicine*, 48(4), hal. 295–313. Tersedia pada: <https://doi.org/10.1093/labmed/lmx050>.

Wiriyaprasit, R. dkk. (2024) “Optimizing D-mannose and glyceraldehyde concentrations as glucose preservatives without clinically affecting biochemical test results,” *Practical Laboratory Medicine*, 39(February), hal. e00388. Tersedia pada: <https://doi.org/10.1016/j.plabm.2024.e00388>.

Zeng, X. dkk. (2024) “Alzheimer blood biomarkers: practical guidelines for study design, sample collection, processing, biobanking, measurement and result reporting,” *Molecular Neurodegeneration*, 19(1), hal. 1–22. Tersedia pada: <https://doi.org/10.1186/s13024-024-00711-1>.