

DAFTAR PUSTAKA

- Ahmed, I.S. *et al.* (2019) 'IoT Enabled Wireless Health Monitoring System Using Textile Antenna', *Asia-Pacific Conference on Applied Electromagnetics, Proceedings*, (November), pp. 1–6. Available at: <https://doi.org/10.1109/APACE47377.2019.9021103>.
- Ali, R. *et al.* (2012) 'Icterus neonatorum in near-term and term infants an overview', *Sultan Qaboos University Medical Journal*, 12(2), pp. 153–160. Available at: <https://doi.org/10.12816/0003107>.
- Allen, D. (2016) 'Neonatal jaundice', *Nursing children and young people*, 28(6), p. 11. Available at: <https://doi.org/10.7748/ncyp.28.6.11.s15>.
- Anggraeni, M.D. *et al.* (2022) 'Estimation of Neonatal Jaundice from the Chest Images Captured with a Smartphone', *Proceedings of the Soedirman International Conference on Mathematics and Applied Sciences (SICOMAS 2021)*, 5(Sicommas 2021), pp. 23–26. Available at: <https://doi.org/10.2991/apr.k.220503.005>.
- Bahar, M., Melani, S.I. and Yurman, Y. (2023) 'Gambaran Hasil Bilirubin Indirect Pada Bayi Umur 0-14 Hari Di Rumah Sakit Gading Medika Kota Bengkulu', *Journal of Indonesian Medical Laboratory and Science (JoIMedLabS)*, 4(2), pp. 160–167. Available at: <https://doi.org/10.53699/joimedlabs.v4i2.151>.
- Bakar, A.H.A. *et al.* (2017) 'Jaundice (Hyperbilirubinemia) detection and prediction system using color card technique', *Proceedings - 2017 IEEE 13th International Colloquium on Signal Processing and its Applications, CSPA 2017*, (March), pp. 208–213. Available at: <https://doi.org/10.1109/CSPA.2017.8064952>.
- Bakir, A., Mardianto, E. and Riyanto, A. (2024) 'Sistem Non-Invasif Untuk Pengukuran Kadar Glukosa , Oksigen , dan Detak Jantung Berbasis LED Merah dan Infrared Dekat', *Electrotechnics And Information Technology Journal*, 5(2), pp. 58–65.
- Bhutani, V.K., Vilms, R.J. and Hamerman-Johnson, L. (2010) 'Universal bilirubin screening for severe neonatal hyperbilirubinemia', *Journal of Perinatology*,

- 30(SUPPL. 1), pp. S6–S15. Available at: <https://doi.org/10.1038/jp.2010.98>.
- Deng, H. *et al.* (2021) ‘Ensemble learning for the early prediction of neonatal jaundice with genetic features’, *BMC Medical Informatics and Decision Making*, 21(1), pp. 1–11. Available at: <https://doi.org/10.1186/s12911-021-01701-9>.
- Fatoni, A., Anggraeni, M.D. and Rahmawati, E. (2025) ‘Non-Invasive Wearable Sensor for Real-Time Neonatal Jaundice Monitoring Using Forehead Skin Tone Analysis’, pp. 1–15.
- Fatoni, A., Aziz, A.N. and Anggraeni, M.D. (2020) ‘Low-cost and real-time color detector developments for glucose biosensor’, *Sensing and Bio-Sensing Research*, 28(January), p. 100325. Available at: <https://doi.org/10.1016/j.sbsr.2020.100325>.
- Greco, C. *et al.* (2016) ‘Neonatal Jaundice in Low- and Middle-Income Countries: Lessons and Future Directions from the 2015 Don Ostrow Trieste Yellow Retreat’, *Neonatology*, 110(3), pp. 172–180. Available at: <https://doi.org/10.1159/000445708>.
- Hariyono, M.A. (2023) ‘Monitoring Bayi Bilirubin Pada Alat Phototherapy Menggunakan Modul Kamera Ov 7670 Berbasis Internet of Things’, *Jurnal Kajian Ilmiah Kesehatan dan Teknologi*, 5(1), pp. 47–56. Available at: <https://doi.org/10.52674/jkikt.v5i1.103>.
- Henry *et al.* (2022) ‘Rancang Bangun Alat Deteksi Hipotermia berdasarkan Detak Jantung dan Suhu Tubuh dengan Metode Fuzzy Tsukamoto’, *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, 6(12), pp. 5647–5654.
- Inamori, G. *et al.* (2019) ‘Wearable Optical Device for Real-Time Monitoring of Newborn Jaundice’, *Proceedings of the IEEE International Conference on Micro Electro Mechanical Systems (MEMS)*, 2019-Janua(January), pp. 541–543. Available at: <https://doi.org/10.1109/MEMSYS.2019.8870677>.
- Kakumanu, P., Makrogiannis, S. and Bourbakis, N. (2007) ‘A survey of skin-color modeling and detection methods’, *Pattern Recognition*, 40(3), pp. 1106–1122. Available at: <https://doi.org/10.1016/j.patcog.2006.06.010>.

- Karim, R., Zaman, M. and Yong, W.H. (2023) ‘A Non-invasive Methods for Neonatal Jaundice Detection and Monitoring to Assess Bilirubin Level: A Review’, *Annals of Emerging Technologies in Computing*, 7(1), pp. 15–29. Available at: <https://doi.org/10.33166/AETiC.2023.01.002>.
- Kesuma, S., Rodiyah, S. and Maulida (2023) ‘Evaluasi Pemeriksaan Bilirubin Total Menggunakan Model Specimen Insignificant Dan Mild Hemolysis’, *Gema Kesehatan*, 15(2), pp. 139–150. Available at: <https://doi.org/10.47539/gk.v15i2.428>.
- Larissa, S., Lewoema, Z. and Prasetyaningrum, P.T. (2024) ‘Implementasi Data Mining Pada Klasifikasi Status Gizi Bayi Dengan Metode Decision Tree CHAID (Studi Kasus: Puskesmas Godean 1 Yogyakarta)’, *Journal of Information Technology Ampera*, 5(1), pp. 2774–2121. Available at: <https://doi.org/10.51519/journalita.v5i1.538>.
- Lazi, H., Efendi, R. and Purwandari, E.P. (2017) ‘Deteksi Warna Kulit Menggunakan Model Warna Cielab Neural Network Untuk Identifikasi Ras Manusia (Studi Kasus Ras: Kaukasoid, Mongoloid, Dan Negroid)’, *Jurnal Rekursif*, 5(2), pp. 121–133. Available at: <http://ejournal.unib.ac.id/index.php/rekursif/>.
- Li, F. and Dong, W. (2023) ‘Research Progress of Noninvasive Cardiac Output Monitor (NICOTM) and Hemodynamic Monitor in Neonates’, *Clinical and Experimental Obstetrics and Gynecology*, 50(10). Available at: <https://doi.org/10.31083/j.ceog5010211>.
- Maisels, M.J. and McDonagh, A.F. (2008) ‘Phototherapy for neonatal jaundice’, *The new england journal of medicine clinical*, 358(9), pp. 920–928. Available at: <https://doi.org/10.1111/j.1651-2227.1996.tb14014.x>.
- Maisels and Newman (2012) *Care of the jaundiced neonate*. New York: McGraw Hill.
- Ngeow, A.J.H. *et al.* (2024) ‘Development and Validation of a Smartphone Application for Neonatal Jaundice Screening’, *JAMA Network Open*, 7(12), pp. 1–14. Available at: <https://doi.org/10.1001/jamanetworkopen.2024.50260>.

- Okwundu, C.I. and Saini, S.S. (2021) 'Noninvasive methods for bilirubin measurements in newborns: A report', *Seminars in Perinatology*, 45(1), p. 151355. Available at: <https://doi.org/10.1016/j.semperi.2020.151355>.
- Padidar, P. *et al.* (2019) 'Detection of neonatal jaundice by using an android OS-based smartphone application', *Iranian Journal of Pediatrics*, 29(2). Available at: <https://doi.org/10.5812/ijp.84397>.
- Rachma, H., Cinta Amaria, S. and Hendrawan, A. (2024) 'SEMINAR NASIONAL INOVASI DAN TREN TEKNOLOGI (SINATTI) Fakultas Teknologi Informasi dan Komunikasi Universitas Semarang Implementasi Algoritma Decision Tree Pada Klasifikasi Status Gizi Balita Implementation of Decision Tree Algorithm on Toddler Nutrition ', (April 2024), pp. 1–11.
- Rahmad Timor, A. and Kesuma, D. (2023) 'Alat Pengukur Denyut Nadi Dengan Tampilan OLED Berbasis Arduino', *Jurnal Teknik, Komputer, Agroteknologi dan Sains*, 2(1), pp. 92–97.
- Rinda Lamdayani *et al.* (2022) 'Faktor-Faktor Yang Berhubungan Dengan Hiperbilirubinemia Pada Bayi Baru Lahir', *Cendekia Medika Jurnal Stikes Al-Ma'arif Baturaja*, 7(1), pp. 50–64. Available at: <https://doi.org/10.52235/cendekiamedika.v7i1.110>.
- Riskesdas (2018) 'Hasil Utama Riset Kesehatan Dasar', *Kementrian Kesehatan Republik Indonesia*, pp. 1–100. Available at: <https://doi.org/10.1016/j.riskesdas.2013.12.001> Desember 2013.
- Rohsiswatmo, R. and Amandito, R. (2018) 'Hiperbilirubinemia pada neonatus >35 minggu di Indonesia; pemeriksaan dan tatalaksana terkini', *Sari Pediatri*, 20(2), p. 115. Available at: <https://doi.org/10.14238/sp20.2.2018.115-22>.
- Shen, G.T. *et al.* (2025) 'Development and validation of neonatal jaundice detection using smartphone application', *Computers in Biology and Medicine*, 196(PC), p. 110845. Available at: <https://doi.org/10.1016/j.compbiomed.2025.110845>.
- Shofiyah and Pratiwi, N. (2025) 'Deteksi Skintone Menggunakan Model Warna CIELAB dan Klasifikasi Support Vector Machine', *Progresif: Jurnal Ilmiah Komputer*, 21(2), pp. 520–531.

- Suwandi, E. and Djohan, H. (2018) 'Hasil Pemeriksaan Bilirubin Total Pada Sampel Serum dan Plasma EDTA (Ethylene Diamine Tetraacetic Acid)', *Jurnal Laboratorium Khatulistiwa*, 2(1), pp. 74–76.
- Taylor, J.A. *et al.* (2017) 'Use of a smartphone app to assess neonatal jaundice', *Pediatrics*, 140(3). Available at: <https://doi.org/10.1542/peds.2017-0312>.
- Trihastuti, A. and Sawitri, E. (2023) 'Studi Kasus Asuhan Keperawatan Bayi dengan Hiperbilirubinemia', *The 1st Conference Of Health And Social Humaniora*, (2), pp. 188–203.
- Wahjudi, D. *et al.* (2023) 'Monitoring Level Kesehatan melalui Detak Jantung dan Kadar Oksigen dengan Internet of Things berbasis Android', *Journal of Electronic and Electrical Power Application* [Preprint].