

DAFTAR PUSTAKA

- [1] Pusat Data dan Informasi Kementrian Kesehatan RI, “Situasi Disabilitas,” 2019.
- [2] H. Tamura, T. Murata, Y. Yamashita, K. Tanno, and Y. Fuse, “Development of the electric wheelchair hands-free semi-automatic control system using the surface-electromyogram of facial muscles,” *Artif Life Robot*, vol. 17, no. 2, pp. 300–305, 2012, doi: 10.1007/s10015-012-0060-2.
- [3] G. Lee, K. Kim, and J. Kim, “Development of hands-free wheelchair device based on head movement and bio-signal for quadriplegic patients,” *International Journal of Precision Engineering and Manufacturing*, vol. 17, no. 3, pp. 363–369, 2016, doi: 10.1007/s12541-016-0045-5.
- [4] G. Jang and Y. Choi, “EMG-based continuous control method for electric wheelchair,” *IEEE International Conference on Intelligent Robots and Systems*, no. Iros, pp. 3549–3554, 2014, doi: 10.1109/IROS.2014.6943058.
- [5] Z. Alibhai, T. Burrenson, M. Stiller, I. Ahmad, M. Huber, and A. Clark, “A Human-Computer Interface for Smart Wheelchair Control Using

- Forearm EMG Signals,” *Proceedings - 2020 3rd International Conference on Data Intelligence and Security, ICDIS 2020*, pp. 34–39, 2020, doi: 10.1109/ICDIS50059.2020.00011.
- [6] M. M. Abdulghani, K. M. Al-Aubidy, M. M. Ali, and Q. J. Hamarsheh, “Wheelchair neuro fuzzy control and tracking system based on voice recognition,” *Sensors (Switzerland)*, vol. 20, no. 10, 2020, doi: 10.3390/s20102872.
- [7] A. Ruíz-Serrano, R. Posada-Gómez, A. M. Sibaja, G. A. Rodríguez, B. E. Gonzalez-Sanchez, and O. O. Sandoval-Gonzalez, “Development of a Dual Control System Applied to a Smart Wheelchair, using Magnetic and Speech Control,” *Procedia Technology*, vol. 7, pp. 158–165, 2013, doi: 10.1016/j.protcy.2013.04.020.
- [8] H. Grewal, A. Matthews, R. Tea, and K. George, “LIDAR-based autonomous wheelchair,” in *2017 IEEE Sensors Applications Symposium (SAS)*, IEEE, 2017, pp. 1–6.
- [9] E. Yulianto and T. B. Indrato, “The design of electrical wheelchairs with electromyography

- signal controller for people with paralysis,” *Electr. Electron. Eng.*, vol. 8, no. 1, pp. 1–9, 2018.
- [10] T. Masuzawa, K. Tanaka, and S. Minami, “Development of a *safety* driving system for electric wheelchair,” *Journal of Asian Electric Vehicles*, vol. 7, no. 2, pp. 1325–1332, 2009.
- [11] D. A. Sanders, “Using self-reliance factors to decide how to share control between human powered wheelchair drivers and ultrasonic sensors,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 25, no. 8, pp. 1221–1229, 2016.
- [12] A. Ruíz-Serrano, M. C. Reyes-Fernández, R. Posada-Gómez, A. Martínez-Sibaja, and A. A. Aguilar-Lasserre, “Obstacle avoidance embedded system for a smart wheelchair with a multimodal navigation interface,” in *2014 11th International Conference on Electrical Engineering, Computing Science and Automatic Control (CCE)*, IEEE, 2014, pp. 1–6.
- [13] S. Desai, S. S. Mantha, and V. M. Phalle, “Advances in smart wheelchair technology,” in *2017 International Conference on Nascent*

Technologies in Engineering (ICNTE), IEEE, 2017, pp. 1–7.

- [14] J. Pu, Y. Jiang, X. Xie, X. Chen, M. Liu, and S. Xu, “Low cost sensor network for obstacle avoidance in share-controlled smart wheelchairs under daily scenarios,” *Microelectronics Reliability*, vol. 83, pp. 180–186, 2018.
- [15] M. Rojas, P. Ponce, and A. Molina, “Novel fuzzy logic controller based on time delay *inputs* for a conventional electric wheelchair,” *Revista mexicana de ingeniería biomédica*, vol. 35, no. 2, pp. 125–142, 2014.
- [16] T. Debnath, A. F. M. Z. Abadin, and M. A. Hossain, “PWM Based Android Controlled Wheel Chair,” *Int. J. Comput. Sci. Inf. Technol*, vol. 10, no. 2, pp. 57–64, 2018.
- [17] M. F. Ruzaij and S. Poonguzhali, “Design and implementation of low cost intelligent wheelchair,” in *2012 International Conference on Recent Trends in Information Technology*, IEEE, 2012, pp. 468–471.
- [18] V. Sankardoss and P. Geethanjali, “Design and low-cost implementation of an electric wheelchair

- control,” *IETE J Res*, vol. 67, no. 5, pp. 657–666, 2021.
- [19] G. Pires and U. Nunes, “A wheelchair steered through voice commands and assisted by a reactive fuzzy-logic controller,” *J Intell Robot Syst*, vol. 34, pp. 301–314, 2002.
- [20] H. Grewal, A. Matthews, R. Tea, and K. George, “LIDAR-based autonomous wheelchair,” *SAS 2017 - 2017 IEEE Sensors Applications Symposium, Proceedings*, 2017, doi: 10.1109/SAS.2017.7894082.
- [21] A. De and N. Do, “Optimal Wheelchair Multi-LiDAR Placement for Indoor SLAM,” 2021.
- [22] R.U.S.A, “United States Patent (19),” 1987
- [23] R. P. Lidar, “Low cost 360 degree 2D laser scanner (Lidar) system—Introduction and Datasheet,” *Robopeak Team*, 2014.
- [24] F. ois Blais, “Review of 20 years of range sensor development,” *J Electron Imaging*, vol. 13, no. 1, pp. 231–243, 2004.
- [25] J. Illade-Quinteiro, V. M. Brea, P. López, D. Cabello, and G. Doménech-Asensi, “Distance measurement *error* in time-of-flight sensors due to

shot noise,” *Sensors*, vol. 15, no. 3, pp. 4624–4642, 2015.

- [26] A. Martinez and E. Fernandez, “Learning ROS for Robotics Programming, Published by Packt Publishing Ltd. Livery Place, Birmingham B3 2PB, UK,” 2013.
- [27] E. Fernandez, L. S. Crespo, A. Mahtani, and A. Martinez, *Learning ROS for robotics programming*. Packt Publishing Ltd, 2015.
- [28] J. M. O’Kane, “A gentle introduction to ROS,” 2014.
- [29] A. Bihlmaier and H. Wörn, “Increasing ROS reliability and *safety* through advanced introspection capabilities,” *Informatik 2014*, 2014.
- [30] M. Quigley *et al.*, “ROS: an open-source Robot Operating System,” in *ICRA workshop on open source software*, Kobe, Japan, 2009, p. 5.
- [31] M. Quigley, “ROS: an open-source Robot Operating System. In Open-source software,” in *workshop of the international conference on robotics and automation (ICRA), 2009*, 2009.
- [32] J. J. Leonard and H. F. Durrant-Whyte, “Simultaneous map building and localization for an

autonomous mobile robot,” in *IROS*, 1991, pp. 1442–1447.

- [33] R. Mur-Artal, J. M. M. Montiel, and J. D. Tardos, “ORB-SLAM: a versatile and accurate monocular SLAM system,” *IEEE transactions on robotics*, vol. 31, no. 5, pp. 1147–1163, 2015.
- [34] R. Mur-Artal and J. D. Tardós, “Orb-SLAM2: An open-source SLAM system for monocular, stereo, and rgb-d cameras,” *IEEE transactions on robotics*, vol. 33, no. 5, pp. 1255–1262, 2017.
- [35] S. Thrun, “Probabilistic robotics,” *Commun ACM*, vol. 45, no. 3, pp. 52–57, 2002.
- [36] S. Saat, W. N. Abd Rashid, M. Z. M. Tumari, and M. S. Saealal, “HectorSLAM 2d mapping for simultaneous localization and mapping (SLAM),” in *Journal of Physics: Conference Series*, IOP Publishing, 2020, p. 42032.
- [37] R. R. Hanagi, O. S. Gurav, and S. A. Khandekar, “SLAM using AD* Algorithm with Absolute Odometry,” in *2021 6th International Conference for Convergence in Technology (I2CT)*, IEEE, 2021, pp. 1–4.

- [38] J. Zhao, S. Liu, and J. Li, “Research and Implementation of Autonomous Navigation for Mobile Robots Based on SLAM Algorithm under ROS,” *Sensors*, vol. 22, no. 11, Jun. 2022, doi: 10.3390/s22114172.
- [39] R. Lemus, S. Díaz, C. Gutiérrez, D. Rodríguez, and F. Escobar, “SLAM-R algorithm of simultaneous localization and mapping using RFID for obstacle location and recognition,” *Journal of applied research and technology*, vol. 12, no. 3, pp. 551–559, 2014.
- [40] A. Rahman, “Penerapan SLAM Gmapping dengan Robot Operating System Menggunakan Laser Scanner pada Turtlebot,” *Jurnal Rekayasa ElektriKa*, vol. 16, no. 2, 2020.
- [41] I. A. Putra and P. Prajitno, “Parameter Tuning of G-mapping SLAM (Simultaneous Localization and Mapping) on Mobile Robot with Laser-Range Finder 360° Sensor,” *2019 2nd International Seminar on Research of Information Technology and Intelligent Systems, ISRITI 2019*, pp. 148–153, 2019, doi: 10.1109/ISRITI48646.2019.9034573.

- [42] L. Yunze, “Research on SLAM of Indoor Robot Based on Lidar,” *South China University of Technology*, 2016.
- [43] L. Wenzhi, “Research and Implementation of SLAM and Path Planning Algorithm Based on Lidar,” *Harbin University of technology*, 2018.
- [44] A. Nüchter, M. Bleier, J. Schauer, and P. Janotta, “Continuous-time SLAM—improving google’s cartographer 3d mapping,” *Latest Developments in Reality-Based 3D Surveying and Modelling*, pp. 53–73, 2018.
- [45] W. Hess, D. Kohler, H. Rapp, and D. Andor, “Real-time loop closure in 2D LIDAR SLAM,” in *2016 IEEE international conference on robotics and automation (ICRA)*, IEEE, 2016, pp. 1271–1278.
- [46] M. L. Duncan and A. R. Bryant, “Connection Cartographer: Geographically Representing Host-Based Network Connections in Real-Time with a Focus on Usability,” in *2016 International Conference on Collaboration Technologies and Systems (CTS)*, IEEE, 2016, pp. 294–301.
- [47] K. Krinkin, A. Filatov, A. yom Filatov, A. Huletski, and D. Kartashov, “Evaluation of modern laser

- based indoor SLAM algorithms,” in *2018 22nd Conference of Open Innovations Association (FRUCT)*, IEEE, 2018, pp. 101–106.
- [48] K. Trejos, L. Rincón, M. Bolaños, J. Fallas, and L. Marín, “2D SLAM Algorithms Characterization, Calibration, and Comparison Considering Pose Error, Map Accuracy as Well as CPU and Memory Usage †,” *Sensors*, vol. 22, no. 18, Sep. 2022, doi: 10.3390/s22186903.
- [49] X. S. Le, L. Fabresse, N. Bouraqadi, and G. Lozenguez, “Evaluation of out-of-the-box ros 2d SLAMs for autonomous exploration of unknown indoor environments,” in *Intelligent Robotics and Applications: 11th International Conference, ICIRA 2018, Newcastle, NSW, Australia, August 9–11, 2018, Proceedings, Part II 11*, Springer, 2018, pp. 283–296.
- [50] Z. Xuexi, L. Guokun, F. Genping, X. Dongliang, and L. Shiliu, “SLAM algorithm analysis of mobile robot based on lidar,” in *2019 Chinese Control Conference (CCC)*, IEEE, 2019, pp. 4739–4745.
- [51] F. Duchoň, J. Hažík, J. Rodina, M. Tölgyessy, M. Dekan, and A. Sojka, “Verification of SLAM

- methods implemented in ros,” *Journal of Multidisciplinary Engineering Science and Technology (JMEST)*, vol. 6, pp. 2011–2016, 2019.
- [52] L. Jelínek, “Graph-based SLAM on normal distributions transform occupancy map,” 2016.
- [53] M. Labbe and F. Michaud, “Appearance-based loop closure detection for online large-scale and long-term operation,” *IEEE Transactions on Robotics*, vol. 29, no. 3, pp. 734–745, 2013.
- [54] R. Smith, M. Self, and P. Cheeseman, “Estimating uncertain spatial relationships in robotics,” in *Autonomous robot vehicles*, Springer, 1990, pp. 167–193.
- [55] S. Thrun, “A Probabilistic Approach to Concurrent Mapping and Localization for Mobiles Robots,” *Machine Learning and Autonomous Robots*, vol. 31, no. 5, pp. 1–25, 1998.
- [56] S. B. Williams, G. Dissanayake, and H. Durrant-Whyte, “Field deployment of the simultaneous localisation and mapping algorithm,” in *15th IFAC World Congress on Automatic Control*, 2002.
- [57] K. Murphy and S. Russell, “Rao-Blackwellised particle filtering for dynamic Bayesian networks,”

in *Sequential Monte Carlo methods in practice*, Springer, 2001, pp. 499–515.

- [58] R. Martinez-Cantin, N. de Freitas, and J. A. Castellanos, “Analysis of particle methods for simultaneous robot localization and mapping and a new algorithm: Marginal-SLAM,” in *Proceedings 2007 IEEE international conference on robotics and automation*, IEEE, 2007, pp. 2415–2420.
- [59] K. Shojaie, K. Ahmadi, and A. M. Shahri, “Effects of iteration in Kalman filters family for improvement of estimation accuracy in simultaneous localization and mapping,” in *2007 IEEE/ASME international conference on advanced intelligent mechatronics*, IEEE, 2007, pp. 1–6.
- [60] W. Zhou, C. Zhao, and J. Guo, “The study of improving Kalman filters family for nonlinear SLAM,” *Journal of Intelligent and Robotic Systems: Theory and Applications*, vol. 56, no. 5, pp. 543–564, 2009, doi: 10.1007/s10846-009-9327-9.
- [61] R. F. Waliulu, A. Hendriawan, A. Pramono, and S. Supardi, “PROTOTYPE DETEKSI OBJEK MENGGUNAKAN RASPBERRY PI MELALUI

MODUL SENSOR ULTRASONIK HC-SR04,”
JPB: Jurnal Patria Bahari, vol. 1, no. 2, pp. 53–57,
2021.

- [62] P. WIJAYANTI, “RANCANG BANGUN APLIKASI ANDROID SEBAGAI PENAMPIL HASIL GAMBAR DARI RASPBERRY PI PADA PENDETEKSI KEHADIRAN TAMU BERBASIS WEB.” Politeknik Negeri Sriwijaya, 2015.
- [63] H. D. Ghael, L. Solanki, and G. Sahu, “A Review Paper on Raspberry Pi and its Applications,” *International Journal of Advances in Engineering and Management (IJAEM)*, vol. 2, no. 12, p. 4, 2020.
- [64] D. Molloy, *Exploring Raspberry Pi: interfacing to the real world with embedded Linux*. John Wiley & Sons, 2016.
- [65] “AUTONOMOUS MOBILE ROBOT DENGAN METODE SIMULTANEOUS LOCALIZATION AND MAPPING (SLAM).”
- [66] Y. K. Lee, J. M. Lim, K. S. Eu, Y. H. Goh, and Y. Tew, “Real time image processing based obstacle avoidance and navigation system for autonomous wheelchair application,” in *2017 Asia-Pacific*

*Signal and Information Processing Association
Annual Summit and Conference (APSIPA ASC),
IEEE, 2017, pp. 380–385.*