

DAFTAR PUSTAKA

- Aeni, S.R.N., Kodariah, L. and Kusumaningrum Ima (2022) "RELATIONSHIP OF ORGANIZATIONAL RESOURCES TO PRE-ANALYTIC ERRORS IN BANDUNG CITY PUSKESMAS LABORATORY," *Jurnal Kesehatan Rajawali*, 12(1), pp. 31–37. Available at: <https://doi.org/10.54350/jkr.v12i1.115>.
- Alanazi, S.A.S. *et al.* (2023) "The Impact of Preanalytical Variables on the Accuracy of Electrolyte Measurements in Laboratory," *Letters in High Energy Physics*, 2023(4), pp. 267–279.
- Alcantara, J.C. *et al.* (2022) "Analysis of preanalytical errors in a clinical chemistry laboratory: A 2-year study," *Medicine (United States)*, 101(27). Available at: <https://doi.org/10.1097/MD.00000000000029853>.
- Alghamdi, S.M.S. *et al.* (2024) "Pre-Analytical, Analytical, And Post-Analytical Errors In Clinical Laboratory Testing: A Systematic Review Of Causes And Prevention Strategies," *Journal of International Crisis And Risk Communication Research*, 7(11), pp. 3361–3374.
- Asri, N.I.N. and Alivameita, A. (2022) "The Effect of Variations of Serum Examination Time Lapse on Electrolyte Levels of Potassium and Chloride," *Medicra (Journal of Medical Laboratory Science/Technology)*, 5(2), pp. 119–123. Available at: <https://doi.org/10.21070/medicra.v5i2.1639>.
- Az Zahra, A., Diaty, R. and Normahya, S.R. (2024) "Elektrolit dalam Tubuh Manusia: Kunci Kesehatan dan Keharmonisan Hidup," *SERUMPUN: Journal of Education, Politic, and Social Humaniora*, 2(2), pp. 158–176. Available at: <https://doi.org/10.61590/srp.v2i2.152>.
- Aziz, F. *et al.* (2023) "Pseudohyponatremia: Mechanism, Diagnosis, Clinical Associations and Management," *Journal of Clinical Medicine*. Multidisciplinary Digital Publishing Institute (MDPI). Available at: <https://doi.org/10.3390/jcm12124076>.
- Azizah, N. and Alivameita, A. (2019) "Pengaruh Lama Penundaan Pemeriksaan Serum Terhadap Kadar Elektrolit Natrium dan Klorida," *Medicra (Journal of Medical Laboratory Science/Technology)*, 2(1), pp. 28–30. Available at: <https://doi.org/10.21070/medicra.v2i1.2589>.
- Baruah, A. *et al.* (2014) "Delay in specimen processing-major source of preanalytical variation in serum electrolytes," *Journal of Clinical and Diagnostic Research*, 8(12), pp. CC01–CC03. Available at: <https://doi.org/10.7860/JCDR/2014/10150.5285>.

- Bautista Balbás, L.A. *et al.* (2017) “Stability of plasma electrolytes in barricor and PST II tubes under different storage conditions,” *Biochemia Medica*, 27(1), pp. 225–230. Available at: <https://doi.org/10.11613/BM.2017.024>.
- Bishop, M.L., Fody, E.P. and Schoeff, L.E. (2018) *Clinical Chemistry Principles, Techniques, and Correlations*. 8th ed. Wolters Kluwer.
- Bouazza, S. *et al.* (2024) “The hemolysis index as a tool for monitoring mild hemolysis in biochemical assays at the emergency laboratory,” *Journal of Biological Research (Italy)*, 97(2). Available at: <https://doi.org/10.4081/jbr.2024.12469>.
- Carmenita and Wreksoatmodjo, B.R. (2023) “Efek Neurologis Hiponatremia,” *Cermin Dunia Kedokteran*, 50(9), pp. 490–495.
- Chen, L.-D., Wang, W.-J. and Wang, G.-J. (2021) “Electrochemical detection of electrolytes using a solid-state ion-selective electrode of single-piece type membrane,” *Biosensors*, 11(4). Available at: <https://doi.org/10.3390/bios11040109>.
- Chopra, P. and Datta, S.K. (2020) “Discrepancies in Electrolyte Measurements by Direct and Indirect Ion Selective Electrodes due to Interferences by Proteins and Lipids,” *Journal of Laboratory Physicians*, 12(02), pp. 084–091. Available at: <https://doi.org/10.1055/s-0040-1713690>.
- Clinical And Laboratory Standards Institute (CLSI) (2004) *Procedures for the handling and processing of blood specimens : approved guideline*. NCCLS.
- Danilenko, U. *et al.* (2020) “An updated protocol based on CLSI document C37 for preparation of off-the-clot serum from individual units for use alone or to prepare commutable pooled serum reference materials,” *Clinical Chemistry and Laboratory Medicine*, 58(3), pp. 368–374. Available at: <https://doi.org/10.1515/cclm-2019-0732>.
- Dash, P. *et al.* (2022) “Impact of Time Delay in the Analysis of Serum Ionized Calcium, Sodium, and Potassium,” *Journal of Laboratory Physicians*, 14(04), pp. 373–376. Available at: <https://doi.org/10.1055/s-0042-1757228>.
- Dupuy, A.M. *et al.* (2018) “Stability of routine biochemical analytes in whole blood and plasma/serum: Focus on potassium stability from lithium heparin,” *Clinical Chemistry and Laboratory Medicine*, 56(3), pp. 413–421. Available at: <https://doi.org/10.1515/cclm-2017-0292>.
- Flores, C.F.Y. *et al.* (2020) “Sample management: stability of plasma and serum on different storage conditions,” *The Journal of the International Federation of Clinical Chemistry and Laboratory Medicine*, 31(1), pp. 46–55.

- Hall, J.E. and Hall, M.E. (2022) *Guyton and Hall Textbook of Medical Physiology*. 14th ed. Elsevier. Available at: <http://evolve.elsevier.com/Hall/physiology/>.
- Hardyansa (2023) “Perbandingan Pemeriksaan Elektrolit Menggunakan Metode Ion Selective Elektrode Pada Sampel Serum Segera dan di Tunda 8 Jam,” *Jurnal Ilmiah Kesehatan Sandi Husada*, pp. 299–304. Available at: <https://doi.org/10.35816/jiskh.v12i1.1182>.
- Hedayati, M. *et al.* (2020) “The impact of pre-analytical variations on biochemical analytes stability: A systematic review,” *Journal of Clinical Laboratory Analysis*. John Wiley and Sons Inc. Available at: <https://doi.org/10.1002/jcla.23551>.
- Hidayat, A., Mikawati and Marwaningsih, V.R. (2024) *Buku Ajar Ilmu Biomedik Dasar*. 1st ed. Jakarta: PT Nuansa Fajar Cemerlang. Available at: www.nuansafajarcemerlang.com.
- ISO:15189 (2021) *Medical laboratories-Requirements for quality and competence*. Available at: www.iso.org.
- Lewis III and James L (2025) *Hyponatremia - Endocrine and Metabolic Disorders*. Available at: https://www.merckmanuals.com/professional/endocrine-and-metabolic-disorders/electrolyte-disorders/hyponatremia#Treatment_v1149447.
- Lippi, G. and Plebani, M. (2013) “Continuous-flow automation and hemolysis index: A crucial combination,” *Journal of Laboratory Automation*, 18(2), pp. 184–188. Available at: <https://doi.org/10.1177/2211068212450014>.
- Lu, H. *et al.* (2020) “Prevalence and Description of Hyponatremia in a Swiss Tertiary Care Hospital: An Observational Retrospective Study,” *Frontiers in Medicine*, 7. Available at: <https://doi.org/10.3389/fmed.2020.00512>.
- Mcalpine, S. and Chale-Matsau, B. (2023) “Impact of potassium test sample rejections on routine laboratory service, South Africa,” *African Journal of Laboratory Medicine*, 12(1), pp. 1–6. Available at: <https://doi.org/10.4102/ajlm>.
- Mehvish Sana *et al.* (2022) “Effect of delayed serum separation on various chemistry analytes,” *The Professional Medical Journal*, 29(12), pp. 1789–1792. Available at: <https://doi.org/10.29309/tpmj/2022.29.12.7178>.
- Mokhsin, A. *et al.* (2025) “Assessing the stability of uncentrifuged serum and plasma analytes at various post-collection intervals,” *Journal of Laboratory Medicine*, 49(1), pp. 21–28. Available at: <https://doi.org/10.1515/labmed-2024-0062>.

- Ngetich, E.K., Kiprono, S. and Marera, D. (2022) “Stability of Selected Biochemical Analytes in Serum Stored at Room Temperature for 24 Hours at Kericho County Referral Hospital, Kenya,” *East African Journal of Health and Science*, 5(1), pp. 300–310. Available at: <https://doi.org/10.37284/eajhs.5.1.844>.
- Nordin, N. *et al.* (2024) “Preanalytical Errors in Clinical Laboratory Testing at a Glance: Source and Control Measures,” *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.57243>.
- Nugraha, G. (2022) *Teknik Pengambilan dan Penanganan Spesimen Darah Vena Manusia untuk Penelitian*. LIPI Press. Available at: <https://doi.org/10.14203/press.345>.
- Ode Marsudi, L., Fahmi Aminuddin, M., Harianja, E. and Agustian, M. (2024) “Pengaruh Penundaan Pengelolaan Sampel Serum Terhadap Hasil Pemeriksaan Kadar Elektrolit,” *Jurnal Teknologi Laboratorium Medik Borneo*, 4(2), pp. 7–12.
- Ode Marsudi, L., Fahmi Aminuddin, M., Harianja, E., Agustian, M., *et al.* (2024) *Pengaruh Penundaan Pengelolaan Sampel Serum Terhadap Hasil Pemeriksaan Kadar Elektrolit The Effect of Delaying Serum Samples on the Results of Electrolyte Level Examination*, *Jurnal Teknologi Laboratorium Medik Borneo*.
- Omar, J. *et al.* (2022) “Effects of Time Delay In Processing Common Clinical Biochemical Parameters in an Accredited Laboratory,” *IMJM*, 21(4), pp. 31–35.
- Parwata, N.M.R.N. *et al.* (2024) *Keseimbangan Cairan, Elektrolit dan Asam Basa*. 1st ed. Edited by Saida. Cilacap: PT Media Pustaka Indo. Available at: www.mediapustakaindo.com.
- Pawlik-Sobecka, L. *et al.* (2020) “The influence of serum sample storage conditions on selected laboratory parameters related to oxidative stress: A preliminary study,” *Diagnostics*, 10(1). Available at: <https://doi.org/10.3390/diagnostics10010051>.
- Permenkes RI (2010) *Peraturan Menteri Kesehatan Nomor 411 Tahun 2010 tentang Laboratorium Klinik*.
- Prasetyo, R., Wijayati, W. and Ayuningtyas, D. (2021) “Identifikasi Waste Tahap Pra Analitik dengan Pendekatan Lean Hospital di Laboratorium Patologi Klinik RS XYZ Depok Jawa Barat Tahun 2021,” *Jurnal Manajemen Kesehatan Indonesia*, 9, pp. 102–112.

- Rajendran, R. *et al.* (2024) “Effect of serum clot contact time-A preanalytical variation on serum electrolytes,” *International Journal of Life Sciences*, 13(10). Available at: https://doi.org/10.69605/ijlbpr_13.10.2024.100.
- Sagar, N. and Lohiya, S. (2024) “A Comprehensive Review of Chloride Management in Critically Ill Patients,” *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.55625>.
- Salvagno, G.L. *et al.* (2020) “Stability of refrigerated whole blood samples for osmotic fragility test,” *Hematology, Transfusion and Cell Therapy*, 42(2), pp. 134–138. Available at: <https://doi.org/10.1016/j.htct.2019.06.001>.
- Siregar, M.T. *et al.* (2018) *KENDALI MUTU BUKU AJAR TLM*. 1st ed. Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan .
- Sonntag, O. and Loh, T.P. (2024) “Calibration - an under-appreciated component in the analytical process of the medical laboratories,” *Advances in Laboratory Medicine*. Walter de Gruyter GmbH, pp. 148–152. Available at: <https://doi.org/10.1515/almed-2023-0127>.
- Teo, G. (2021) “Diagnosis dan Tatalaksana Kegawatdaruratan Hiperkalemia,” *Continuing Medical Education*, 48(8), pp. 305–310.
- Thachil, A. *et al.* (2024) “An Overview of Pre-Analytical Factors Impacting Metabolomics Analyses of Blood Samples,” *Metabolites*, 14(9), pp. 1–24. Available at: <https://doi.org/10.3390/metabo14090474>.
- Thanekar, S.M. *et al.* (2024) “Dyschloremia and Renal Outcomes in Critically Ill Patients With Sepsis: A Prospective Cohort Study Dyschloremia and Renal Outcomes in Sepsis,” *Critical Care Research and Practice*, 2024. Available at: <https://doi.org/10.1155/2024/8848405>.
- Usman, J.I.S. (2020) *Aplikasi Elektrolit Analyzer Dalam Menunjang Pemeriksaan Kadar Elektrolit Darah*, *ResearchGate*.
- Valo, E. *et al.* (2022) “Effect of serum sample storage temperature on metabolomic and proteomic biomarkers,” *Scientific Reports*, 12(1). Available at: <https://doi.org/10.1038/s41598-022-08429-0>.
- Vignoli, A. *et al.* (2022) “Serum or Plasma (and Which Plasma), That Is the Question,” *Journal of Proteome Research*, 21(4), pp. 1061–1072. Available at: <https://doi.org/10.1021/acs.jproteome.1c00935>.
- Wang, A. (2022) “Role of serum in human,” *Global Science Research Journals*, 7(1), pp. 1–2. Available at: <https://doi.org/10.15651/IJCB.22.7.023>.