

DAFTAR PUSTAKA

- Isma, J. dkk. (2025) 'Upaya Pencegahan Penyakit Jantung Koroner Melalui Kegiatan Deteksi Dini Dislipidemia Pada Siswa Kelas XII SMA Negeri 1 Soropia,' 5(1). Tersedia pada: <https://doi.org/10.59818/jpm.v5i1.937>.
- Kusumawardani, L. dan Ardhana, A. (2025) 'Perbedaan Kejadian Hemolisis antara Lama Penyimpanan Komponen Darah Packed Red Cell (PRC) dengan Whole Blood (WB) di UTD PMI Surabaya,' *Jurnal Medika Nusantara*, 3(1), hlm. 61–69. Tersedia pada: <https://doi.org/10.59680/medika.v3i1.1623>.
- Plebani, M. dkk. (2025) 'Point-of-care testing: state-of-the art and perspectives,' *Clinical Chemistry and Laboratory Medicine*, 63(1), hlm. 35–51. Tersedia pada: <https://doi.org/10.1515/cclm-2024-0675>.
- Sonjaya, R.P. dkk. (2025) 'Pengujian prasyarat analisis data nilai kelas : uji normalitas dan uji homogenitas,' *Jurnal Pendidikan Tambusai*, 9(1), hlm. 1627–1639. Tersedia pada: <https://jptam.org/index.php/jptam/article/view/24426>.
- Mansfield, B.S. dkk. (2024) 'Point-of-care testing compared to gold-standard laboratory methods in the measurement of serum lipids,' *Cardiovascular Journal of Africa*, 35(4), hlm. 251–256. Tersedia pada: <https://doi.org/10.5830/CVJA-2023-039>.
- Robert Lourdes, T.G. dkk. (2024) 'Diagnostic accuracy of Cardiochek® PA point-of-care testing (POCT) analyser with a 3-in-1 lipid panel for epidemiological surveys,' *Lipids in Health and Disease*, 23(1). Tersedia pada: <https://doi.org/10.1186/s12944-024-02270-2>.
- Ruffing, U. dkk. (2024) 'Analytical performance evaluation of a new integrated clinical chemistry and immunoassay analyzer,' *Practical Laboratory Medicine*, 41. Tersedia pada: <https://doi.org/10.1016/j.plabm.2024.e00427>.
- Anipah, Y. dkk. (2023) 'Pengaruh Variasi Lama Waktu Inkubasi Terhadap Kadar Kolesterol Total Serum Metode Cholesterol Oxidase – Para aminoantipirin (CHOD-PAP),' *Jurnal Kesehatan Siliwangi*, 4(1), hlm. 130–137. Tersedia pada: <https://doi.org/10.34011/jks.v4i1.1453>.
- Avianti, W. dkk. (2023) *Metode Penelitian (Dasar Praktik dan Penerapan Berbasis ICT)*.
- Kurniati, N., Zaini, W.S. dan Rohmah, A.M. (2023) 'Perbandingan Kadar Kolesterol Darah Kapiler Metode POCT dengan Serum Metode Enzimatis CHOD-PAP pada Mahasiswa TLM Poltekkes Banten,' *Journal of Medical Laboratory Research*, 1(2), hlm. 45–49. Tersedia pada: <https://doi.org/10.36743/jomlr.v1i2.471>.
- Li, J.J. dkk. (2023) '2023 Chinese guideline for lipid management,' *Frontiers in Pharmacology*. Frontiers Media SA. Tersedia pada: <https://doi.org/10.3389/fphar.2023.1190934>.

- Parhofer, K.G. dan Laufs, U. (2023) 'Lipid Profile and Lipoprotein(a) Testing,' *Deutsches Arzteblatt International*. Deutscher Arzte-Verlag GmbH, hlm. 582–588. Tersedia pada: <https://doi.org/10.3238/arztebl.m2023.0150>.
- Waladani, B., Suwaryo, P.A.W. dan As'ad, M. (2023) 'Evaluasi Komprehensif Metode Osce Dalam Meningkatkan Keterampilan Pengambilan Sampel Darah Vena Pada Tahap Pra-Klinik,' *Jurnal Riset Kesehatan Poltekkes Depkes Bandung*, 15(2), hlm. 263–273. Tersedia pada: <https://doi.org/10.34011/juriskesbdg.v15i2.2253>.
- Anggraini, F., Khotimah, E. dan Ningrum, S.S. (2022) 'Analisis Pemantapan Mutu Internal Pemeriksaan Glukosa Darah Di Laboratorium Rs Bhayangkara Tk.I Raden Said Sukanto Tahun 2021.' Tersedia pada: <https://doi.org/https://doi.org/10.54771/bsj.v4i1.320>.
- Feingold, K.R. (2022) 'Lipid and Lipoprotein Metabolism,' *Endocrinology and Metabolism Clinics of North America*. W.B. Saunders, hlm. 437–458. Tersedia pada: <https://doi.org/10.1016/j.ecl.2022.02.008>.
- Khotimah, E., Nabila Sun, N. dan Author, C. (2022) 'Analisis Kesalahan Pada Proses Pra Analitik Dan Analitik Terhadap Sampel Serum Pasien Di Rsud Budhi Asih.' Tersedia pada: <http://jurnalmedikahutama.com>.
- Saputra, G.Y., Kartika, D. listya dan Muhassanah, N. (2022) 'Uji T Berpasangan (Paired T-Test) Terhadap Pengaruh ABA pada anak autisme,' 2(03), hlm. 379–387. Tersedia pada: <https://doi.org/https://doi.org/10.57008/jjp.v2i03.224>.
- Setiawan, H. dan Nurbayati, F. (2022) 'Hasil Tes Kolesterol Total Antara Alat POCT dan Fotometer pada Pasien Hipertensi,' *Jurnal Kesehatan*, 2(2), hlm. 42–47. Tersedia pada: <https://repository.poltekkesjakarta2.ac.id/items/9df0f1db-9d29-4d18-92e5-3dbe8bbddc4e>.
- Choi, S. dkk. (2021) 'What we should consider in point of care blood glucose test; current quality management status of a single institution,' *Medicina (Lithuania)*, 57(3), hlm. 1–14. Tersedia pada: <https://doi.org/10.3390/medicina57030238>.
- Gusmayani, Y., Anggraini, H. dan Nuroini, F. (2021) 'Perbedaan Kadar Kolesterol Metode Spektrofotometer Dan Metode Point Of Care Testing (POCT),' *Jurnal Labora Medika*, 5, hlm. 24–28. Tersedia pada: <http://jurnal.unimus.ac.id/index.php/JLabMed>.
- Jankowski, C.A. dkk. (2021) 'Preanalytical Challenges during Capillary Fingertick Sampling Preclude Its Widespread Use in Adult Hospitalized Patients,' *American Journal of Clinical Pathology*, 155(3), hlm. 412–417. Tersedia pada: <https://doi.org/10.1093/ajcp/aqaa138>.
- Kim, H.N. dan Yoon, S.Y. (2021) 'Simultaneous point-of-care testing of blood lipid profile and glucose: Performance evaluation of the GCare Lipid Analyzer,' *Journal of Clinical Laboratory Analysis*, 35(12). Tersedia pada: <https://doi.org/10.1002/jcla.24055>.
- Pramita, Haryanto, E. dan Arifin, S. (2021) 'Perbedaan Kadar Asam Urat Pada Lansia Menggunakan Metode Poct (Point Of Care Testing) Dengan Metode Enzimatik

Kolorimetri Di Puskesmas Bangunsari Kabupaten Madiun.' Tersedia pada: <http://journal.poltekkesdepkes-sby.ac.id/index.php/ANKES>.

Erizon dan Yerizal, K. (2020) 'HDL dan Aterosklerosis'. *Jurnal Human Care*.

Hasanah, U. dan Putro, R. (2020) 'Association between Triglyceride Serum Levels and Glomerular Filtration Rate (eGFR) in Patients with Chronic Renal Failure at Jemursari Islamic Hospital Surabaya, Indonesia.' Tersedia pada: <https://doi.org/https://doi.org/10.33086/ijmlst.v2i2.1668>.

Lee, J. dkk. (2020) 'Validation of the friedewald formula for estimating low density lipoprotein cholesterol: The korea national health and nutrition examination survey, 2009 to 2011,' *Korean Journal of Internal Medicine*, 35(1), hlm. 150–159. Tersedia pada: <https://doi.org/10.3904/kjim.2017.233>.

Quartey, P. dkk. (2020) 'Evaluation of the analytical performance of the mission cholesterol meter for serum lipids using NCEP criteria Silent stressors,' *International Journal of Medical and Health Research*, Accepted(2), hlm. 137–139. Tersedia pada: <https://www.researchgate.net/publication/339432622>.

Van Heerden, C., Magwete, A. dan Mabuza, D. (2020) 'Evaluating the need for free glycerol blanking for serum triglyceride measurements at Charlotte Maxeke Johannesburg Academic Hospital,' *Clinical Chemistry and Laboratory Medicine*, 58(8), hlm. 1257–1264. Tersedia pada: <https://doi.org/10.1515/cclm-2019-0991>.

Jeffrey R. Budd dkk. (2018) *EP09-A3: Measurement Procedure Comparison and Bias Estimation Using Patient Samples; Approved Guideline—Third Edition*. Tersedia pada: www.clsi.org.

Nursidika, P., Mahargyani, W. dan Kurnia Anggraeni, F. (2018) 'Medical Laboratory Technology Journal Comparison Analysis of Total Cholesterol Level Examination Between Photometry and 3 Parameters Point of Care Testing Device,' *Medical Laboratory Technology Journal*, 4(2), hlm. 49–57. Tersedia pada: <https://doi.org/10.31964/mltj.v%vi%i.184>.

Akhzami, D.R., Rizki, M. dan Rika, H.S. (2016) 'Perbandingan Hasil Point of Care Testing (POCT) Asam Urat dengan Chemistry Analyzer,' *Jurnal Kedokteran*, 5(4), hlm. 15–19.

Hardisari, R. dan Koiriyah, B. (2016) 'Gambaran Kadar Trigliserida (Metode Gpo-Pap) Pada Sampel Serum dan Plasma EDTA.' Tersedia pada: www.teknolabjournal.com.

Miida, T. dkk. (2017) 'Homogeneous assays for ldl-c and hdl-c are reliable in both the postprandial and fasting state,' *Journal of Atherosclerosis and Thrombosis*, 24(6), hlm. 583–599. Tersedia pada: <https://doi.org/10.5551/jat.40006>.

Park, P.H. dkk. (2016) 'Assessing the accuracy of a point-of-care analyzer for hyperlipidaemia in western Kenya,' *Tropical Medicine and International Health*, 21(3), hlm. 437–444. Tersedia pada: <https://doi.org/10.1111/tmi.12653>.

- Kementerian Kesehatan Republik Indonesia (2022) *Peraturan Menteri Kesehatan Republik Indonesia Nomor 34 Tahun 2022 Tentang Akreditasi Pusat Kesehatan Masyarakat, Klinik, Laboratorium Kesehatan, Unit Transfusi Darah, Tempat Praktik Mandiri Dokter, Dan Tempat Praktik Mandiri Dokter Gigi*. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Mentari, I.N., Maulidiyanti, E.T.S., Djami, S.W., Trikurniadewi, N., Prihatiningsih, D., Hermawan, R.A., Restuaji, I.M. & Sudarma, N. (2025), *Buku Ajar Instrumentasi Laboratorium Medik*. Samudra Biru, Bantul.
- Osang Healthcare. (2017) *LipidPro Lipid Pro-file Test Strip*. Osang Healthcare, Korea.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (2022) *Panduan Prevensi Penyakit Kardiovaskular Aterosklerosis*. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia, Jakarta.
- PERKENI (2021) *Panduan Pengelolaan Dislipidemia di Indonesia*. PB PERKENI, Jakarta.
- Praptomo, A.J. (2018) *Pengendalian Mutu Laboratorium Medis*. Deepublish, Yogyakarta.
- Prodia (2025) *Fluid Stable PROLINE HDL-c direct FS*. PT Prodia Diagnostic Line (Prodia)
- Sanayi, A.S. (2023) *Direct Ldl Cholesterol (D-Ldl-C)*.
- WHO (2021) *Cardiovascular diseases (CVDs)*.
- Siregar, M.T., Sri Wulan, W., Setiawan, D. & Nuryati, A. (2018), *Bahan Ajar Teknologi Laboratorium Medik (TLM): Kendali Mutu*. PPSDMK BPPSDMK Kemenkes RI, Jakarta
- Salsabella, Y. E. (2025). 'Akurasi, Presisi Dan Nilai Rujukan Pada Alat Point Of Care Testing (Poct) Parameter Hemoglobin.' Doctoral dissertation, Poltekkes Kemenkes Yogyakarta.
- Raissanida, T. (2022) 'Gambaran Hasil Pemeriksaan High Density Lipoprotein (HDL) Pada Serum Hemolisis dan Non Hemolisis Pada Pasien Diabetes Mellitus.' Doctoral dissertation, Poltekkes Kemenkes Yogyakarta.
- Sulistyoningsih, D.K. (2020) 'Hubungan Indeks Masa Tubuh (Imt) Dan Lingkaran Perutdengan Kadar Kolesterol Total Pada Pra Lansia Di Kelurahan Patihan Kecamatan Mangunharjo Kota Madiun.' Doctoral dissertation, STIKES Bhakti Husada Mulia Madiun.
- Khabib, M. (2017) 'Perbandingan Kadar HDL Kolesterol Metode direct dan indirect. Khabib, M. (2017). Doctoral dissertation, Universitas Muhammadiyah Semarang.
- Lestari, E.T. (2017) 'Perbedaan Kadar Trigliserida Serum Dari Darah Yang Dibekukan Sebelum Dicentrifuge Dan Langsung Dicentrifuge.' Doctoral dissertation, Universitas Muhammadiyah Semarang.