

DAFTAR PUSTAKA

- Aboyans, V. dkk. (2025) "Peripheral artery disease," *Nature reviews. Disease primers*, 11(1). Tersedia pada: <https://doi.org/10.1038/S41572-025-00651-0>.
- Ahern, Rajagopal dan Tan (2018) *Biochemistry Free For All*. edisi 1.3. Corvallis, OR. Tersedia pada: <https://open.umn.edu/opentextbooks/textbooks/866> (Diakses: 20 November 2025).
- Ahmed, T. dkk. (2025) "Comparing Glucometer-Based and Laboratory-Based OGTT for Diabetes Diagnosis: A Narrative Review," *Endocrines*. Multidisciplinary Digital Publishing Institute (MDPI). Tersedia pada: <https://doi.org/10.3390/endocrines6030048>.
- Albloui, F. dkk. (2022) "Effect of hematocrit, galactose and ascorbic acid on the blood glucose readings of three point-of-care glucometers," *Scandinavian journal of clinical and laboratory investigation*, 82(7–8), hlm. 563–570. Tersedia pada: <https://doi.org/10.1080/00365513.2022.2138779>.
- Al-Othman, S.A. dkk. (2025) "Determination of the Precision of Glucometers Used in Saudi Arabia," *Sensors*, 25(11). Tersedia pada: <https://doi.org/10.3390/s25113561>.
- Alter, D.N. (2021) "Point-of-Care Testing for the Emergency Department Patient: Quantity and Quality of the Available Evidence," *Archives of Pathology & Laboratory Medicine*, 145(3), hlm. 308–319. Tersedia pada: <https://doi.org/10.5858/ARPA.2020-0495-RA>.
- American Diabetes Association (2024) "Glycemic Goals and Hypoglycemia: Standards of Care in Diabetes—2024," *Diabetes Care*, 47(Supplement_1), hlm. S111–S125. Tersedia pada: <https://doi.org/10.2337/DC24-S006>.
- Ayadi, R. dkk. (2024) "Comparative Study Between Blood Glucose Meters in a Maternity Center," *Women's Health Reports*, 5(1), hlm. 572–578. Tersedia pada: <https://doi.org/10.1089/whr.2024.0030>.
- Bangash, H.I. dkk. (2024) "Comparison of Results of Glucometer and Laboratory Technique for Glucose Measurement Among Children," *medtigo Journal of Medicine*, 1(1), hlm. 1–5. Tersedia pada: <https://doi.org/10.63096/medtigo30622411>.
- Bishop dkk. (2018). *Clinical Chemistry Principles, Techniques, and Correlations*. ed 8. Philadelphia: Wolters Kluwer. Tersedia pada: <https://lccn.loc.gov/2016031591> (Diakses: 20 November 2025).
- Bolarinwa, O.A. (2020) "Sample Size Estimation for Health and Social Science Researchers: The Principles and Considerations for Different Study Designs," *Nigerian Postgraduate Medical Journal*, 27(2), hlm. 67–75. Tersedia pada: https://doi.org/10.4103/npmj.npmj_19_20

- Bond, M. dkk. (2025) "Evaluation of Commercial Point-Of-Care Glucometers for Detection and Monitoring of Neonatal Hypoglycemia in Resource-Constrained Settings," *BMC Pediatrics*, 25(1). Tersedia pada: <https://doi.org/10.1186/s12887-025-05934-9>.
- Caplan, L.R., Simon, R.P. dan Hassani, S. (2023) "Cerebrovascular Disease," *Neurobiology of Brain Disorders: Biological Basis of Neurological and Psychiatric Disorders, Second Edition*, hlm. 457–476. Tersedia pada: <https://doi.org/10.1016/B978-0-323-85654-6.00044-7>.
- Caretium Medical Instruments (2017) *NB-201 Penganalisis Kimia Semi-otomatis*. Tersedia pada: https://en.caretium.com/Product_Details/997556681520697344.html (Diakses: 6 Desember 2025).
- Chaudhry, R. dan Varacallo, M.A. (2023) "Biochemistry, Glycolysis," *StatPearls* [Preprint]. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK482303/> (Diakses: 24 Desember 2025).
- Chourpiliadis, C. dan Mohiuddin, S.S. (2023) "Biochemistry, Gluconeogenesis," *StatPearls* [Preprint]. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK544346/> (Diakses: 24 Desember 2025).
- Desimone, M.E. dan Weinstock, R.S. (2025) "Diagnostic Tests for Diabetes Mellitus," *Endotext* [Preprint]. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK278985/> (Diakses: 24 Desember 2025).
- Dharmasena, I.A., Siriwardhana, D. dan Attanayake, A.P. (2021) "Effect of Sample Volume Variation and Delay in Analysis on Plasma Glucose Concentration in Sri Lankan Healthy Adults," *Scientifica*, 2021, hlm. 6061206. Tersedia pada: <https://doi.org/10.1155/2021/6061206>.
- Dunseath, G.J., Bright, D. dan Luzio, S.D. (2019) "Comparative Accuracy Evaluation of a Blood Glucose Meter With Novel Hematocrit Correction Technology, With Three Currently Used Commercially Available Blood Glucose Monitoring Systems," *Journal of Diabetes Science and Technology*, 13(3), hlm. 568–574. Tersedia pada: <https://doi.org/10.1177/1932296818821389;PAGEGROUP:STRING:PUBLICATION>.
- Elsayed, N.A. dkk. (2023) "Classification and Diagnosis of Diabetes: Standards of Care in Diabetes—2023," *Diabetes Care*, 46(Supplement_1), hlm. S19–S40. Tersedia pada: <https://doi.org/10.2337/DC23-S002>.
- George, K. dkk. (2024) "Benchmarking Point-of-Care Glucometers: A Comparative Study Using the Hexokinase Test and International

- Organization for Standardization (ISO) Standards,” *Cureus* [Preprint]. Tersedia pada: <https://doi.org/10.7759/cureus.70981>.
- Gessler, S. dkk. (2023) “A New Digital Point-of-Care Tool With Advanced Blood Glucose Measuring Technology,” *Journal of Diabetes Science and Technology*, 17(5), hlm. 1321–1325. Tersedia pada: <https://doi.org/10.1177/19322968221092763>.
- Habli, M.M. (2024) “Comprehensive insights into diabetic nephropathy: pathophysiology, clinical features, and emerging treatments,” *Journal of The Egyptian Society of Nephrology and Transplantation*, 24(4), hlm. 163–168. Tersedia pada: https://doi.org/10.4103/JESNT.JESNT_16_24.
- Han, Q. dkk. (2021) “Orientated Immobilization of FAD-Dependent Glucose Dehydrogenase on Electrode by Carbohydrate-Binding Module Fusion for Efficient Glucose Assay,” *International Journal of Molecular Sciences* 2021, Vol. 22, Page 5529, 22(11), hlm. 5529. Tersedia pada: <https://doi.org/10.3390/IJMS22115529>.
- International Diabetes Federation (2025) *Diabetes Atlas*. Edisi 11. International Diabetes Federation. Tersedia pada: diabetesatlas.org (Diakses: 7 Desember 2025).
- Kesavadev, J. dkk. (2024) “Comparative Evaluation of the Precision and Accuracy of Five Available Glucometers in India,” *International Journal of Diabetes and Technology*, 3(4), hlm. 143–150. Tersedia pada: https://doi.org/10.4103/IJDT.IJDT_44_24.
- Khomsah, I.Y. dkk. (2024) *Bookchapter: Diabetes Mellitus*. Tersedia pada: www.nuansafajarcemerlang.com.
- Lian, X. dkk. (2026) “Impact of real-time continuous glucose monitoring on glycaemic control in adults with type 2 diabetes: systematic review and meta-analysis,” *Frontiers in Endocrinology*, 16, hlm. 1761579. Tersedia pada: <https://doi.org/10.3389/FENDO.2025.1761579/FULL>.
- Manalu, dr E. dkk. (2025) *Laboratorium Patologi Klinik*. ed 1. Jawa Tengah: Penerbit CV. Eureka Media Aksara, Anggota IKAPI Jawa Tengah.
- Maulana, M. (2020) *Mengenal Diabetes: Panduan Praktis Menangani Penyakit Kencing Manis*. ed 1. Yogyakarta: Penerbit Kata Hati.
- Mishra, K., Mishra, S. dan Katial, T. (2024) “Accuracy of Point-Of-Care Capillary Blood Sugar Measurements in Critically ill Patients: An Observational Study,” *International Journal of Critical Illness and Injury Science*, 14(2), hlm. 74–78. Tersedia pada: https://doi.org/10.4103/ijciis.ijciis_76_23.
- Mokodongan, S.R. dkk. (2025) *Buku Biokimia*. PT Media Pustaka Indo. Tersedia pada: www.mediapustakaindo.com.

- Morshed, J. dkk. (2021) "Disposable electrochemical glucose sensor based on water-soluble quinone-based mediators with flavin adenine dinucleotide-dependent glucose dehydrogenase," *Biosensors and Bioelectronics*, 189, hlm. 113357. Tersedia pada: <https://doi.org/10.1016/J.BIOS.2021.113357>.
- Nichols, J.H. dkk. (2020) "AACC Guidance Document on Management of Point-of-Care Testing," *The journal of applied laboratory medicine*, 5(4), hlm. 762–787. Tersedia pada: <https://doi.org/10.1093/JALM/JFAA059>.
- Ogunbosi, B.O. dkk. (2022) "Comparison of Point-Of-Care Glucometers and Laboratory based Glucose Oxidase test in Determining Blood Glucose Levels," *Niger J Paediatr*, 49(3).
- PERKENI (2021) *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2021*. PB PERKENI.
- Pleus, S. dkk. (2022) "Self-Monitoring of Blood Glucose as an Integral Part in the Management of People with Type 2 Diabetes Mellitus," *Diabetes Therapy*, 13(5), hlm. 829–846. Tersedia pada: <https://doi.org/10.1007/s13300-022-01254-8>.
- Pleus, S. dkk. (2023) "Differences in Venous, Capillary and Interstitial Glucose Concentrations in Individuals without Diabetes After Glucose Load," *Journal of Laboratory Medicine*, 47(3), hlm. 97–104. Tersedia pada: <https://doi.org/10.1515/labmed-2023-0013>.
- Pratumvinit, B. dkk. (2016) "The effects of temperature and relative humidity on point-of-care glucose measurements in hospital practice in a tropical clinical setting," *Journal of Diabetes Science and Technology*, 10(5), hlm. 1094–1100. Tersedia pada: <https://doi.org/10.1177/1932296816633485>
- Pushparani, D.S. dkk. (2025) "Diabetic Retinopathy-A Review," *Current Diabetes Reviews*, 21(7). Tersedia pada: <https://doi.org/10.2174/0115733998296228240521151050>.
- Puspita, R. dkk. (2023) *Panduan Diabetes bagi Pasien dan Keluarga*. 1 ed. Penerbit: Tahta Media Group.
- Roche Diagnostics (2018) *Accu-Chek Performa*. ed 1. Roche Diagnostics. Tersedia pada: <https://www.accu-chek.co.id/sistem-glukosameter/performa> (Diakses: 6 Desember 2025).
- Romli, L.Y. dan Baderi, B. (2020) *5 Pilar di Era Pandemi Langkah Antisipatif Bagi Penderita Diabetes*. Cetakan Pertama. ICME Press STIKES Insan Cendekia Medika Jombang.
- Sai, S., Urata, M. dan Ogawa, I. (2021) "Effects of Several Interfering Substances on Point-of-care Testing Devices Available in Japan and the Displayed Contents (False High and Low Values or Safety Error Messages)," *Journal*

- of the Japan Diabetes Society*, 64(10), hlm. 507–515. Tersedia pada: <https://doi.org/10.11213/TONYOBYO.64.507>.
- Santini, A., Man, A. dan Voidăzan, S. (2021) “Accuracy of Diagnostic Tests,” *The Journal of Critical Care Medicine*, 7(3), hlm. 241. Tersedia pada: <https://doi.org/10.2478/JCCM-2021-0022>.
- Sengupta, S. dkk. (2021) “Clarke Error Grid Analysis for Performance Evaluation of Glucometers in a Tertiary Care Referral Hospital,” *Indian Journal of Clinical Biochemistry*, 37(2), hlm. 199. Tersedia pada: <https://doi.org/10.1007/S12291-021-00971-4>.
- Shahjehan, R.D., Sharma, S. dan Bhutta, B.S. (2024) “Coronary Artery Disease,” *Mistake-Based Learning in Cardiology: Avoiding Medical Errors*, hlm. 94–119. Tersedia pada: <https://doi.org/10.1016/B978-0-323-93157-1.00006-X>.
- Shaker, G. dan Zubair, M. (2025) *Peroxidase-Coupled Glucose Method*. Statpearls. Tersedia pada: <https://pubmed.ncbi.nlm.nih.gov/37603668/> (Diakses: 11 November 2025).
- Shreffler, J. dan Huecker, M.R. (2023) “Diagnostic Testing Accuracy: Sensitivity, Specificity, Predictive Values and Likelihood Ratios,” *StatPearls* [Preprint]. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK557491/> (Diakses: 6 Mei 2026).
- Siregar, M.T. dkk. (2018) *Bahan Ajar TLM- Kendali Mutu*. Pertama. Jakarta: Pusat Pendidikan Sumber Daya Manusia Kesehatan.
- Soelistijo S.A., Suastika K. dan Lindarto D. (2021) *Pedoman dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2021*. Penerbit PB. PERKENI.
- St Clair, S.L. dkk. (2025) “Glucose Testing Methods: a Systematic Review and Meta-Analysis of Diagnostic Accuracy of Point-of-Care Devices for Neonatal Hypoglycemia,” *Journal of Pediatrics*, 278. Tersedia pada: <https://doi.org/10.1016/j.jpeds.2024.114438>.
- Strand, N. dkk. (2024) “Diabetic Neuropathy: Pathophysiology Review,” *Current pain and headache reports*, 28(6), hlm. 481–487. Tersedia pada: <https://doi.org/10.1007/S11916-024-01243-5>.
- Sugiyono (2021) *Metode Penelitian Kuantitatif Kualitatif dan R&D*. 19 ed. Bandung: Alfabeta, CV.
- Survei Kesehatan Indonesia (2024) *Laporan Survei Kesehatan Indonesia Tematik 2023*. Kementerian Kesehatan RI.
- Suryanti, S. dkk. (2025) *Diabetes Melitus dan Pencegahan Komplikasi*. Cetakan Pertama. Penerbit PT Nuansa Fajar Cemerlang. Tersedia pada: www.nuansafajarcemerlang.com.

- Wang, Q. dkk. (2022) "Comparison of POCT Glucose Meters and Analysis of the Interference Factor," *Journal of Laboratory Medicine*, 46(3), hlm. 195–201. Tersedia pada: <https://doi.org/10.1515/labmed-2021-0171>.
- Warih, R. dkk. (2019) *Diabetes Mellitus Dalam Era 4.0*.
- World Health Organization (2024) WHO 2024 about Diabetes. Tersedia pada: <https://www.who.int/news-room/fact-sheets/detail/diabetes>.
- Yucel, D. dkk. (2023) *Guideline Foe Venous Blood Collection (Phlebotomy)*. 3 ed. Turkish Biochemical Society.
- Zaidi, S.S.H. dkk. (2024) "To Compare Blood Glucose Estimation Using the GOD-PAP Technique with the Hexokinase Method," *Journal of Liaquat National Hospital* [Preprint]. Tersedia pada: <https://doi.org/10.37184/jlnh.2959-1805.2.23>.