

DAFTAR PUSTAKA

- [1] S. M. Gururaja, “Comparison of peak expiratory flow rate in healthy urban and rural school children in and around Bangalore : a cross sectional study,” vol. 3, no. 1, pp. 77–82, 2016.
- [2] S. K. Padaki, D. Amrut, and P. Kokiwar, “Peak expiratory flow rate in asymptomatic male workers exposed to chemical fumes, in various industries of Hyderabad,” *Int. J. Med. Res. Heal. Sci.*, vol. 3, no. 4, p. 870, 2014.
- [3] S. Mohanty, E. Venkataraao, S. Yasobant, and D. Vijaykumar, “What lessons India must learn from Physical Activity promotion models?: An Integrative review of 2 successful Models,” *Int. J. Recent Sci. Res.*, vol. 10, no. 5, pp. 32535–39, 2019.
- [4] M. Metha, “To find out the effect of various body positions on peak expiratory flow rate (pefr) in copd patients,” vol. 3, no. 3, pp. 291–296, 2016.
- [5] M. K. Singh and A. S. Solanki, “A study of Peak expiratory flow rate and Vital capacity between Indoor and Outdoor games male players,” vol. 3, no. 1, pp. 7–9, 2016.
- [6] R. Alimmattabrina, M. S. Anam, and N. Arkhaesi,

“Hubungan Antara Peak Expiratory Flow Rate Dengan Prestasi Belajar Kognitif Pada Anak Usia 10 Sampai 12 Tahun,” *J. Kedokt. Diponegoro*, vol. 4, no. 4, pp. 1425–1432, 2015.

- [7] A. Lorensia, D. De Queljoe, and K. A. Santosa, “Kelengkapan informasi mengenai cara penggunaan peak flow meter yang diberikan kepada pasien asma di apotek,” vol. 1, no. 2, pp. 200–206, 2015.
- [8] F. B. Irani and P. U. Shinde, “RESEARCH ARTICLE PEAK EXPIRATORY FLOW RATE (PEFR): CONCLUSION AND RECOMMENDATION.”
- [9] B. O. Adeniyi and G. E. Erhabor, “The peak flow meter and its use in clinical practice,” *African J. Respir. Med.*, pp. 5–8, 2011.
- [10] S. Natarajan, J. Castner, and A. H. Titus, “Smart phone-based peak expiratory flow meter,” vol. 52, no. 11, pp. 904–905, 2016.
- [11] D. I. Rs and H. S. Kendal, “TRIPOD TERHADAP LAJU PERNAFASAN PASIEN PPOK Penyakit Paru Obstruktif Kronis (PPOK) atau Chronic Obstructive Pulmonary Diseases (COPD) adalah

penyakit yang ditandai adanya hambatan aliran pernafasan bersifat reversible sebagian dan progresif yang berhub.”

- [12] B. Mehta, K. Garg, S. Ambwani, B. Bhandari, and O. L. Bhagat, “Peak Expiratory Flow Rate : A Useful Tool for Early Detection of Airway Obstruction in School Children,” pp. 159–165, 2016.
- [13] S. Natarajan, J. Castner, and A. H. Titus, “Smart phone compatible peak expiratory flow meter,” *2014 IEEE Healthc. Innov. Conf. HIC 2014*, pp. 141–144, 2014.
- [14] A. Lorensia, Z. Ikawati, T. M. Andayani, and D. Maranatha, “ORIGINAL ARTICLE PERBANDINGAN PERBAIKAN NILAI PEAK EKSPIRATORY FLOW PENGGUNAAN Asma merupakan penyakit heterogenyang mempengaruhi 1-18 % populasi di dunia , ditandai dengan gejala mengi , sesak napas , sesak dada , dan batuk , saluran napas . 1 Di Indones,” vol. 5, no. 2, 2018.
- [15] C. Pothirat *et al.*, “Peak expiratory flow rate as a surrogate for forced expiratory volume in I second in COPD severity classification in Thailand,” *Int. J.*

COPD, vol. 10, pp. 1213–1218, 2015.

- [16] U. Bedi, “A study of peak expiratory flow rate in normal healthy children of Punjab,” *Int. J. Med. Dent. Sci.*, vol. 5, no. 1, pp. 1042–1047, 2016.
- [17] S. Bansal, V. Tiwari, S. Sood, and R. Shukla, “Comparative Evaluation of Peak Expiratory Flow Rate between Computerized Spirometry and Peak Flow Meter,” *Int. J. Adv. Integr. Med. Sci.*, vol. 1, no. 3, pp. 93–94, 2016.
- [18] DALLAS Semiconductor, “Ds1307,” pp. 1–12, 2015.
- [19] Freescale, “MP3V5004G Integrated Silicon Pressure Sensor On-Chip Signal Conditioned, Temperature Compensated and Calibrated,” *Sensors (Peterborough, NH)*, pp. 2007–2009, 2009.
- [20] M. SD Card, “Arduino Wiring Arduino Library CircuitPython,” 2017.