

DAFTAR PUSTAKA

- [1] A. M. Kapoor, “Wound Machine Wound Healing Healing Therapy Therapy Machine,” *2018 3rd Int. Innov. Appl. Comput. Intell. Power, Energy Control. with their Impact Humanit.*, pp. 1–5, 2018.
- [2] D. Parducho *et al.*, “Smart wound dressing with arduino microcontroller,” *2018 IEEE 10th Int. Conf. Humanoid, Nanotechnology, Inf. Technol. Commun. Control. Environ. Manag. HNICEM 2018*, pp. 4–7, 2019.
- [3] R. W. Kartika, “Terapi Ulkus Kaki Diabetes dengan NPWT (Negative Pressure Wound Therapy),” vol. 45, no. 9, pp. 674–677, 2018.
- [4] K. Labertus, “PERKEMBANGAN PERAWATAN LUKA TERKINI (VAC),” 2016.
- [5] C. Yanuar Dini, M. Sabila, I. Yusuf Habibie, F. Ari Nugroho, and J. Gizi Fakultas Kedokteran Universitas Brawijaya Malang, “Indonesian Journal of Human Nutrition Asupan Vitamin C

dan E Tidak Mempengaruhi Kadar Gula Darah Puasa Pasien DM Tipe 2,” *Indones. J. Hum. Nutr.*, vol. 4, pp. 65–78, 2017.

- [6] R. Kaur, “Negative pressure wound therapy impact on fast recovery in major and minor surgery recovery time,” *Proc. 2015 Int. Conf. Green Comput. Internet Things, ICGCIoT 2015*, pp. 1604–1606, 2016.
- [7] R. Nindyasari, “Rancang bangun NPWT (Negative Pressure Wound Therapy) untuk Mempercepat Penyembuhan Ulkus Diabetik Berbasis Mikrokontroller,” p. 2012, 2012.
- [8] S. Yunita, S. Saryono, P. Iwan, and H. Hartono, “Modifikasi pompa asi sebagai terapi luka bertekanan negatif untuk mempercepat penyembuhan luka diabetes,” *J. Ners*, vol. 10, no. 1, pp. 104–111, 2015.
- [9] Manual Clinician User, “NPWT PRO and PRO to GO,” 2017.
- [10] F. U. Djawas, T. B. Indrato, and M. R. Makruf,

“Automatic Suction Pump Continous dilengkapi Safety berbasis Mikrokontroler,” *Jur. Tek. Elektromedik Politek. Kesehat. KEMENTRIAN Kesehat. SURABAYA*, pp. 1–9, 2012.

- [11] M. B. Mevac, “medist_mevac1_content_88.pdf.” .
- [12] N. Shaheed *et al.*, “Negative Pressure Wound Therapy (NPWT) in open wound management: A study of 16 Cases in Orthopaedic Department of Faridpur Medical College Hospital,” *Faridpur Med. Coll. J.*, vol. 7, no. 2, pp. 63–66, 2013.
- [13] J. Bialecki, P. Pyda, A. Kołodziejska, A. Rybak, and S. Sowier, “Applying NPWT to bleeding open wounds after forefoot amputation in diabetic foot patients - a case report,” *Negat. Press. Wound Ther. J.*, vol. 5, no. 4, pp. 5–8, 2018.
- [14] B. Mrozikiewicz-Rakowska, E. Bucior, J. Kania, A. Nowak, M. Chojnowski, and J. Krzymień, “Modern alternative or first-line treatment: How to safely use Negative Pressure Wound Therapy in Diabetic Foot Syndrome?,” *Negat. Press. Wound Ther. J.*, vol. 2, no. 1, pp. 21–25, 2015.

- [15] M. S. Timmers, S. Le Cessie, P. Banwell, and G. N. Jukema, “The effects of varying degrees of pressure delivered by negative-pressure wound therapy on skin perfusion,” *Ann. Plast. Surg.*, vol. 55, no. 6, pp. 665–671, 2005.
- [16] C. Sardella, “One step at a time - making strides toward a solution for the diabetic foot problem,” *IEEE Pulse*, vol. 35, no. june, pp. 18–22, 2014.
- [17] Y. Umasankar, “Towards Biosensor Enabled Smart Bandages for Wound Monitoring: Approach and Overview,” *Proc. IEEE Sensors*, vol. 2018–Octob, no. Di, pp. 1–4, 2018.
- [18] L. Wang, P. C. Pedersen, D. M. Strong, B. Tulu, E. Agu, and R. Ignotz, “Smartphone-based wound assessment system for patients with diabetes,” *IEEE Trans. Biomed. Eng.*, vol. 62, no. 2, pp. 477–488, 2015.
- [19] F. Semiconductor, “Freescale Semiconductor Integrated Silicon Pressure Sensor On-Chip Signal Conditioned , Temperature Compensated and Calibrated,” *Sensors (Peterborough, NH)*, pp. 1–8,

2010.

- [20] NXP Semiconductors, “Integrated Silicon Pressure Sensor On-Chip Signal Conditioned , Temperature Compensated and Calibrated SERIES,” *Time*, no. 2, pp. 1–9, 2012.