

ABSTRAK

ASUHAN KEPERAWATAN JIWA HAMBATAN KOMUNIKASI VERBAL PADA KLIEN SKIZOFRENIA HEBREFENIK DI RUANG GELATIK RUMAH SAKIT JIWA MENUR SURABAYA

Oleh: Chelsia Desca Miranda

Hambatan komunikasi verbal pada pasien skizofrenia hebefrenik merupakan salah satu penyakit yang sering ditakuti sebagai penyakit yang berbahaya dan tidak terkontrol. Menurut peneliti hambatan komunikasi verbal pada pasien skizofrenia di Indonesia cenderung meningkat hingga 7% jika tidak dilakukan perawatan dengan baik. Oleh karena itu, penulis melakukan penelitian mengenai asuhan keperawatan jiwa hambatan komunikasi verbal pada pasien skizofrenia hebefrenik dengan tujuan memperoleh informasi baru dan sebagai bahan perbandingan serta referensi bagi perkembangan ilmu keperawatan sehingga dapat meningkatkan kualitas asuhan keperawatan yang berkaitan dengan masalah tersebut.

Penelitian ini menggunakan metode deskriptif dalam bentuk studi kasus dengan pendekatan asuhan keperawatan, yang meliputi pengkajian, diagnosis keperawatan, perencanaan, pelaksanaan, dan evaluasi. Unit analisis yang diteliti yakni dua pasien skizofrenia hebefrenik dengan masalah hambatan komunikasi verbal di ruang Gelatik RSJ Menur Surabaya. Data penelitian dikumpulkan dengan menggunakan metode wawancara dengan subjek penelitian, menggunakan catatan rekam medis, pengukuran tanda-tanda vital, observasi umum keadaan klien, serta wawancara langsung terhadap klien.

Berdasarkan analisis data, diperoleh kesimpulan tahap pengkajian, diagnosis keperawatan, perencanaan, pelaksanaan, dan evaluasi sudah dilakukan. Tidak terdapat perbedaan dalam perencanaan antara teori dengan yang dilakukan peneliti. Namun terdapat perbedaan kriteria hasil yang dicapai dan jangka waktu dalam melakukan perawatan terhadap kedua klien. Hal ini dikarenakan perbedaan kondisi masing-masing klien.

Diharapkan bagi klien hambatan komunikasi verbal pada pasien skizofrenia hebefrenik mentaati program terapi yang diberikan serta rutin melakukan perawatan. Selanjutnya diharapkan hasil penelitian ini dapat digunakan sebagai media informasi tentang kesehatan dan sebagai bahan masukan untuk peneliti selanjutnya.

Kata Kunci : Asuhan Keperawatan, Skizofrenia Hebefrenik, Hambatan Komunikasi Verbal

Abstract

LIFE CARE BARRIERS TO VERBAL COMMUNICATION ON THE CLIENT SCHIZOPHRENIA HEBREFENIK IN THE SPACE OF HOSPITAL OF MENUR MENTAL HEALTH SURABAYA

By: Chelsia Desca Miranda

The barriers of verbal communication in hebefrenic schizophrenia patients are one of the diseases that is often feared as a dangerous and uncontrolled illness. According to researchers the verbal communication barrier in schizophrenia patients in Indonesia tends to increase up to 7% if treatment is not performed properly. Therefore, the author conducts research on the mental nursing care barriers of verbal communication in schizophrenia patients hebefrenic with the aim of obtaining new information and as a comparison material and reference to the development of nursing science so as to improve the quality of nursing care related to the problem.

This research uses a descriptive method in the form of case studies with a nursing approach, which includes the assessment, nursing diagnosis, planning, implementation, and evaluation. The analysis Unit is studied two schizophrenia patients with hebefrenic problems of verbal communication in the Gelatik room of Menur Surabaya. Research Data is collected using methods of interviews with research subjects, using medical record records, measurements of vital signs, general observation of the client's state, as well as a direct interview of the client.

The data analysis, obtained by the conclusion of the assessment stage, diagnosis of nursing, planning, implementation, and evaluation have been conducted. There is no difference in planning between theories and researchers. But there are differences in the results of the criteria achieved and the time period in conducting treatment of both clients. This is due to differences in each client's condition.

It is hoped that the client's verbal communication barriers in schizophasic patients are in the treatment of the prescribed therapy program as well as routine maintenance. Furthermore, the results of this research can be used as information media about health and as input material for further researchers.

Key words: Nursing care, Hebefrenic schizophrenia, Verbal communication barrier