

## DAFTAR PUSTAKA

- Abeway, S. et al., 2018. Stunting and Its Determinants among Children Aged 6–59 Months in Northern Ethiopia: A Cross-Sectional Study. *Journal of Nutrition and Metabolism*, pp. 1-8.
- Adekanmbi, V., Kayode, G. & Uthman, O., 2013. Individual and contextual factors associated with childhood stunting in Nigeria: a multilevel analysis. *Matern. Child Nutrition*, Volume 9(2), p. 244–59.
- Agustia, R., Rahman, N. & Hermiyanty, 2018. Faktor Risiko Kejadian Stunting Pada Balita Usia 12-59 Bulan Di Wilayah Tambang Poboya, Kota Palu. *Jurnal Gizi dan Kesehatan*, pp. 59-62.
- Akombi, B. et al., 2017. Stunting, wasting and underweight in sub-Saharan Africa: a systematic review. *Public Health*, Volume 863, p. 14(8).
- Amini, A., 2016. Hubungan Kunjungan Antenatal Care (Anc) Dengan Kejadian Stunting Pada Balita Usia 12-59 Bulan Di Kabupaten Lombok Utara Provinsi NTB Tahun 2016. *Universitas 'Aisyiyah*.
- Anisa, P., 2012. Faktor-Faktor Yang Berhubungan Dengan Kejadian Stunting Pada Balita Usia 25-60 Bulan Di Kelurahan Kalibiru Depok Tahun 2012. *Universitas Indonesia*.
- Astuti, D. D., Maryani, T., Arum, S. & Noviawati, D. D., 2019. Hubungan Riwayat Penyakit Infeksi, Pemberian Asi Eksklusif, Pemberian Mp-Asi Dengan Kejadian Stunting Pada Anak Usia 6-24 Bulan Di Wilayah Kerja Puskesmas Pengasih II Kabupaten Kulon Progo. *Repository Poltekkes Jogja*.
- Ban, L. et al., 2017. Child feeding and stunting prevalence in left-behind children: a descriptive analysis of data from a central and western Chinese population. *International Journal of Public Health*, Volume 62(1), pp. 143-151.
- Batiro, B., Demissie, T., Halala, Y. & Anjulo, A., 2017. Determinants of stunting among children aged 6-59 months at Kindo Didaye woreda, Wolaita Zone, Southern Ethiopia: Unmatched case control study. *PloS One*, Volume 12(12).
- BerheI, K. et al., 2019. Risk factors of stunting (chronic undernutrition) of children aged 6 to 24 months in Mekelle City, Tigray Region, North Ethiopia: An unmatched case-control study. *PLoS ONE*.
- Binagwaho, A. et al., 2020. Tren bebabn dan faktor risiko yang terkait dengan stunting pada masa anak-anak di Rwanda dari 2000 hingga 2015: implikasi kebijakan dan program. *BMC Public Health*.

- Binagwaho, A. et al., 2020. Trends in burden and risk factors associated with childhood stunting in Rwanda from 2000 to 2015: policy and program implications. *BMC Public Health*, pp. 1-9.
- Bogale, B., Gutema, B. T. & Chisha, Y., 2020. Prevalence of Stunting and Its Associated Factors among Children of 6–59 Months in Arba Minch Health and Demographic Surveillance Site (HDSS), Southern Ethiopia: A Community-Based Cross-Sectional Study. *Journal of Environmental and Public Health*, Volume 2020, pp. 1-8.
- Boylan, S. et al., 2017. Prevalensi dan Risiko Stunting Sedang di antara Sampel Anak-Anak Berusia 0-24 Bulan di Brunei. *Matern Child Health J.*
- Budhathoki, S. S. et al., 2019. Stunting Among Under 5-Year-Olds in Nepal: Trends and Risk Factors. *Maternal and Child Health Journal*, pp. 539-547.
- Bupe, B., Bwalya, M., Mapoma , C. & Mutombo, N., 2015. Factors associated with stunting among children aged 6–23 months in Zambian: Evidence from the 2007 Zambia Demographic and Health Survey. *International Journal of Advanced Nutritional and Health Science*, Volume 2(1).
- Cruz, L. M. G. et al., 2017. Factors Associated with Stunting among Children Aged 0 to 59 Months from the Central Region of Mozambique. *Nutrients*, pp. 1-16.
- Damanik, S. M. & Wanda, D., 2019. Pengaruh praktik pemberian makan terhadap risiko stunting pada balita di beberapa negara berkembang. *Ilmu Gizi Indonesia*, Agustus, Volume Vol. 03, No. 01, pp. 13-22.
- Danaei, G. et al., 2016. Risk Factors for Childhood Stunting in 137 Developing Countries: A Comparative Risk Assessment Analysis at Global, Regional, and Country Levels. *PLOS Medicine*.
- Denney, A. & Tewksbury, R., 2013. How to Write a Literature Review. *Journal of Criminal Justice Education*, Volume 24(2), pp. 218-234.
- Fatima, S. et al., 2020. Stunting and associated factors in children of less than five years: A hospital-based study. *Pakistan Journal of Medical Sciences*, Volume 36, pp. 581-585.
- Fenta, H. M. et al., 2019. Determinants of Stunting among under-five Years Children in Ethiopia from the 2016 Ethiopia Demographic and Health Survey: Application of Ordinal Logistic Regression Model using Complex Sampling Designs. *Journal Pre-proof*.
- Gebru, F. et al., 2019. Determinants of stunting among under-five children in Ethiopia: a multilevel mixed effects analysis of 2016 Ethiopian demographic and health survey data. *BMC Pediatrics*, Volume 19:176, pp. 1-13.

- Guerrant, R. L. et al., 2013. The impoverished gut--a triple burden of diarrhoea, stunting and chronic disease. *Nature reviews Gastroenterology & Hepatology*, Volume 10(4), pp. 220-229.
- Habimana, S. & Biracyaza, E., 2019. Risk Factors Of Stunting Among Children Under 5 Years Of Age In The Eastern And Western Provinces Of Rwanda: Analysis Of Rwanda Demographic And Health Survey 2014/2015. *Pediatric Health, Medicine and Therapeutics*, p. 115–130.
- Hafid, F. & Nasrul, 2016. Faktor Risiko Stunting pada Anak Usia 6-23 Bulan di Kabupaten Jeneponto. *Indonesian Journal of Human Nutrition*, Volume Vol.3 No.1, pp. 42-53.
- Hagos, S., Hailemariam, D., WoldeHanna, T. & Lindtjorn, B., 2017. Spatial heterogeneity and risk factors for stunting among children under age five in Ethiopia: A Bayesian geo-statistical model. *PLOS ONE*, pp. 1-18.
- Haile, et al., 2016. Exploring spatial variations and factors associated with childhood stunting in Ethiopia: spatial and multilevel analysis. *BMC Pediatrics*.
- Hidayat, A., 2009. *Pengantar Ilmu Kesehatan Anak untuk Pendidikan Kebidanan*. Jakarta: Salemba Medika.
- Hien, N. & Kam , S., 2008. Nutritional Status and the Characteristics Related to Malnutrition in Children Under Five Years og Age in Nghean, Vietna. *J Prev Med Public Health*, Volume 41 (4), pp. 232-240.
- Islam, M. et al., 2018. Risk factors of stunting among children living in an urban slum of Bangladesh: findings of a prospective cohort study. *BMC Public Health*, pp. 1-13.
- Julianti, E. & Elni, 2020. Determinants of Stunting in Children Aged 12-59 Months. *Nurse Media Journal of Nursing*, Volume 10(1), pp. 36-45.
- Kismul, H., Acharya, P., Mapatano, M. & Hatloy, A., 2018. Penetru Stunting Pada Masa Kanak-Kanak Republik Demokratik Congo: Analisis Lebih Lanjut Dari Survei Demografi Dan Kesehatan. *BMC Public Health*.
- Maas, L., 2004. *Kesehatan Ibu dan Anak: Persepsi Budaya dan Dampak Kesehatannya*. Sumatera Utara: FKM Universitas Sumatera Utara USU Digital Library.
- Manuaba, I., 2008. *Gawat Darurat Obstetri Ginekologi dan Obstetri Ginekologi Sosial untuk Profesi Bidan*. Jakarta: EGC.

- Mardani, R. A. D., Wetasin, K. & Suwanwaiphatthana, W., 2015. Faktor Prediksi Yang Mempengaruhi Terjadinya Stunting Pada Anak Usia Dibawah Lima Tahun. *Jurnal Kesehatan Masyarakat*.
- Matsungo, T. et al., 2017. The prevalence and factors associated with stunting among infants aged 6 months in a peri-urban South African community. *Public Health Nutrition*.
- Mugianti, S., Mulyadi, A., Anam, A. K. & Najah, Z. L., 2018. Faktor Penyebab Anak Stunting Usia 25-60 Bulan di Kecamatan Sukorejo Kota Blitar. *Jurnal Ners dan Kebidanan*, Volume 5, pp. 268-278.
- Mzumara, B. et al., 2018. Faktor yang terkait stunting di antara anak-anak di bawah usia lima tahun di Zambia: bukti dari Zambia 2014 survei demografi dan kesehatan. *BMC Nutrition*, pp. 1-8.
- Nasution, D., Nurdiati, D. S. & Huriyati, E., 2014. Berat badan lahir rendah (BBLR) dengan kejadian stunting pada anak usia 6-24 bulan. *Jurnal Gizi Klinik Indonesia*, Volume 11(1), pp. 31-37.
- Nkurunziza, S., Meessen, B., Geertruyden, J.-P. V. & Korachais, C., 2017. Determinants of stunting and severe stunting among Burundian children aged 6-23 months: evidence from a national cross-sectional household survey, 2014. *BMC Pediatric*, Volume 17:176, pp. 1-14.
- Notoatmojo, S., 2003. *Pendidikan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Nshimyiryo, A. et al., 2019. Risk factors for stunting among children under five years: a cross-sectional population-based study in Rwanda using the 2015 Demographic and Health Survey. *BMC Public Health*, pp. 1-10.
- Nugroho, H., 2020. *Penulisan Systematic Literature Review (SLR)*. 3, pp. 1990-1993 ed. s.l.:s.n.
- Nurbaiti, L., Adi, A., Devi, S. & Harthana, T., 2014. Kebiasaan makan balita stunting pada masyarakat Suku Sasak: Tinjauan 1000 hari pertama kehidupan (HPK) [Stunting toddler eating habits in the Sasak tribe: Overview of the first 1000 days of life]. *Masyarakat, Kebudayaan dan Politik*, Volume 27(2), pp. 109-117.
- Nursalam, 2020. *Penulisan Literature Review dan Systematic Review pada Pendidikan Keperawatan*. s.l.:s.n.
- Oktavia, R., 2011. Hubungan Pengetahuan Sikan dan Perilaku Ibu Dalam Pemberian ASI Eksklusif dengan Status Gizi Baduta di Puskesmas Biaro Kecamatan Ampek Angkek Kabupaten Agam Tahun 2011. *FKUI*.

- Paciorek, C., Stevens, G., Finucane, M. & Ezzati, M., 2013. Children's height and weight in rural and urban populations in low-income and middle-income countries: a systematic analysis of population-representative data. *Lancet Glob Health*, Volume 1(5).
- Patel, A. et al., 2015. Rates and determinants of early initiation of breastfeeding and exclusive breast feeding at 42 days postnatal in six low and middle-income countries: A prospective cohort study. *Reprod Health*, Volume 12.
- Prihutama, N., Rahmadi, F. & Hardaningsih, G., 2018. Pemberian Makanan Pendamping ASI Dini Sebagai Faktor Risiko Kejadian Stunting Pada Anaka Usia 2-3 Tahun. *Jurnal Kedokteran Diponegoro*, Volume 7(2).
- Pusdatin, K. R., 2018. *Data dan Informasi Kesehatan Situasi Balita Pendek (Stunting) Di Indonesia*. Jakarta: Pusdatin Kemenkes RI.
- Ratnasari, D., Suhartono & Rahfiludin, 2015. Faktor Risiko Kejadian Berat Badan Lahir Rendah di Area Pertanian (Studi di Kabupaten Brebes. *Gizi Pangan*, Volume 12(1), pp. 41-48.
- Rohmani, A., 2014. Pemberian Makanan Pendamping ASI (MP-ASI) pada Anak Usia 1-2 Tahun di Kelurahan Lamper Tengah Kecamatan Semarang Selatan, Kota Semarang. *Prosiding Seminar nasional Unimus*, pp. 1-10.
- Sholikin, R. A. A. S. P., 2015. Hubungan Antenatal Care (ANC) dengan Kejadian Bayi Berat Lahir Rendah di Kabupaten Purbalingga. *Universitas Gadjah Mada*.
- Sunguya, B., Zhu, S., Mpembeni, R. & Huang, J., 2019. Trends in prevalence and determinants of stunting in Tanzania: an analysis of Tanzania demographic health surveys (1991–2016). *Nutrition Journal*, Volume 18:85, pp. 1-13.
- Sunguya, B., Zhu, S., Mpembeni, R. & Huang, J., 2019. Trends in prevalence and determinants of stunting in Tanzania: an analysis of Tanzania demographic health surveys (1991–2016). *Nutrition Journal*, pp. 1-13.
- Tadesse, S. E. & Mekonnen, T. C., 2020. Prevalence and Associated Factors of Stunting Among Children Aged 6–59 Months in Delanta District; North East Ethiopia. *Nutrition and Dietary Supplements*.
- Torlesse, H., Cronin, A. A., Sebayang, S. K. & Nandy, R., 2016. Determinants of stunting in Indonesian children: evidence from a cross-sectional survey indicate a prominent role for the water, sanitation and hygiene sector in stunting reduction. *BMC Public Health*, Volume 16:669, pp. 1-11.
- Utami, R. A., Setiawan, A. & Fitriyani, P., 2019. Identifying causal risk factors for stunting in children under five years of age in South Jakarta, Indonesia. *Enfermeria Clinica*.

- Videhult, F. & West, C., 2016. Nutrition, gut microbiota and child health outcomes. *Current Opinion in Clinical Nutrition and Metabolic Care*, Volume 19(3), p. 208–213.
- Warsini, K., 2014. Hubungan Status Gizi Ibu Saat Hamil dengan Kejadian Stunting pada Anak Usia 6-23 Bulan di Kabupaten Bantul. *Universitas Gajah Mada*.
- Yang, Y. Y. et al., 2017. Trends and determinants of stunting among under-5s: evidence from the 1995, 2001, 2006 and 2011 Uganda Demographic and Health Surveys. *Public Health Nutrition*, Volume 21(16), p. 2915–2928.