

DAFTAR PUSTAKA

- [1] N. Muljodipo, S. R. U. A. Sompie, R. F. Robot, M. Eng, J. T. Elektro-ft, and E. Nuryantomuljodipogmailcom, “Rancang Bangun Otomatis Sistem Infus Pasien,” *J. Tek. Elektro dan Komput.*, vol. 4, no. 4, pp. 12–22, 2015, doi: 10.35793/jtek.4.4.2015.8567.
- [2] A. Sifa Fauziyyah, “Rancang Bangun Alat Ukur Jumlah Tetes Dan Volume Sisa Cairan Infus Dengan Warning System Pada Sistem Monitoring Cairan Infus Berbasis Arduino,” *Pillar Phys.*, vol. 12, pp. 25–30, 2019.
- [3] G. P. Mahardhika and M. Herawati, “Rancang Bangun Perangkat Pengendali Debit Tetesan Infus Otomatis Untuk Proses Terapi Infus,” *Semin. Nas. Inform. Medis VI*, p. 21, 2015.
- [4] A. Muwahhid, “Alat Pengatur Aliran Infus Dilengkapi dengan Sensor Occlusion, Sensor Empty,” no. 2504, pp. 1–9, 2020.
- [5] W. Wadianto and Z. Fihayah, “Simulasi Sensor Tetesan Cairan, pada Infus Konvensional,” *J.*

Kesehat., vol. 7, no. 3, p. 394, 2016, doi:
10.26630/jk.v7i3.221.

- [6] A. Amelia *et al.*, “Pengatur Aliran Cairan Infus Berbasis Atmega8535,” vol. 14, pp. 29–40, 2017.
- [7] S. Purwanto, M. Mulya, and S. Sembiring, “MONITORING INFUS BERDASARKAN WAKTU TETESAN,” *Semin. Work. Nas.*, 2018.
- [8] H. Suprayogi, . I., and G. Priyandoko, “Pembuatan Infus Elektronik Rumah Sakit,” *J. Apl. Dan Inov. Ipteks “Soliditas,*” vol. 2, no. 1, p. 25, 2019, doi: 10.31328/js.v2i1.1285.
- [9] N. Sholihah, A. Kholid, and S. Sumber, “Monitoring Infusion Pump Via Wireless (Occlusion part),” *Indones. J. Electron. Electromed. Eng. Med. informatics*, vol. 2, no. 1, pp. 34–41, 2020, doi: 10.35882/ijeeemi.v2i1.7.
- [10] A. R. Ridlo *et al.*, “SISTEM PENGENDALI LAJU TETESAN INFUS MENGGUNAKAN PARAMETER DENYUT JANTUNG,” pp. 7–11, 2014.
- [11] N. F. Hikmah, “RANCANG BANGUN SYRINGE PUMP BERBASIS

MIKROKONTROLER ATMEGA8535

DILENGKAPİ DETEKTOR OKLUSI,” 2012.

- [12] N. W. S. Dewi, “STUDI PENERAPAN STANDAR OPERASIONAL PROSEDUR (SOP) PEMASANGAN INFUS PADA PASIEN DEWASA DI IGD RSU BAHTERAMAS PROVINSI SULAWESI TENGGARA,” 2017.
- [13] 2018 MOHAMAD SIROJUL AZIIS, “Automatic Stoping and Infusion Monitoring With.”
- [14] K. K. Thariyan, S. Verma, S. R. Taneja, R. C. Gupta, and S. S. Ahluwalia, “Design and development of a unique drop sensing unit for infusion pump,” *J. Sci. Ind. Res. (India)*., vol. 61, no. 10, pp. 798–801, 2002.
- [15] V. V Kamble, P. C. Pandey, C. P. Gadgil, and D. S. Choudhary, “Monitoring of Intravenous Drip Rate,” vol. i, pp. 51–55, 2001.
- [16] E. Barros and M. V.D. Dos Santos, “A safe, accurate intravenous infusion control system,” *IEEE Micro*, vol. 18, no. 5, pp. 12–21, 1998, doi: 10.1109/40.735940.
- [17] R. C. Gupta, S. R. Taneja, K. K. Thariyan, and S.

Verma, “Design and implementation of controlled drug infusion system,” *J. Sci. Ind. Res. (India)*., vol. 64, no. 10, pp. 761–766, 2005.

- [18] E. T. Pierce, V. Kumar, H. Zheng, and R. A. Peterfreund, “Medication and volume delivery by gravity-driven micro-drip intravenous infusion: Potential variations during ‘wide-open’ flow,” *Anesth. Analg.*, vol. 116, no. 3, pp. 614–618, 2013, doi: 10.1213/ANE.0b013e31827bc235.
- [19] P. Bustamante, U. Bilbao, G. Solas, and N. Guarretxena, “A new wireless sensor for intravenous dripping detection,” *2007 Int. Conf. Sens. Technol. Appl. SENSORCOMM 2007, Proc.*, vol. 3, no. 1, pp. 30–35, 2007, doi: 10.1109/SENSORCOMM.2007.4394893.
- [20] A. Das, R. Sethi, S. V. Kartik, and P. Mishra, “Intravenous Drip Sensor,” no. April, 2006

