

## DAFTAR PUSTAKA

- [1] P. Madona, “Alat Bantu Terapi Pasca Stroke untuk Tangan,” *J. Elektro dan Mesin Terap.*, vol. 4, no. 1, pp. 27–36, 2018, doi: 10.35143/elementer.v4i1.1422.
- [2] K. I. N. Rahayu, “The Influence of Range of Motion Exercise to Motor Capability of Post-Stroke Patient at the Gambiran Hospital,” *J. Keperawatan*, vol. 6, no. 2, pp. 102–107, 2015.
- [3] S. Susanti, S. Susanti, and D. N. Bistara, “Pengaruh Range of Motion (ROM) terhadap Kekuatan Otot pada Pasien Stroke,” *J. Kesehat. Vokasional*, vol. 4, no. 2, p. 112, 2019, doi: 10.22146/jkesvo.44497.
- [4] C. N. Tseng, C. C. H. Chen, S. C. Wu, and L. C. Lin, “Effects of a range-of-motion exercise programme,” *J. Adv. Nurs.*, vol. 57, no. 2, pp. 181–191, 2007, doi: 10.1111/j.1365-2648.2006.04078.x.
- [5] M. A. Gull, S. Bai, and T. Bak, “A review on design of upper limb exoskeletons,” *Robotics*, vol. 9, no. 1, pp. 1–35, 2020, doi: 10.3390/robotics9010016.
- [6] I. Stefanova, “Effects of using continuous passive motion device in the rehabilitation upper limb following stroke,” *Proc. 5th Electron. Int. Interdiscip. Conf.*, vol. 5, no. July 2016, pp. 240–242, 2016, doi: 10.18638/eiic.2016.5.1.532.
- [7] M. Rahmani, M. H. Rahman, and J. Ghommam,

“A 7-DoF Upper Limb Exoskeleton Robot Control Using a New Robust Hybrid Controller,” *Int. J. Control. Autom. Syst.*, vol. 17, no. 4, pp. 986–994, 2019, doi: 10.1007/s12555-018-0410-5.

- [8] M. Gunasekara, R. Gopura, and S. Jayawardena, “6-REXOS: Upper limb exoskeleton robot with improved pHRI,” *Int. J. Adv. Robot. Syst.*, vol. 12, 2015, doi: 10.5772/60440.
- [9] R. A. R. C. Gopura, K. Kiguchi, and Y. Li, “SUEFUL-7: A 7DOF upper-limb exoskeleton robot with muscle-model-oriented EMG-based control BT - IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS),” *2009 IEEE/RSJ Int. Conf. Intell. Robot. Syst.*, pp. 1126–1131, 2009.
- [10] B. Beigzadeh, M. Ilami, and S. Najafian, “Design and development of one degree of freedom upper limb exoskeleton,” *Int. Conf. Robot. Mechatronics, ICROM 2015*, pp. 223–228, 2015, doi: 10.1109/ICRoM.2015.7367788.
- [11] S. M. Huang, P. Y. Gi, and P. Y. Wu, “A design of wearable goniometers for measuring carpal angular movement,” *Proc. 2018 IEEE Int. Conf. Adv. Manuf. ICAM 2018*, pp. 1–4, 2019, doi: 10.1109/AMCON.2018.8615058.
- [12] F. Panduardi and E. S. Haq, “Wireless Smart Home System Menggunakan Raspberry PI Berbasis Android,” *J. Teknol. Inf. dan Terap.*, vol. 03, no. 01, pp. 320–325, 2016, [Online]. Available:

<https://pdfs.semanticscholar.org/402a/ce8d6629211519bc524830408a5c9c825574.pdf>.

- [13] J. Gómez, B. Oviedo, and E. Zhuma, “Patient Monitoring System Based on Internet of Things,” *Procedia Comput. Sci.*, vol. 83, no. Ant, pp. 90–97, 2016, doi: 10.1016/j.procs.2016.04.103.
- [14] Y. Jiang, “Combination of wearable sensors and internet of things and its application in sports rehabilitation,” *Comput. Commun.*, vol. 150, pp. 167–176, 2020, doi: 10.1016/j.comcom.2019.11.021.
- [15] L. C. Gradim, M. A. Jose, D. M. C. da Cruz, and R. de D. Lopes, “IoT services and applications in rehabilitation: an interdisciplinary and meta-analysis review,” *IEEE Trans. Neural Syst. Rehabil. Eng.*, vol. 4320, no. c, 2020, doi: 10.1109/tnsre.2020.3005616.
- [16] I. Bisio, A. Delfino, F. Lavagetto, and A. Sciarrone, “Enabling IoT for In-Home Rehabilitation: Accelerometer Signals Classification Methods for Activity and Movement Recognition,” *IEEE Internet Things J.*, vol. 4, no. 1, pp. 135–146, 2017, doi: 10.1109/JIOT.2016.2628938.
- [17] I. Bisio, C. Garibotto, F. Lavagetto, and A. Sciarrone, “When eHealth Meets IoT: A Smart Wireless System for Post-Stroke Home Rehabilitation,” *IEEE Wirel. Commun.*, vol. 26, no. 6, pp. 24–29, 2019, doi: 10.1109/MWC.001.1900125.

- [18] E. Karunia., “Hubungan antara dukungan keluarga dengan kemandirian Activity of Daily Living Pascastroke,” no. July, pp. 213–224, 2016, doi: 10.20473/jbe.v4i2.2016.213.
- [19] M. Bobin, F. Bimbard, M. Boukallel, M. Anastassova, and M. Ammi, “SpECTRUM: Smart ECosystem for sTRoke patient’s Upper limbs Monitoring,” *Smart Heal.*, vol. 13, p. 100066, 2019, doi: 10.1016/j.smhl.2019.01.001.
- [20] M. O. Agyeman and A. Al-Mahmood, “Design and implementation of a wearable device for motivating patients with upper and/or lower limb disability via gaming and home rehabilitation,” *2019 4th Int. Conf. Fog Mob. Edge Comput. FMEC 2019*, pp. 247–252, 2019, doi: 10.1109/FMEC.2019.8795317.
- [21] A. goleman, daniel; boyatzis, Richard; Mckee and Perdana, *Joint Motion and Muscle Testing*, vol. 53, no. 9. 2018.
- [22] I. Rosidawati, “Standar Operasional Prosedur Range of Motion.”
- [23] F. Yudha and G. Amatiria, “Pengaruh Range of Motion (ROM) Terhadap Kekuatan Otot Pasien Pasca Perawatan Stroke,” *J. Keperawatan*, vol. X, no. 2, pp. 203–209, 2014.
- [24] F. Anita, P. Henny, P. Veni Ada, and V. Hingkam, “Pengaruh Latihan Range of Motion Terhadap Rentang Gerak Sendi Ekstremitas Atas pada Pasien Pasca Stroke di Makassar,” *J. Islam. Nurs.*,

vol. 3, no. 1, 2018.

- [25] Murtaqib, “Pengaruh Latihan Range of Motion (ROM) Aktif terhadap Perubahan Rentang Gerak Sendi pada Penderita Stroke di Kecamatan Tanggul Kabupaten Jember,” *J. IKESMA*, vol. 9, no. 2, 2013.
- [26] B. Firman, “Implementasi Sensor IMU MPU6050 Berbasis Serial I2C pada Self-Balancing Robot,” *J. Teknol. Technoscientia*, vol. 9, no. 1, pp. 18–24, 2016.
- [27] Circuits4you, “ESP32 DevKit ESP32-WROOM GPIO Pinout,” *Circuits4you*, 2018, [Online]. Available:  
<https://circuits4you.com/2018/12/31/esp32-devkit-esp32-wroom-gpio-pinout/>.
- [28] C. Metronome, “User Manual.” [Online]. Available: [www.cherubthecchnology.com](http://www.cherubthecchnology.com).
- [29] M. D. Ariyantini, *Digital Digital Repository Repository Universitas Universitas Jember Jember Staphylococcus aureus Digital Digital Repository Repository Universitas Universitas Jember Jember*. 2017.