

DAFTAR PUSTAKA

- [1] N. I. Fauziyah, *Perancangan Sistem Kendali Robot Tangan Berbasis Jaringan Syaraf Tiruan Dan Synergy Feature*. 2019.
- [2] M. Rahman, *Rancang Bangun Prostesis Lengan Untuk Tunadaksa Bawah Siku (Amputasi Transradial)*. 2017.
- [3] A. P. Schulz, S. Fuchs, L. Simon, K. Seide, A. Paech, and C. Queitsch, “Severe fracture of the Tibial Pilon: Results with a multidirectional self-locking osteosynthesis plate utilizing a two-stage procedure,” *Eur. J. Trauma Emerg. Surg.*, vol. 34, no. 4, pp. 391–396, 2008, doi: 10.1007/s00068-007-2209-6.
- [4] N. Rachmat, “Pengaruh Penggunaan Kaki Palsu terhadap Kepercayaan Diri Pasien Post Amputasi Kaki,” *J. Kesehat.*, vol. 7, no. 1, p. 101, 2016, doi: 10.26630/jk.v7i1.126.
- [5] E. P. S. Oeoen, Jondri, and U. N. Wisesty, “Klasifikasi Pergerakan Jari Tangan Berdasarkan Sinyal EMG Menggunakan Stacked Denoising Autoencoder untuk Mengendalikan Tangan Prostetik,” *e-Proceeding Eng.*, vol. 5, no. 3, pp. 7782–7789, 2018.
- [6] M. N. Robby, “Perancangan Simulator Gerak dan Sistem Monitoring untuk Menggerakkan dan Memonitoring Tangan Palsu Elektrik,” p. 82, 2017.

- [7] Y. Su, M. H. Fisher, A. Wolczowski, G. D. Bell, D. Burn, and R. Gao, “Towards an EMG Controlled Prosthetic Hand Using a 3D Electromagnetic Positioning System,” *2005 IEEE Instrumentation and Meas. Technol. Conf. Proc.*, vol. 1, no. October 2016, pp. 261–266, 2005, doi: 10.1109/IMTC.2005.1604113.
- [8] L. S. Praveen, S. N. Nagananda, and P. Shankapal, “Design and Development of Real Time Bionic Hand Control Using EMG Signal,” *2018 IEEE Int. Conf. Electron. Comput. Commun. Technol. CONECCT 2018*, pp. 1–4, 2018, doi: 10.1109/CONECCT.2018.8482393.
- [9] M. Snajdarova, J. Barabas, R. Radil, and O. Hock, “Proof of concept EMG-Controlled prosthetic hand system - An overview,” *Proc. 2018 19th Int. Conf. Comput. Probl. Electr. Eng. CPEE 2018*, pp. 1–4, 2018, doi: 10.1109/CPEE.2018.8506896.
- [10] D. Damodar, “Myoelectric Hand : Prosthetic hand replication using EMG based approach,” no. September, pp. 3–8, 2018, doi: 10.13140/RG.2.2.11237.04323.
- [11] T. Sono, L. Menegaldo, and M. Pinotti, “Hand prosthesis prototype controlled by EMG and vibrotactile force feedback,” *Proc. IEEE RAS EMBS Int. Conf. Biomed. Robot. Biomechatronics*, pp. 91–95, 2014, doi: 10.1109/biorob.2014.6913758.
- [12] M. Yoshikawa, R. Sato, T. Higashihara, T. Ogasawara, and N. Kawashima, “Rehand :

- Realistic Electric Prosthetic Hand Created with a 3D Printer,” pp. 2470–2473, 2015.
- [13] U. Raza and H. Syed Tahir Rizvi, “Implementation of Prosthetic Hand through EMG Signals,” *5th World Eng. Congr.*, 2013.
- [14] A. Reust and J. Desai, “Development of an EMG Controlled Robotic Hand Prosthesis Development of an EMG Controlled Robotic Hand Prosthesis,” no. April, pp. 6–8, 2017.
- [15] A. Cranny, D. P. J. Cotton, P. H. Chappell, S. P. Beeby, and N. M. White, “Thick-film force, slip and temperature sensors for a prosthetic hand,” *Meas. Sci. Technol.*, vol. 16, no. 4, pp. 931–941, 2005, doi: 10.1088/0957-0233/16/4/005.
- [16] P. Konrad, “ABCofEMG.pdf,” no. April, pp. 1–60, 2005.
- [17] A. I. F. Dwi, “Klasifikasi Sinyal Emg Dari Otot Lengan Sebagai Media Kontrol Menggunakan Naïve Bayes,” *Inst. Teknol. Sepuluh Nop.*, p. 16, 2017.
- [18] G. S. Rash, “Electromyography: Fundamentals,” *Int. Encycl. Ergon. Hum. Factors - 3 Vol. Set*, pp. 3155–3162, 2021, doi: 10.1201/9780849375477-621.
- [19] C. J. De Luca, “Surface electromyography: Detection and recording,” *DelSys Inc.*, vol. 10, no. 2, pp. 1–10, 2002.
- [20] DFRobot, “No Title.”
- [21] “Arduino Nano.” .
- [22] dan revlektivitas tertinggi diantara semua jenis

logam. Perak adalah jenis logam dengan simbol (Ag) yang berasal dari bahasa latin Argentum, dengan nomor atom 47, perak murni bersifat lunak, berkilau dan putih. Perak memiliki konduksi listrik, konduktivitas termal, “perak 2.” <https://blog.rajalistrik.com/jenis-logam-konduktor/>.

- [23] PERAK, “No Title.”
https://www.google.com/search?q=lempeng+perak&sxsrf=AOaemvJA5SwLa2hWbnSBaRZ0_DJub5xWhA:1637551550513&tbo=isch&source=iu&ictx=1&fir=hVw2OPWFXJwbfM%252CZ86R8aTya6g4ZM%252C_%253BFYxgMEGYCBVIM%252CZ86R8aTya6g4ZM%252C_%253Bi8mmKmHfVYsYtM%252CZ86R8aTya6g4ZM%2525.
- [24] T.Elektrode, “tembaga2.”
<https://id.wikipedia.org/wiki/Tembaga.>
- [25] Elektrode, “tembaga.”
<https://www.awalilmu.com/2016/09/10-logam-yang-merupakan-konduktor-terbaik.html.>
- [26] Tembaga, “gambar lempeng tembaga.”
[https://siplah.pesonaedu.id/product/79668/lempeng-tembaga-\(cu\).](https://siplah.pesonaedu.id/product/79668/lempeng-tembaga-(cu).)
- [27] Emas, “emas.”
<https://www.bareksa.com/berita/emas/2021-07-22/ragam-jenis-logam-.>