

DAFTAR PUSTAKA

- [1] P. Madona, “Alat Bantu Terapi Pasca Stroke untuk Tangan,” *J. Elektro dan Mesin Terap.*, vol. 4, no. 1, pp. 27–36, 2018, doi: 10.35143/elementer.v4i1.1422.
- [2] S. Hartono and J. Dewanto, “Perancangan Exoskeleton Untuk Terapi Range of Motion Pasif Lengan Atas Tahap Lanjut Penderita Stroke,” *J. Tek. Mesin*, vol. 18, no. 1, pp. 20–24, 2021, doi: 10.9744/jtm.18.1.20-24.
- [3] sue c. Delaune and P. K.ladner, *Standards & Practice*. 2011.
- [4] C. Tseng, C. C. Chen, S. Wu, and L. Lin, “Effects of a range-of-motion exercise programme,” no. July, 2006, doi: 10.1111/j.1365-2648.2006.04078.x.
- [5] D. M. Bakara and S. Warsito, “LATIHAN RANGE OF MOTION (ROM) PASIF TERHADAP RENTANG SENDI PASIEN PASCA STROKE Exercise Range of Motion (ROM) Passive to Increase Joint Range of Post-

- Stroke Patients,” vol. VII, no. 2, 2016.
- [6] A. J. Young and D. P. Ferris, “State of the art and future directions for lower limb robotic exoskeletons,” *IEEE Trans. Neural Syst. Rehabil. Eng.*, vol. 25, no. 2, pp. 171–182, 2017, doi: 10.1109/TNSRE.2016.2521160.
- [7] L. D. L. da Silva, T. F. Pereira, V. R. Q. Leithardt, L. O. Seman, and C. A. Zeferino, “Hybrid impedance-admittance control for upper limb exoskeleton using electromyography,” *Appl. Sci.*, vol. 10, no. 20, pp. 1–19, 2020, doi: 10.3390/app10207146.
- [8] T. Triwiyanto, I. P. A. Pawana, B. G. Irianto, T. B. Indrato, and I. D. G. H. Wisana, “Embedded system for upper-limb exoskeleton based on electromyography control,” *Telkomnika (Telecommunication Comput. Electron. Control.)*, vol. 17, no. 6, pp. 2992–3002, 2019, doi: 10.12928/TELKOMNIKA.v17i6.11670.
- [9] J. Lanini, T. Tsuji, P. Wolf, R. Riener, and D. Novak, “Teleoperation of two six-degree-of-freedom arm rehabilitation exoskeletons,” *IEEE Int. Conf. Rehabil. Robot.*, vol. 2015-Sept, pp.

514–519, 2015, doi:
10.1109/ICORR.2015.7281251.

- [10] W. W. Wang and L. C. Fu, “Mirror therapy with an exoskeleton upper-limb robot based on IMU measurement system,” *MeMeA 2011 - 2011 IEEE Int. Symp. Med. Meas. Appl. Proc.*, pp. 370–375, 2011, doi: 10.1109/MeMeA.2011.5966732.
- [11] Q. Meng *et al.*, “Pilot Study of a Powered Exoskeleton for Upper Limb Rehabilitation Based on the Wheelchair,” *Biomed Res. Int.*, vol. 2019, 2019, doi: 10.1155/2019/9627438.
- [12] J. Rosen, D. Milutinović, L. M. Miller, M. Simkins, H. Kim, and Z. Li, *Unilateral and Bilateral Rehabilitation of the Upper Limb Following Stroke via an Exoskeleton*. 2014. doi: 10.1007/978-94-017-8932-5_15.
- [13] A. M. Khan, F. Khan, and C. Han, “Estimation of desired motion intention using extreme learning machine for upper limb assist exoskeleton,” *IEEE/ASME Int. Conf. Adv. Intell. Mechatronics, AIM*, vol. 2016-Septe, pp. 919–923, 2016, doi: 10.1109/AIM.2016.7576886.
- [14] Y. Ganesan, S. Gobee, and V. Durairajah,

- “Development of an Upper Limb Exoskeleton for Rehabilitation with Feedback from EMG and IMU Sensor,” *Procedia Comput. Sci.*, vol. 76, no. Iris, pp. 53–59, 2015, doi: 10.1016/j.procs.2015.12.275.
- [15] E. Trigili *et al.*, “Detection of movement onset using EMG signals for upper-limb exoskeletons in reaching tasks,” *J. Neuroeng. Rehabil.*, vol. 16, no. 1, pp. 1–16, 2019, doi: 10.1186/s12984-019-0512-1.
- [16] E. Masâ€TMidah, W. Fatmawati, and L. Ajibta, “ANALISA MANUAL MATERIAL HANDLING (MMH) DENGAN MENGGUNAKAN METODE BIOMEKANIKA UNTUK MENGIDENTIFIKASI RESIKO CIDERA TULANG BELAKANG (MUSCULOSKELETAL DISORDER) (Studi Kasus pada Buruh Pengangkat Beras di Pasar Jebor Demak),” *Maj. Ilm. Sultan Agung*, vol. 45, no. 119, pp. 37–56, 2009.
- [17] E. Arus, *The Fundamentals of Biomechanics*. 2018. doi: 10.1201/b22446-8.
- [18] W. Drexler and J. G. Fujimoto, *Biological and*

*Medical Physics , Biomedical Engineering
Biological and Medical Physics , Biomedical
Engineering.* 2008.

- [19] M. P. Prof. Dr.dr. James Tangkudung, Sportmed, “Anatomi Movement,” *Anat. Mov.*, pp. 43-45, 2016.
- [20] R. Rokhana and P. S. Wardana, “Identifikasi Sinyal Electromyograph (Emg) Pada Gerak Ekstensi-Fleksi Siku Dengan Metode Konvolusi Dan Jaringan Syaraf Tiruan,” *Ind. Electron. Semin.*, pp. 1–6, 2009.
- [21] U. Limb, “The A.R.M.” *Bmj*, vol. 2, no. 5038, pp. 206–207, 1957, doi: 10.1136/bmj.2.5038.206.
- [22] J. Paterson, “Exercises for core stabilization and efficient movement,” *Teach. Pilates Postural Faults, Illn. Inj.*, pp. 94–172, 2009, doi: 10.1016/b978-0-7506-5647-4.50011-1.
- [23] Al-Muqsith, “Anatomi Dan Biomekanika Sendi siku Dan Pergelangan Tangan,” *Anat. Dan Biomekanika Sendi Siku Dan Pergelangan Tangan*, pp. 10–46, 2018.
- [24] A. goleman, daniel; boyatzis, Richard; McKee and Perdana, *Joint Motion and Muscle Testing*, vol. 53,

no. 9. 2018.

- [25] E. Rhestifujayani, E. Huriani, and M. Muhammiza, “Comparison of Muscle Strength in Stroke Patients between The Given and Not Given Range of Motion Exercise,” *Nurse Media J. Nurs.*, vol. 5, no. 2, p. 88, 2015, doi: 10.14710/nmjn.v5i2.10534.
- [26] S. Susanti, S. Susanti, and D. N. BIstara, “Pengaruh Range of Motion (ROM) terhadap Kekuatan Otot pada Pasien Stroke,” *J. Kesehat. Vokasional*, vol. 4, no. 2, p. 112, 2019, doi: 10.22146/jkesvo.44497.
- [27] F. Anita, H. Pongantung, P. V. Ada, and V. Hingkam, “Pengaruh Latihan Range of Motion Terhadap Rentang Gerak Sendi Ekstremitas Atas Pada Pasien Pasca Stroke Di Makassar,” *J. Islam. Nurs.*, vol. 3, no. 1, pp. 97–99, 2018.
- [28] T. Indrayana and T. Wahyudi, “Pengaruh Range of Motion Rom) Aktif Terhadap Fleksibilitas Sendi Lutut Pada Lanjut Usia,” *J. Perawat Indones.*, vol. 4, no. 2, p. 339, 2020, doi: 10.32584/jpi.v4i2.224.
- [29] N. Secciani, M. Bianchi, E. Meli, Y. Volpe, and A. Ridolfi, “A novel application of a surface ElectroMyoGraphy-based control strategy for a

- hand exoskeleton system: A single-case study,” *Int. J. Adv. Robot. Syst.*, vol. 16, no. 1, pp. 1–13, 2019, doi: 10.1177/1729881419828197.
- [30] M. N. Halim, M. A. Fadilla, D. D. Mahendra, and A. Zarkasi, “Rancang Bangun Sendok Penderita Parkinson Menggunakan Mikrokontroller ESP-32,” *Annu. Res. Semin.*, vol. 5, no. 1, pp. 978–979, 2019.
- [31] G. Gumilar and H. H. Rachmat, “Sistem Pendekripsi Jatuh Wireless Berbasis Sensor Accelerometer,” *TELKA - Telekomun. Elektron. Komputasi dan Kontrol*, vol. 4, no. 2, pp. 132–141, 2018, doi: 10.15575/telka.v4n2.132-141.
- [32] A. Muflihana, D. S. Arief, and A. S. Nugraha, “Rancang Bangun Timbangan Digital dengan Keluaran Berat Berbasis Arduino Uno pada Automatic Machine Measurement Mass and Dimension,” *Jom FTEKNIK*, vol. 6, pp. 1–7, 2019, [Online]. Available: <https://jom.unri.ac.id/index.php/JOMFTEKNIK/article/download/22753/22021>
- [33] M. S. Rosyidi, “Rancang Bangun Alat Pembersih Dan Penyortir Ukuran Telur Asin Berbasis

Arduino Mega 2560,” *Inst. Teknol. Nas. Malang*, pp. 1–17, 2015.

- [34] A. Hilal and S. Manan, “Pemanfaatan Motor Servo Sebagai Penggerak Cctv Untuk Melihat Alat-Alat Monitor Dan Kondisi Pasien Di Ruang Icu,” *Gema Teknol.*, vol. 17, no. 2, pp. 95–99, 2015, doi: 10.14710/gt.v17i2.8924.
- [35] “Jurnal Ilmiah Setrum TEMPLATE.”
- [36] Wilianto and A. Kurniawan, “Sejarah , Cara Kerja Dan Manfaat Internet of Things,” *Matrix*, vol. 8, no. 2, pp. 36–41, 2018.