

DAFTAR PUSTAKA

- [1] I. H. Yuwono, "Pengaturan Kecepatan Aliran Darah (Quick of Blood) Terhadap Rasio Reduksi Ureum Pada Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis Di Unit Hemodialisis Rsud Kota Semarang," *J. Keperawatan FIKkes*, vol. 7, no. 2, pp. 130–141, 2014.
- [2] P. F. Wiliyanarti, D. Komunitas, and S. Majapahit, "Life Experiace Of Chronic Kidney Disease Undergoing Hemodialysis," *NurseLine J. Vol. 4 No. 1 Mei 2019 p-ISSN 2540-7937 e-ISSN 2541-464X*, vol. 4, no. 1, 2019.
- [3] M. N. Sidiq, "Faktor-faktor yang Menyebabkan Hipotensi Intradialisis : Literature Review," *J. Ber. Ilmu Keperawatan*, vol. 14, no. 1, pp. 49–56, 2021, doi: 10.23917/bik.v14i1.11601.
- [4] M. N. Sidiq, "Faktor-faktor yang Menyebabkan Hipotensi Intradialisis : Literature Review," *J. Ber. Ilmu Keperawatan Vol. 14 (1), 2021 p-ISSN 1979-2697 e-ISSN 2721-1797 Fakt.*, vol. 14, no. 1, pp. 49–56, 2021.

- [5] J. B. Chen, K. C. Wu, S. H. Moi, L. Y. Chuang, and C. H. Yang, “Deep learning for intradialytic hypotension prediction in hemodialysis patients,” *IEEE Access*, vol. 8, pp. 82382–82390, 2020, doi: 10.1109/ACCESS.2020.2988993.
- [6] W. M. Azhar Bin Wan Ibrahim, “Conceptual design of blood pressure monitoring for old haemodialysis machine,” 2013, doi: 10.1109/ICCMA.2013.6506153.
- [7] S. Mandolfo, F. Malberti, E. Imbasciati, P. Cogliati, and A. Gaulty, “Impact of blood and dialysate flow and surface on performance of new polysulfone hemodialysis dialyzers,” vol. 26, no. 2, pp. 113–120, 2003.
- [8] M. Faye *et al.*, “Manual Individualization of the Dialysate Flow According to Blood Flow: Effects on the Hemodialysis Dose Delivered and on Dialysate Consumption,” vol. 6, pp. 1–5, 2020.
- [9] M. A. Ramón *et al.*, “Original article What is the optimum dialysate flow in post-dilution online haemodiafiltration? &” *Nefrol. (English Ed.)*, vol. 35, no. 6, pp. 533–538, 2016, doi: 10.1016/j.nefroe.2015.04.005.

- [10] M. H. Lai *et al.*, “Development of an Hemodialysis Simulator for Interdisciplinary Learning,” 2010, pp. 2493–2497.
- [11] R. DeCarlo and C. Meirina, “Parameter identification and adaptive control of an ultrafiltration process in hemodialysis,” in *Proceedings of the American Control Conference*, 2000, vol. 5, no. June, pp. 2967–2971, doi: 10.1109/acc.2000.879109.
- [12] R. A. Sherman, E. F. Faustino, A. S. Bernholc, and R. P. Eisinger, “Effect of Variations in Dialysate Temperature on Blood Pressure During Hemodialysis,” *Am. J. Kidney Dis.*, vol. 4, no. 1, pp. 66–68, 1984, doi: 10.1016/S0272-6386(84)80029-3.
- [13] A. N. Standard, “American National Standard AAMI,” 2003.
- [14] P. E. Pérgola, N. M. Habiba, and J. M. Johnson, “Body temperature regulation during hemodialysis in long-term patients: Is it time to change dialysate temperature prescription?,” *Am. J. Kidney Dis.*, vol. 44, no. 1, pp. 155–165, 2004, doi: 10.1053/j.ajkd.2004.03.036.

- [15] M. Robson, D. G. Oreopoulos, S. Izatt, R. Ogilvie, A. Rapoport, and G. A. Deveber, “Influence of exchange volume and dialysate flow rate on solute clearance in peritoneal dialysis,” *Kidney Int.*, vol. 14, no. 5, pp. 486–490, 1978, doi: 10.1038/ki.1978.153.
- [16] A. Rd, “American National Standard hemodialysis,” 2004.
- [17] R. M. Hakim, M. A. Pontzer, D. Tilton, J. M. Lazarus, and M. N. Gottlieb, “Effects of acetate and bicarbonate dialysate in stable chronic dialysis patients,” *Kidney Int.*, vol. 28, no. 3, pp. 535–540, 1985, doi: 10.1038/ki.1985.161.
- [18] D. Photon and A. Booth, “Tabel Usia Teknis Peralatan Medis (sumber AHA) Tabel Usia Teknis Peralatan Medis - Lanjutan,” no. 1.
- [19] L. Dai *et al.*, “Impact of twice- or three-times-weekly maintenance hemodialysis on patient outcomes,” vol. 20, no. November 2019, 2020.
- [20] P. Zhang, J. Sun, G. Wan, and W. Liu, “Primary design of hemodialysis machine detector calibration equipment,”

in *Proceedings - 2015 8th International Conference on BioMedical Engineering and Informatics, BMEI 2015*, 2016, vol. 0, no. Bmei, pp. 376–380, doi: 10.1109/BMEI.2015.7401533.