

## DAFTAR PUSTAKA

- [1] C. M. Vancea and L. Viman, “Wireless data logger for thermal validation systems,” in *2011 IEEE 17th International Symposium for Design and Technology in Electronic Packaging (SIITME)*, Oct. 2011, pp. 295–298, doi: 10.1109/SIITME.2011.6102739.
- [2] K.-Y. Chen and Y.-C. Shaw, “Applying back propagation network to cold chain temperature monitoring,” *Adv. Eng. Informatics*, vol. 25, no. 1, pp. 11–22, Jan. 2011, doi: 10.1016/j.aei.2010.05.003.
- [3] W. Liao *et al.*, “Sensor Integrated Antenna Design for Applications in Cold Chain Logistic Services,” *IEEE Trans. Antennas Propag.*, vol. 63, no. 2, pp. 727–735, Feb. 2015, doi: 10.1109/TAP.2014.2384048.
- [4] J. M. Belman-Flores and A. Gallegos-Muñoz, “Analysis of the flow and temperature distribution inside the compartment of a small refrigerator,” *Appl. Therm. Eng.*, vol. 106, pp. 743–752, Aug. 2016, doi: 10.1016/j.applthermaleng.2016.06.065.
- [5] V. C. Falcón, Y. V. V. Porras, C. M. G. Altamirano,

and U. Kartoglu, “A vaccine cold chain temperature monitoring study in the United Mexican States,” *Vaccine*, vol. 38, no. 33, pp. 5202–5211, Jul. 2020, doi: 10.1016/j.vaccine.2020.06.014.

- [6] Kementerian Kesehatan, *PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 91 TAHUN 2015 TENTANG STANDAR PELAYANAN TRANSFUSI DARAH*. Indonesia, 2015, p. 290.
- [7] J. P. Emond, “The cold chain,” in *RFID Technology and Applications*, S. B. Miles, S. E. Sarma, and J. R. Williams, Eds. Cambridge: Cambridge University Press, pp. 144–156.
- [8] A. Ovca and M. Jevšnik, “Maintaining a cold chain from purchase to the home and at home: Consumer opinions,” *Food Control*, vol. 20, no. 2, pp. 167–172, Feb. 2009, doi: 10.1016/j.foodcont.2008.03.010.
- [9] D. Ribatti, “William Harvey and the discovery of the circulation of the blood,” *J. Angiogenes. Res.*, vol. 1, no. 1, p. 3, 2009, doi: 10.1186/2040-2384-1-3.
- [10] J. L. Osterman and S. Arora, “Blood Product

Transfusions and Reactions,” *Hematol. Oncol. Clin. North Am.*, vol. 31, no. 6, pp. 1159–1170, Dec. 2017, doi: 10.1016/j.hoc.2017.08.014.

- [11] N. N. Mahzan, A. M. Omar, S. Z. Mohammad Noor, and M. Z. Mohd Rodzi, “Design of data logger with multiple SD cards,” in *2013 IEEE Conference on Clean Energy and Technology (CEAT)*, Nov. 2013, pp. 175–180, doi: 10.1109/CEAT.2013.6775621.
- [12] K. Umamaheswari, M. Susneha, and B. S. Kala, “IoT based Smart Cold Storage System for Efficient Stock Management,” in *2020 International Conference on Communication and Signal Processing (ICCSP)*, Jul. 2020, pp. 0051–0055, doi: 10.1109/ICCSP48568.2020.9182426.
- [13] Andreas, C. R. Aldawira, H. W. Putra, N. Hanafiah, S. Surjarwo, and A. Wibisurya, “Door Security System for Home Monitoring Based on ESP32,” *Procedia Comput. Sci.*, vol. 157, pp. 673–682, 2019, doi: 10.1016/j.procs.2019.08.218.
- [14] M. Babiuch, P. Foltynek, and P. Smutny, “Using the ESP32 Microcontroller for Data Processing,” in *2019 20th International Carpathian Control Conference (ICCC)*, May 2019, pp. 1–6, doi:

10.1109/CarpathianCC.2019.8765944.

- [15] Z. Lu, J. Li, and Y. Zhang, “The Reading/Writing SD Card System Based on FPGA,” in *2010 First International Conference on Pervasive Computing, Signal Processing and Applications*, Sep. 2010, pp. 419–422, doi: 10.1109/PCSPA.2010.107.
- [16] D. Ibrahim, “Advanced PIC18 Projects—SD Card Projects,” in *Advanced PIC Microcontroller Projects in C*, Elsevier, 2008, pp. 371–408.
- [17] D. Wang, L. Zhang, and S. Zhang, “Evaluation model of refrigerator cooling performance,” in *2017 IEEE 2nd Advanced Information Technology, Electronic and Automation Control Conference (IAEAC)*, Mar. 2017, pp. 1565–1569, doi: 10.1109/IAEAC.2017.8054276.
- [18] WHO, “Temperature Mapping of Storage Areas,” *Guia Online*, no. 992, pp. 1–28, 2015.
- [19] Y. Zhang, Z. Wang, and J. Li, “Design a Wireless Temperature Measurement System Based on NRF9E5 and DS18B20,” in *2010 International Conference on Measuring Technology and Mechatronics Automation*, Mar. 2010, vol. 1, pp. 910–913, doi: 10.1109/ICMTMA.2010.632.

- [20] X. Wang and S. Li, “Multipoint Temperature Measurement System of Hot Pack Based on DS18B20,” in *2010 WASE International Conference on Information Engineering*, Aug. 2010, vol. 1, pp. 26–29, doi: 10.1109/ICIE.2010.14.
- [21] Fang Xiong, “Wireless temperature sensor network based on DS18B20, CC2420, MCU AT89S52,” in *2015 IEEE International Conference on Communication Software and Networks (ICCSN)*, Jun. 2015, pp. 294–298, doi: 10.1109/ICCSN.2015.7296172.
- [22] M. Subchan and Ritzkal, “Sistem Monitoring Suhu Kulkas Penyimpanan Darah Berbantuan Berbasis WEB,” no. September, pp. 2–9, 2017, doi: 10.13140/RG.2.2.17442.53442.