

Lampiran 1

**LEMBAR PENILAIAN OBSERVASI
KONDISI SANITASI RUMAH
HUBUNGAN KONDISI SANITASI RUMAH DAN PERILAKU PENGHUNI RUMAH
DENGAN KEJADIAN PENYAKIT ISPA PADA BALITA DI DESA DANDER TAHUN 2022**

Nomor :	Pendidikan :
Nama :	Jenis Kelamin : L/P
Umur :	Pekerjaan :
Alamat :	Tanggal :
Status :	

NO	KOMPONEN	KRITERIA	NILAI	BOBOT	SKOR
1.	Ventilasi	a. Tidak ada ventilasi atau ada, ventilasi kurang dari <10% dari luas lantai. Ventilasi tetap <5% ventilasi insidentil <5%	1	20	
		b. Ada, ventilasi >10% dari luas lantai. Ventilasi tetap <5% ventilasi insidentil <5%	2		
2.	Suhu	a. Suhu ruangan < 18°C atau >30 °C	1	10	
		b. Suhu ruangan 18 °C- 30°C	2		
3.	Kelembaban	a. Kelembaban rumah < 40% atau > 70%	1	10	
		b. Kelembaban rumah 40% - 70 %	2		
4.	Kepadatan hunian	a. Luas ruang tidur <8m ² dihuni >2 atau 2 orang penghuni	1	15	
		b. Luas ruang tidur >8m ² dihuni maksimal 2 orang penghuni	2		
5.	Dinding	a. Bukan tembok (terbuat dari anyaman) atau semi permanen/setengah tembok/pasangan batu bata/batu bata tidak diplester/papan tidak kedap air	1	15	
		b. Permanen (tembok/pasangan batu bata yang diplester), papan kedap air	2		
6.	Lantai	a. Tanah	1	15	
		b. Diplester/ubin/keramik	2		

7.	Pencahayaan	a. Tidak terang, tidak dapat digunakan untuk membaca atau kurang terang kurang dapat dipergunakan untuk membaca (<60 lux)	1	15	
		b. Terang, tidak silau dapat digunakan untuk membaca normal (minimal 60 lux)	2		
TOTAL				100	

Sumber : Kepmenkes RI No. 829 /Menkes/SK/VII/1999 tentang Persyaratan Kesehatan Perumahan

Lampiran 2

**LEMBAR PENILAIAN OBSERVASI
PERILAKU PENGHUNI RUMAH
HUBUNGAN KONDISI SANITASI RUMAH DAN PERILAKU PENGHUNI RUMAH
DENGAN KEJADIAN PENYAKIT ISPA PADA BALITA DIWILAYAH KERJA PUSKESMAS DANDER**

Nomor :	Pendidikan :
Nama :	Jenis Kelamin : L/P
Umur :	Pekerjaan :
Alamat :	Tanggal :
Status :	

NO	KOMPONEN	KRITERIA	NILAI	BOBOT	SKOR	KETERANGAN
1.	Status Merokok	a. Ada Perokok	1	35		
		b. Tidak ada Perokok	2			
2.	Penggunaan Obat Anti Nyamuk	a. Menggunakan obat nyamuk bakar	1	35		
		b. Tidak menggunakan obat nyamuk bakar/ menggunakan obat nyamuk elektrik	2			
3.	Penggunaan Bahan Bakar Kayu	a. Menggunakan kayu bakar	1	30		
		b. Tidak menggunakan kayu bakar/LPG	2			
TOTAL				100		

Sumber : Sofia, S. (2017). Faktor Risiko Lingkungan dengan Kejadian ISPA pada Balita Di Wilayah Kerja Puskesmas Ingin Jaya Kabupaten Aceh Besar. AcTion: Aceh Nutrition Journal, 2(1), 43

Lampiran 3

Surat Perizinan

	PEMERINTAH KABUPATEN BOJONEGORO DINAS KESEHATAN PUSKESMAS DANDER Jl. Raya Dander – Temayang No. 08 Telp. (0353) 887026 Dander 62171 BOJONEGORO Email : Puskesmasdander@gmail.com
Bojonegoro, 12 Februari 2022	
Nomor : 440/ ²⁹⁸ /412.202.18/2022	Kepada Yth. Direktur Poltekkes Kemenkes Surabaya di
Perihal : Hasil Penelitian	<u>SURABAYA</u>
Menindaklanjuti Surat dari Kepala Dinas Kesehatan Kabupaten Bojonegoro Nomor : 440/1394/412.202/2022 tanggal 17 Februari 2022 Perihal : Surat Pengantar Ijin Penelitian : Nama : Fenti Nurlailiah NIM : P27833219017 Judul Penelitian : Hubungan Antara Kondisi Sanitasi Rumah dan Perilaku Penghuni Rumah dengan Kejadian Penyakit ISPA pada Balita di Desa Dander Tahun 2022 Tempat Penelitian : Puskesmas Dander, Kecamatan Dander, Kabupaten Bojonegoro Maka Nama yang tersebut diatas telah melakukan Penelitian yang dimaksud. Namun data hanya digunakan untuk kepentingan Akademi dan bukan untuk dipergunakan kepentingan pihak lain. Demikian atas perhatiannya kami sampaikan terima kasih.	
 dr. EVAN NUGROHO SA'AP NIP. 19691026 202012 1 001	



PEMERINTAH KABUPATEN BOJONEGORO
DINAS KESEHATAN

JL. PANGlima SUDIRMAN NO. 30 TELP (0353) 881350 FAX 886695

BOJONEGORO

E-mail address : dnkes.bojonegorokab@gmail.com

Bojonegoro, 17 Februari 2022

Nomor : 440 / 1394 / 412.202/2022
Lampiran : -
Perihal : Surat Pengantar Ijin Penelitian

Kepada
Yth Kepala Puskesmas Dander
Kab. Bojonegoro
Di -

BOJONEGORO

Menindaklanjuti Surat dari Poltekkes Kemenkes Surabaya Kampus Magetan

Nomor : PP 03.03/1/164/2022 tanggal 28 Januari 2022 tentang Ijin Penelitian :

Ketua : Fenti Nurlailiah
Anggota : P27833219017
Keperluan : Penelitian
Judul Penelitian : Hubungan Antara Kondisi Sanitasi Rumah dan Perilaku
Penghuni Rumah dengan Kejadian Penyakit ISPA pada
Balita di Desa Dander Tahun 2022.
Tempat Penelitian : Puskesmas Dander.
Waktu : 6 Bulan

Maka dengan ini kami mohon Saudara agar dapatnya membantu pelaksanaan kegiatan dimaksud. Setelah kegiatan penelitian tersebut berakhir, peneliti yang bersangkutan diminta untuk mengirim laporan hasil penelitiannya ke Sub Bagian Program dan Laporan Sekretariat Dinas Kesehatan Kabupaten Bojonegoro. Data yang digunakan hanya untuk kepentingan penelitian akademik dan bukan untuk dipergunakan kepentingan pihak yang lain.

Demikian atas perhatian dan bantuan Saudara disampaikan terima kasih.

An. KEPALA DINAS KESEHATAN
KABUPATEN BOJONEGORO

Sekretaris

M. ISNAINI, SKM., M. Si

PEMBINA
NIP. 19651016 198903 1 012

Tembusan :

- Yang bersangkutan
- Arsip

KOMITE ETIK PENELITIAN KESEHATAN
HEALTH RESEARCH ETHICS COMMITTEE
POLTEKKES KEMENKES SURABAYA
POLTEKKES KEMENKES SURABAYA

KETERANGAN LAYAK ETIK
DESCRIPTION OF ETHICAL EXEMPTION
"ETHICAL EXEMPTION"

No.EA/985/KEPK-Poltekkes_Sby/V/2022

Protokol penelitian yang diusulkan oleh :
The research protocol proposed by

Peneliti utama : Fenti Nurlailiah
Principal In Investigator

Nama Institusi : POLITEKNIK KESEHATAN
KEMENTERIAN KESEHATAN
SURABAYA

Name of the Institution

Dengan judul:
Title

**"HUBUNGAN ANTARA KONDISI SANITASI RUMAH DAN PERILAKU PENGHUNI RUMAH
DENGAN KEJADIAN PENYAKIT ISPA PADA BALITA DI DESA DANDER TAHUN 2022"**

*"The relationship between house sanitation conditions and household behavior with the incidence of ARI
among children under five in Dander village in 2022"*

Dinyatakan layak etik sesuai 7 (tujuh) Standar WHO 2011, yaitu 1) Nilai Sosial, 2) Nilai Ilmiah, 3) Pemerataan Beban dan Manfaat, 4) Risiko, 5) Bujukan/Eksploitasi, 6) Kerahasiaan dan Privacy, dan 7) Persetujuan Setelah Penjelasan, yang merujuk pada Pedoman CIOMS 2016. Hal ini seperti yang ditunjukkan oleh terpenuhinya indikator setiap standar.

Declared to be ethically appropriate in accordance to 7 (seven) WHO 2011 Standards, 1) Social Values, 2) Scientific Values, 3) Equitable Assessment and Benefits, 4) Risks, 5) Persuasion/Exploitation, 6) Confidentiality and Privacy, and 7) Informed Consent, referring to the 2016 CIOMS Guidelines. This is as indicated by the fulfillment of the indicators of each standard.

Pernyataan Laik Etik ini berlaku selama kurun waktu tanggal 09 Mei 2022 sampai dengan tanggal 09 Mei 2023.

This declaration of ethics applies during the period May 09, 2022 until May 09, 2023.

May 09, 2022
Professor and Chairperson,



Dr. Juliana Christyaningsih, Ir., M.Kes

Lampiran 4

**Rekap Penderita ISPA Pada Balita
Di Wilayah Kerja Puskesmas Dander
Tahun 2019-2021**

No	DESA	Total
1.	Ngunut	119
2.	Dander	792
3.	Karangsono	205
4.	Mojoranu	215
5.	Growok	332
6.	Kunci	317
7.	Sumberarum	502
8.	Jatiblimbing	413
9.	Ngraseh	421

(Sumber Data :Puskesmas Dander Tahun 2019-2021)

Lampiran 5

**Rekap Penderita ISPA Pada Balita
Di Desa Dander Tahun 2019-2021**

NO	TAHUN	ALAMAT	TOTAL
1.	2019	RW 1	81
		RW 2	51
		RW 3	83
		RW 4	74
	Total		289
2.	2020	RW 1	34
		RW 2	51
		RW3	71
		RW4	45
	Total		201
3.	2021	RW1	74
		RW2	83
		RW3	69
		RW4	76
	Total		302

(Sumber Data :Puskesmas Dander Tahun 2019-2021)

Lampiran 6

**Data Penderita Penyakit ISPA Pada Balita
di Desa Dander Kecamatan Dander Kabupaten Bojonegoro
Oktober Tahun 2021- Maret Tahun 2022**

No.	Kode	Umur	Alamat	Jenis Kelamin
1	P1	4	RW 001	Perempuan
2	P2	4	RW 002	Perempuan
3	P3	3	RW 001	Perempuan
4	P4	3	RW 004	Perempuan
5	P5	5	RW 004	Perempuan
6	P6	5	RW 002	Perempuan
7	P7	4	RW 002	Perempuan
8	P8	5	RW 002	Perempuan
9	P9	2	RW 003	Perempuan
10	P10	5	RW 003	Laki-laki
11	P11	5	RW 002	Perempuan
12	P12	5	RW 004	Laki-laki
13	P13	4	RW 002	Laki-laki
14	P14	4	RW 002	Laki-laki
15	P15	5	RW 004	Perempuan
16	P16	5	RW 004	Laki-laki
17	P17	3	RW 003	Laki-laki
18	P18	4	RW 002	Perempuan
19	P19	3	RW 003	Laki-laki
20	P20	4	RW 004	Laki-laki
21	P21	5	RW 001	Perempuan
22	P22	3	RW 001	Laki-laki
23	P23	5	RW 004	Perempuan
24	P24	1	RW 001	Laki-laki
25	P25	3	RW 001	Perempuan
26	P26	2	RW 001	Perempuan
27	P27	2	RW 001	Perempuan
28	P28	2	RW 001	Perempuan
29	P29	1	RW 001	Laki-laki
30	P30	2	RW 001	Perempuan
31	P31	2	RW 001	Laki-laki
32	P32	2	RW 001	Perempuan
33	P33	1	RW 001	Perempuan
34	P34	4	RW 003	Laki-laki
35	P35	4	RW 004	Perempuan
36	P36	2	RW 002	Perempuan

37	P37	3	RW 002	Perempuan
38	P38	1	RW 001	Perempuan
39	P39	3	RW 004	Laki-laki
40	P40	1	RW 003	Perempuan
41	P41	2	RW 003	Perempuan
42	P42	2	RW 003	Laki-laki
43	P43	2	RW 003	Perempuan
44	P44	1	RW 003	Laki-laki
45	P45	2	RW 003	Perempuan
46	P46	2	RW 003	Perempuan
47	P47	2	RW 003	Perempuan
48	P48	1	RW 003	Laki-laki
49	P49	1	RW 003	Perempuan
50	P50	1	RW 003	Perempuan
51	P51	2	RW 003	Laki-laki
52	P52	2	RW 003	Laki-laki
53	P53	3	RW 003	Perempuan
54	P54	4	RW 003	Laki-laki
55	P55	4	RW 003	Perempuan
56	P56	3	RW 003	Perempuan
57	P57	4	RW 003	Laki-laki
58	P58	2	RW 003	Laki-laki
59	P59	2	RW 003	Laki-laki
60	P58	3	RW 004	Laki-laki
61	P61	3	RW 004	Laki-laki
62	P62	3	RW 004	Perempuan
63	P63	2	RW 004	Laki-laki
64	P64	2	RW 004	Laki-laki
65	P65	3	RW 002	Laki-laki
66	P66	2	RW 002	Perempuan
67	P67	1	RW 002	Laki-laki
68	P68	2	RW 002	Laki-laki
69	P69	3	RW 002	Perempuan
70	P70	2	RW 002	Perempuan
71	P71	2	RW 002	Perempuan
72	P72	3	RW 002	Laki-laki
73	P73	5	RW 002	Perempuan
74	P74	2	RW 002	Perempuan
75	P75	4	RW 002	Perempuan
76	P76	4	RW 002	Laki-laki
77	P77	1	RW 002	Laki-laki
78	P78	4	RW 002	Laki-laki
79	P79	3	RW 002	Laki-laki

80	P80	2	RW 002	Perempuan
81	P81	4	RW 002	Laki-laki
82	P82	3	RW 002	Perempuan
83	P83	3	RW 002	Laki-laki
84	P84	5	RW 002	Perempuan
85	P85	2	RW 002	Laki-laki
86	P86	5	RW 002	Laki-laki
87	P87	5	RW 002	Laki-laki
88	P88	5	RW 002	Laki-laki
89	P89	3	RW 002	Perempuan
90	P90	2	RW 001	Laki-laki
91	P91	1	RW 002	Laki-laki
92	P92	1	RW 002	Laki-laki
93	P93	2	RW 002	Perempuan
94	P94	2	RW 002	Laki-laki
95	P95	1	RW 002	Perempuan
96	P96	2	RW 002	Laki-laki
97	P97	3	RW 002	Perempuan
98	P98	5	RW 002	Laki-laki
99	P99	3	RW 002	Laki-laki
100	P100	2	RW 001	Perempuan
101	P101	4	RW 002	Laki-laki
102	P102	5	RW 002	Laki-laki

(Sumber Data :Puskesmas Dander Bulan Oktober 2021-Maret 2022)

Lampiran 7**Data Non Penderita Penyakit ISPA Balita
di Desa Dander Kecamatan Dander Kabupaten Bojonegoro Tahun 2022**

No.	Kode	Umur	Alamat	Jenis Kelamin
1	NP1	1	RW 001	Perempuan
2	NP2	4	RW 001	Perempuan
3	NP3	4	RW 004	Perempuan
4	NP4	4	RW 001	Laki-laki
5	NP5	3	RW 001	Perempuan
6	NP6	4	RW 001	Laki-laki
7	NP7	4	RW 001	Laki-laki
8	NP8	3	RW 001	Perempuan
9	NP9	5	RW 004	Perempuan
10	NP10	5	RW 004	Perempuan
11	NP11	4	RW 002	Perempuan
12	NP12	5	RW 002	Perempuan
13	NP13	3	RW 003	Perempuan
14	NP14	3	RW 003	Laki-laki
15	NP15	3	RW 003	Laki-laki
16	NP16	3	RW 003	Laki-laki
17	NP17	2	RW 002	Laki-laki
18	NP18	1	RW 004	Perempuan
19	NP19	3	RW 003	Laki-laki
20	NP20	4	RW 002	Perempuan
21	NP21	3	RW 003	Perempuan
22	NP22	4	RW 002	Perempuan
23	NP23	4	RW 003	Perempuan
24	NP24	2	RW 003	Laki-laki
25	NP25	5	RW 002	Perempuan
26	NP26	3	RW 002	Perempuan
27	NP27	5	RW 004	Laki-laki
28	NP28	5	RW 002	Perempuan
29	NP29	5	RW 002	Perempuan
30	NP30	4	RW 002	Laki-laki
31	NP31	4	RW 002	Laki-laki
32	NP32	4	RW 002	Laki-laki
33	NP33	5	RW 002	Perempuan
34	NP34	5	RW 002	Laki-laki
35	NP35	3	RW 003	Laki-laki
36	NP36	4	RW 003	Perempuan
37	NP37	3	RW 001	Laki-laki
38	NP38	4	RW 001	Laki-laki

39	NP39	5	RW 003	Perempuan
40	NP40	3	RW 003	Laki-laki
41	NP41	5	RW 003	Perempuan
42	NP42	1	RW 003	Laki-laki
43	NP43	3	RW 003	Perempuan
44	NP44	3	RW 002	Laki-laki
45	NP45	2	RW 002	Perempuan
46	NP46	2	RW 002	Perempuan
47	NP47	1	RW 002	Laki-laki
48	NP48	4	RW 002	Laki-laki
49	NP49	3	RW 002	Perempuan
50	NP50	3	RW 002	Perempuan
51	NP51	4	RW 001	Perempuan

(Sumber Data : Hasil Survey Bulan Maret-April Tahun 2022)

Lampiran 8

**Rekapitulasi Hasil Survey di Desa Dander
Maret - April Tahun 2022**

No.	Kode	Umur	Alamat	JK	Ventilasi	Suhu	Kelembaban	Kepadatan Hunian	Dinding	Lantai	Pencahayaan	Merokok	Anti Nyamuk	Bahan Memasak
1	P1	4	RW 001	P	20	10	20	15	30	30	15	35	35	60
2	P2	4	RW 002	P	40	10	20	30	30	30	15	35	35	60
3	P3	3	RW 001	P	40	20	20	30	30	30	15	35	35	60
4	P4	3	RW 004	P	20	10	10	15	30	30	15	35	35	30
5	P5	5	RW 004	P	20	20	20	15	30	30	15	35	70	60
6	P6	5	RW 002	P	20	10	20	15	30	15	15	35	35	60
7	P7	4	RW 002	P	40	10	10	30	30	30	15	35	35	60
8	P8	5	RW 002	P	40	10	10	15	30	30	15	35	35	60
9	P9	2	RW 003	P	40	10	10	15	30	30	15	35	70	60
10	P10	5	RW 003	L	20	10	10	30	30	30	30	35	70	60
11	P11	5	RW 002	P	40	10	10	15	30	30	15	35	35	60
12	P12	5	RW 004	L	20	20	10	30	30	30	30	35	35	30
13	P13	4	RW 002	L	20	20	10	15	30	30	15	35	35	60
14	P14	4	RW 002	L	40	10	10	15	15	15	30	70	35	30
15	P15	5	RW 004	P	20	10	10	15	30	30	30	35	70	60
16	P16	5	RW 004	L	20	10	10	15	30	30	15	70	35	60
17	P17	3	RW 003	L	20	20	20	15	30	30	30	35	70	60
18	P18	4	RW 002	P	40	10	20	15	15	30	15	70	35	60
19	P19	3	RW 003	L	40	20	20	30	30	30	15	35	70	60
20	P20	4	RW 004	L	20	10	20	15	30	30	15	35	35	60
21	P21	5	RW 001	P	20	10	10	30	30	30	30	70	35	30
22	P22	3	RW 001	L	20	10	10	15	30	30	30	70	35	60
23	P23	5	RW 004	P	40	10	20	30	30	30	15	70	35	60
24	P24	1	RW 001	L	40	10	10	30	15	30	30	35	70	60
25	P25	3	RW 001	P	40	10	20	15	15	30	15	35	70	60

26	P26	2	RW 001	P	40	20	20	30	15	30	15	35	70	60
27	P27	2	RW 001	P	40	10	10	15	30	30	15	35	35	60
28	P28	2	RW 001	P	40	20	20	15	30	30	15	35	35	60
29	P29	1	RW 001	L	20	10	10	15	30	15	15	35	35	30
30	P30	2	RW 001	P	20	20	20	30	30	15	15	70	35	60
31	P31	2	RW 001	L	40	10	10	30	15	15	15	70	35	30
32	P32	2	RW 001	P	20	10	10	30	15	30	15	70	70	60
33	P33	1	RW 001	P	20	10	10	15	15	30	15	35	35	60
34	P34	4	RW 003	L	40	10	20	30	30	30	30	70	35	60
35	P35	4	RW 004	P	40	10	20	30	30	30	15	35	35	60
36	P36	2	RW 002	P	20	10	10	30	30	30	15	35	35	60
37	P37	3	RW 002	P	40	10	20	15	30	30	15	35	35	60
38	P38	1	RW 001	P	20	10	10	30	30	30	30	35	35	60
39	P39	3	RW 004	L	20	10	10	15	15	30	15	35	70	60
40	P40	1	RW 003	P	40	20	20	15	15	30	30	35	70	60
41	P41	2	RW 003	P	20	20	20	30	15	15	30	35	70	60
42	P42	2	RW 003	L	40	10	10	15	15	30	15	35	70	60
43	P43	2	RW 003	P	40	20	20	30	30	30	30	35	70	60
44	P44	1	RW 003	L	20	10	10	15	30	30	15	35	70	60
45	P45	2	RW 003	P	40	10	10	30	30	30	30	35	70	60
46	P46	2	RW 003	P	20	10	10	15	30	30	30	35	70	60
47	P47	2	RW 003	P	40	10	10	30	30	15	30	70	35	30
48	P48	1	RW 003	L	20	20	20	15	15	30	15	35	70	60
49	P49	1	RW 003	P	20	20	20	15	15	30	30	35	70	60
50	P50	1	RW 003	P	40	10	10	15	15	15	15	35	35	30
51	P51	2	RW 003	L	40	10	10	15	15	30	15	70	35	60
52	P52	2	RW 003	L	40	20	20	30	15	15	30	35	35	30
53	P53	3	RW 003	P	20	20	20	15	15	15	15	70	35	30
54	P54	4	RW 003	L	40	20	20	15	15	30	30	35	70	60
55	P55	4	RW 003	P	40	20	20	30	15	15	30	70	35	30
56	P56	3	RW 003	P	20	10	10	30	15	15	15	35	35	60
57	P57	4	RW 003	L	40	10	10	15	30	30	15	35	35	60
58	P58	2	RW 003	L	20	20	20	15	15	15	30	35	70	30

59	P59	2	RW 003	L	40	10	10	15	30	30	15	35	35	60
60	P58	3	RW 004	L	20	10	10	15	15	30	15	70	35	60
61	P61	3	RW 004	L	20	10	10	30	15	15	30	70	70	30
62	P62	3	RW 004	P	40	20	20	15	30	30	15	35	70	60
63	P63	2	RW 004	L	20	10	10	30	15	30	15	70	35	60
64	P64	2	RW 004	L	40	20	20	15	15	15	30	35	70	30
65	P65	3	RW 002	L	20	10	10	15	30	30	15	70	35	60
66	P66	2	RW 002	P	40	20	20	15	15	15	30	35	35	30
67	P67	1	RW 002	L	40	10	10	15	15	30	30	35	70	60
68	P68	2	RW 002	L	40	10	10	2	15	15	30	70	70	30
69	P69	3	RW 002	P	40	10	10	15	15	30	15	35	35	60
70	P70	2	RW 002	P	20	10	10	30	30	30	15	35	35	60
71	P71	2	RW 002	P	20	20	20	30	30	15	15	35	35	60
72	P72	3	RW 002	L	40	20	20	30	15	15	30	35	35	30
73	P73	5	RW 002	P	40	20	20	15	15	30	30	35	35	60
74	P74	2	RW 002	P	40	10	10	15	15	15	15	35	70	60
75	P75	4	RW 002	P	40	20	20	30	15	15	30	35	35	30
76	P76	4	RW 002	L	20	20	20	30	15	15	15	35	35	30
77	P77	1	RW 002	L	20	10	10	15	30	15	30	70	35	30
78	P78	4	RW 002	L	40	20	20	30	30	30	30	70	70	60
79	P79	3	RW 002	L	20	10	10	30	15	30	15	35	35	30
80	P80	2	RW 002	P	40	10	10	30	15	15	30	70	35	60
81	P81	4	RW 002	L	40	20	20	15	15	30	30	35	35	30
82	P82	3	RW 002	P	20	10	10	15	30	30	15	35	35	60
83	P83	3	RW 002	L	40	10	10	15	15	30	15	35	35	30
84	P84	5	RW 002	P	20	10	10	15	30	30	15	35	35	60
85	P85	2	RW 002	L	20	10	10	30	30	30	15	70	35	30
86	P86	5	RW 002	L	20	10	10	30	15	30	15	35	35	60
87	P87	5	RW 002	L	40	10	10	15	15	30	15	35	35	60
88	P88	5	RW 002	L	20	10	10	30	15	15	15	35	35	30
89	P89	3	RW 002	P	40	20	20	15	15	30	30	35	35	30
90	P90	2	RW 001	L	40	20	20	15	15	15	15	35	35	30
91	P91	1	RW 002	L	40	20	20	15	30	30	15	70	35	30

92	P92	1	RW 002	L	40	10	10	15	30	30	30	35	35	60
93	P93	2	RW 002	P	40	20	20	15	15	15	15	35	35	30
94	P94	2	RW 002	L	40	20	20	15	15	30	15	35	70	60
95	P95	1	RW 002	P	20	10	10	30	15	15	15	70	35	30
96	P96	2	RW 002	L	40	20	20	15	15	15	30	35	70	60
97	P97	3	RW 002	P	20	10	10	30	15	30	15	35	35	60
98	P98	5	RW 002	L	40	20	20	30	15	30	30	70	35	60
99	P99	3	RW 002	L	40	10	10	15	15	30	15	35	35	60
100	P100	2	RW 001	P	40	10	10	30	30	30	15	70	70	60
101	P101	4	RW 002	L	20	10	10	30	15	15	15	35	35	30
102	P102	5	RW 002	L	20	10	10	30	15	30	30	70	35	30
103	NP1	1	RW 001	P	20	10	10	30	15	30	30	70	35	30
104	NP2	4	RW 001	P	40	20	20	15	15	15	30	35	70	30
105	NP3	4	RW 004	P	40	20	20	15	30	30	30	35	35	30
106	NP4	4	RW 001	L	20	10	10	30	30	30	15	35	70	60
107	NP5	3	RW 001	P	40	20	20	15	15	15	15	35	35	30
108	NP6	4	RW 001	L	20	10	20	15	30	30	15	35	35	60
109	NP7	4	RW 001	L	40	20	20	15	30	30	15	35	70	60
110	NP8	3	RW 001	P	20	20	20	15	30	30	15	35	35	60
111	NP9	5	RW 004	P	20	10	10	15	30	30	30	35	35	30
112	NP10	5	RW 004	P	40	10	10	15	30	30	30	35	35	60
113	NP11	4	RW 002	P	20	10	20	15	30	15	15	35	70	60
114	NP12	5	RW 002	P	40	20	20	15	30	30	15	70	35	60
115	NP13	3	RW 003	P	40	20	20	15	30	30	15	35.	35	60
116	NP14	3	RW 003	L	20	10	10	30	30	30	30	35	70	60
117	NP15	3	RW 003	L	20	10	10	30	30	30	30	35	70	60
118	NP16	3	RW 003	L	20	10	10	15	30	30	30	35	35	60
119	NP17	2	RW 002	L	40	10	10	15	30	30	15	35	70	60
120	NP18	1	RW 004	P	20	10	20	30	30	30	15	70	35	60
121	NP19	3	RW 003	L	40	20	20	30	15	15	30	70	35	30
122	NP20	4	RW 002	P	40	20	20	30	15	15	15	70	35	60
123	NP21	3	RW 003	P	40	10	10	15	30	30	15	70	35	60
124	NP22	4	RW 002	P	40	20	20	30	15	30	15	70	35	60

125	NP23	4	RW 003	P	40	10	10	15	15	15	30	70	35	30
126	NP24	2	RW 003	L	20	10	10	30	15	30	30	35	70	60
127	NP25	5	RW 002	P	20	10	10	30	15	30	15	35	70	60
128	NP26	3	RW 002	P	40	20	20	15	30	30	30	70	70	60
129	NP27	5	RW 004	L	40	20	20	15	30	15	15	15	35	60
130	NP28	5	RW 002	P	40	20	20	15	30	30	15	15	35	60
131	NP29	5	RW 002	P	40	10	10	30	30	30	15	35	35	60
132	NP30	4	RW 002	L	20	10	10	15	30	30	30	35	70	60
133	NP31	4	RW 002	L	40	10	10	15	30	30	15	35	70	60
134	NP32	4	RW 002	L	40	20	20	15	15	30	15	35	70	60
135	NP33	5	RW 002	P	40	20	20	30	30	30	30	35	35	30
136	NP34	5	RW 002	L	40	20	20	30	15	15	15	35	35	30
137	NP35	3	RW 003	L	40	20	20	15	15	30	15	70	70	30
138	NP36	4	RW 003	P	20	10	10	30	30	30	30	70	70	60
139	NP37	3	RW 001	L	40	20	20	15	30	30	15	35	70	60
140	NP38	4	RW 001	L	40	10	10	30	30	15	30	70	35	60
141	NP39	5	RW 003	P	40	20	20	30	15	30	15	35	70	60
142	NP40	3	RW 003	L	40	20	20	15	30	30	30	35	70	60
143	NP41	5	RW 003	P	40	20	20	15	15	15	30	35	70	60
144	NP42	1	RW 003	L	20	10	10	15	30	30	30	70	35	60
145	NP43	3	RW 003	P	40	20	10	30	30	30	30	35	35	30
146	NP44	3	RW 002	L	20	10	10	30	30	30	15	70	35	60
147	NP45	2	RW 002	P	40	20	20	15	15	15	15	35	35	30
148	NP46	2	RW 002	P	40	20	20	15	30	30	30	70	70	60
149	NP47	1	RW 002	L	20	10	20	15	30	15	30	35	35	60
150	NP48	4	RW 002	L	40	10	10	30	30	30	15	70	35	60
151	NP49	3	RW 002	P	40	20	20	30	30	30	15	35	70	60
152	NP50	3	RW 002	L	20	10	10	30	30	30	15	35	70	60
153	NP51	4	RW 001	L	20	10	10	15	30	30	30	70	35	60

(Sumber Data : Hasil Survey Bulan Maret-April Tahun 2022)

Lampiran 9

**PRESENTASE RUMAH SEHAT
MENURUT KECAMATAN DAN PUSKESMAS
KABUPATEN BOJONEGORO TAHUN 2020
PUSKESMAS : DANDER**

No	DESA	JUMLAH RUMAH	RUMAH MEMENUHI SYARAT (RUMAH SEHAT)		JUMLAH RUMAH YANG BELUM MEMENUHI SYARAT
			JUMLAH	PRESENTASE	
1.	NGUNUT	1.098	678	61,75 %	420
2.	DANDER	1.952	583	29,87 %	1.369
3.	KARANGSONO	968	595	61,47 %	373
4.	MOJORANU	951	476	50,05 %	475
5.	GROWOK	812	483	59,48 %	329
6.	KUNCI	1.131	838	74,09 %	293
7.	SUMBERARUM	1.463	557	38,07 %	906
8.	JATIBLIMBING	996	468	46,99 %	528
9.	NGRASEH	924	436	47,40 %	486
Total		10.295	5.116	52,31 %	5.179

(Sumber Data :Puskesmas Dander Tahun 2022)

Lampiran 10

Hasil Output SPSS

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Sanitasi Rumah * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Sanitasi Rumah * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Sanitasi Rumah	Tidak Memenuhi Syarat	Count	64	21	85
		% within Kategori Sanitasi Rumah	75.3%	24.7%	100.0%
		% within Status Responden	62.7%	41.2%	55.6%
		% of Total	41.8%	13.7%	55.6%
	Memenuhi Syarat	Count	38	30	68
		% within Kategori Sanitasi Rumah	55.9%	44.1%	100.0%
		% within Status Responden	37.3%	58.8%	44.4%
		% of Total	24.8%	19.6%	44.4%
Total	Count	102	51	153	
	% within Kategori Sanitasi Rumah	66.7%	33.3%	100.0%	
	% within Status Responden	100.0%	100.0%	100.0%	
	% of Total	66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.406 ^a	1	.011	.015	.009
Continuity Correction ^b	5.562	1	.018		
Likelihood Ratio	6.405	1	.011		
Fisher's Exact Test					
Linear-by-Linear Association	6.364	1	.012		
N of Valid Cases ^a	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22,67.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Interval by Interval	Pearson's R	.205	.080	2.569	.011 ^c
Ordinal by Ordinal	Spearman Correlation	.205	.080	2.569	.011 ^c
N of Valid Cases		153			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Sanitasi Rumah (Tidak Memenuhi Syarat / Memenuhi Syarat)	2.406	1.210	4.783
For cohort Status Responden = Penderita	1.347	1.056	1.719
For cohort Status Responden = Non Penderita	.560	.354	.885
N of Valid Cases	153		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Perilaku Penghuni * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Perilaku Penghuni * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Perilaku Penghuni	Burukt	Count	60	17	77
		% within Kategori Perilaku Penghuni	77.9%	22.1%	100.0%
		% within Status Responden	58.8%	33.3%	50.3%
		% of Total	39.2%	11.1%	50.3%
	Baik	Count	42	34	76
		% within Kategori Perilaku Penghuni	55.3%	44.7%	100.0%
		% within Status Responden	41.2%	66.7%	49.7%
		% of Total	27.5%	22.2%	49.7%
	Total	Count	102	51	153
		% within Kategori Perilaku Penghuni	66.7%	33.3%	100.0%
% within Status Responden		100.0%	100.0%	100.0%	
% of Total		66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.837 ^a	1	.003	.004	.002
Continuity Correction ^b	7.847	1	.005		
Likelihood Ratio	8.963	1	.003		
Fisher's Exact Test					
Linear-by-Linear Association	8.779	1	.003		
N of Valid Cases ^a	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 25,33.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Asymp. Std. Error ^a	Approx. T ^b	Approx. Sig.
Interval by Interval	Pearson's R	.240	.078	3.042	.003 ^c
Ordinal by Ordinal	Spearman Correlation	.240	.078	3.042	.003 ^c
N of Valid Cases		153			

a. Not assuming the null hypothesis.

b. Using the asymptotic standard error assuming the null hypothesis.

c. Based on normal approximation.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Perilaku Penghuni (Buruk / Baik)	2.857	1.414	5.772
For cohort Status Responden = Penderita	1.410	1.115	1.783
For cohort Status Responden = Non Penderita	.494	.303	.804
N of Valid Cases	153		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Ventilasi * Status Responden	152	99.3%	1	.7%	153	100.0%

Kategori Ventilasi * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Ventilasi	Tidak Memenuhi Syarat	Count	46	19	65
		% within Kategori Ventilasi	70.8%	29.2%	100.0%
		% within Status Responden	45.1%	38.0%	42.8%
		% of Total	30.3%	12.5%	42.8%
		Memenuhi Syarat	Count	56	31
	% within Kategori Ventilasi		64.4%	35.6%	100.0%
	% within Status Responden		54.9%	62.0%	57.2%
	% of Total		36.8%	20.4%	57.2%
	Total		Count	102	50
		% within Kategori Ventilasi	67.1%	32.9%	100.0%
% within Status Responden		100.0%	100.0%	100.0%	
% of Total		67.1%	32.9%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.691 ^a	1	.406	.486	.256
Continuity Correction ^b	.431	1	.511		
Likelihood Ratio	.695	1	.405		
Fisher's Exact Test					
Linear-by-Linear Association	.686	1	.407		
N of Valid Cases ^a	152				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 21,38.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Ventilasi (Tidak Memenuhi Syarat / Memenuhi Syarat)	1.340	.671	2.676
For cohort Status Responden = Penderita	1.099	.881	1.371
For cohort Status Responden = Non Penderita	.820	.512	1.315
N of Valid Cases	152		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Suhu * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Suhu * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Suhu	Tidak Memenuhi Syarat	Count	66	25	91
		% within Kategori Suhu	72.5%	27.5%	100.0%
		% within Status Responden	64.7%	49.0%	59.5%
		% of Total	43.1%	16.3%	59.5%
		Memenuhi Syarat	Count	36	26
	% within Kategori Suhu		58.1%	41.9%	100.0%
	% within Status Responden		35.3%	51.0%	40.5%
	% of Total		23.5%	17.0%	40.5%
	Total		Count	102	51
		% within Kategori Suhu	66.7%	33.3%	100.0%
% within Status Responden		100.0%	100.0%	100.0%	
% of Total		66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.471 ^a	1	.062	.081	.046
Continuity Correction ^b	2.851	1	.091		
Likelihood Ratio	3.445	1	.063		
Fisher's Exact Test					
Linear-by-Linear Association	3.448	1	.063		
N of Valid Cases ^a	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 20,67.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Suhu (Tidak Memenuhi Syarat / Memenuhi Syarat)	1.907	.963	3.774
For cohort Status Responden = Penderita	1.249	.976	1.598
For cohort Status Responden = Non Penderita	.655	.420	1.021
N of Valid Cases	153		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Kelembaban * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Kelembaban * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Kelembaban	Tidak Memenuhi Syarat	Count	58	22	80
		% within Kategori Kelembaban	72.5%	27.5%	100.0%
		% within Status Responden	56.9%	43.1%	52.3%
		% of Total	37.9%	14.4%	52.3%
	Memenuhi Syarat	Count	44	29	73
		% within Kategori Kelembaban	60.3%	39.7%	100.0%
		% within Status Responden	43.1%	56.9%	47.7%
		% of Total	28.8%	19.0%	47.7%
	Total	Count	102	51	153
		% within Kategori Kelembaban	66.7%	33.3%	100.0%
		% within Status Responden	100.0%	100.0%	100.0%
		% of Total	66.7%	33.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.567 ^a	1	.109	.124	.076
Continuity Correction ^b	2.047	1	.153		
Likelihood Ratio	2.571	1	.109		
Fisher's Exact Test					
Linear-by-Linear Association	2.551	1	.110		
N of Valid Cases ^b	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 24,33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Kelembaban (Tidak Memenuhi Syarat / Memenuhi Syarat)	1.738	.881	3.425
For cohort Status Responden = Penderita	1.203	.956	1.514
For cohort Status Responden = Non Penderita	.692	.439	1.090
N of Valid Cases	153		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Kepadatan Hunian * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Kepadatan Hunian * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Kepadatan Hunian	Tidak Memenuhi Syarat	Count	59	30	89
		% within Kategori Kepadatan Hunian	66.3%	33.7%	100.0%
		% within Status Responden	57.8%	58.8%	58.2%
		% of Total	38.6%	19.6%	58.2%
	Memenuhi Syarat	Count	43	21	64
		% within Kategori Kepadatan Hunian	67.2%	32.8%	100.0%
		% within Status Responden	42.2%	41.2%	41.8%
		% of Total	28.1%	13.7%	41.8%
Total	Count	102	51	153	
	% within Kategori Kepadatan Hunian	66.7%	33.3%	100.0%	
	% within Status Responden	100.0%	100.0%	100.0%	
	% of Total	66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.013 ^a	1	.908	1.000	.524
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.013	1	.908		
Fisher's Exact Test					
Linear-by-Linear Association	.013	1	.908		
N of Valid Cases ^a	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 21,33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Kepadatan Hunian (Tidak Memenuhi Syarat / Memenuhi Syarat)	.960	.486	1.900
For cohort Status Responden = Penderita	.987	.787	1.237
For cohort Status Responden = Non Penderita	1.027	.651	1.621
N of Valid Cases	153		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Dinding * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Dinding * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Dinding	Tidak Memenuhi Syarat	Count	53	14	67
		% within Kategori Dinding	79.1%	20.9%	100.0%
		% within Status Responden	52.0%	27.5%	43.8%
		% of Total	34.6%	9.2%	43.8%
	Memenuhi Syarat	Count	49	37	86
		% within Kategori Dinding	57.0%	43.0%	100.0%
		% within Status Responden	48.0%	72.5%	56.2%
		% of Total	32.0%	24.2%	56.2%
	Total	Count	102	51	153
		% within Kategori Dinding	66.7%	33.3%	100.0%
% within Status Responden		100.0%	100.0%	100.0%	
% of Total		66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.298 ^a	1	.004	.005	.003
Continuity Correction ^b	7.332	1	.007		
Likelihood Ratio	8.548	1	.003		
Fisher's Exact Test					
Linear-by-Linear Association	8.244	1	.004		
N of Valid Cases ^a	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22,33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Dinding (Tidak Memenuhi Syarat / Memenuhi Syarat)	2.859	1.381	5.916
For cohort Status Responden = Penderita	1.388	1.113	1.732
For cohort Status Responden = Non Penderita	.486	.287	.821
N of Valid Cases	153		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Lantai * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Lantai * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Lantai	Tidak Memenuhi Syarat	Count	30	12	42
		% within Kategori Lantai	71.4%	28.6%	100.0%
		% within Status Responden	29.4%	23.5%	27.5%
		% of Total	19.6%	7.8%	27.5%
	Memenuhi Syarat	Count	72	39	111
		% within Kategori Lantai	64.9%	35.1%	100.0%
		% within Status Responden	70.6%	76.5%	72.5%
		% of Total	47.1%	25.5%	72.5%
Total	Count	102	51	153	
	% within Kategori Lantai	66.7%	33.3%	100.0%	
	% within Status Responden	100.0%	100.0%	100.0%	
	% of Total	66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.591 ^a	1	.442	.565	.285
Continuity Correction ^b	.332	1	.564		
Likelihood Ratio	.601	1	.438		
Fisher's Exact Test					
Linear-by-Linear Association	.587	1	.444		
N of Valid Cases ^a	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Lantai (Tidak Memenuhi Syarat / Memenuhi Syarat)	1.354	.624	2.938
For cohort Status Responden = Penderita	1.101	.870	1.393
For cohort Status Responden = Non Penderita	.813	.473	1.397
N of Valid Cases	153		

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.494 ^a	1	.482		
Continuity Correction ^b	.278	1	.598		
Likelihood Ratio	.491	1	.483		
Fisher's Exact Test				.488	.298
Linear-by-Linear Association	.490	1	.484		
N of Valid Cases ^b	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 20,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Pencapaian (Tidak Memenuhi Syarat / Memenuhi Syarat)	1.278	.645	2.533
For cohort Status Responden = Penderita	1.087	.858	1.376
For cohort Status Responden = Non Penderita	.850	.543	1.333
N of Valid Cases	153		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Perilaku Merokok * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Perilaku Merokok * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Perilaku Merokok	Buruk	Count	74	32	106
		% within Kategori Perilaku Merokok	69.8%	30.2%	100.0%
		% within Status Responden	72.5%	62.7%	69.3%
		% of Total	48.4%	20.9%	69.3%
	Baik	Count	28	19	47
		% within Kategori Perilaku Merokok	59.6%	40.4%	100.0%
		% within Status Responden	27.5%	37.3%	30.7%
		% of Total	18.3%	12.4%	30.7%
Total	Count	102	51	153	
	% within Kategori Perilaku Merokok	66.7%	33.3%	100.0%	
	% within Status Responden	100.0%	100.0%	100.0%	
	% of Total	66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.536 ^a	1	.215		
Continuity Correction ^b	1.109	1	.292		
Likelihood Ratio	1.511	1	.219		
Fisher's Exact Test				.265	.146
Linear-by-Linear Association	1.525	1	.217		
N of Valid Cases ^b	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 15,67.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Perilaku Merokok (Buruk / Baik)	1.569	.768	3.208
For cohort Status Responden = Penderita	1.172	.898	1.530
For cohort Status Responden = Non Penderita	.747	.475	1.173
N of Valid Cases	153		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Obat Anti Nyamuk * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Obat Anti Nyamuk * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Obat Anti Nyamuk	Buruk	Count	70	29	99
		% within Kategori Obat Anti Nyamuk	70.7%	29.3%	100.0%
		% within Status Responden	68.6%	56.9%	64.7%
		% of Total	45.8%	19.0%	64.7%
	Baik	Count	32	22	54
		% within Kategori Obat Anti Nyamuk	59.3%	40.7%	100.0%
		% within Status Responden	31.4%	43.1%	35.3%
		% of Total	20.9%	14.4%	35.3%
Total	Count	102	51	153	
	% within Kategori Obat Anti Nyamuk	66.7%	33.3%	100.0%	
	% within Status Responden	100.0%	100.0%	100.0%	
	% of Total	66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.061 ^a	1	.151	.157	.105
Continuity Correction ^b	1.578	1	.209		
Likelihood Ratio	2.035	1	.154		
Fisher's Exact Test					
Linear-by-Linear Association	2.047	1	.152		
N of Valid Cases ^a	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Obat Anti Nyamuk (Buruk / Baik)	1.659	.829	3.323
For cohort Status Responden = Penderita	1.193	.925	1.540
For cohort Status Responden = Non Penderita	.719	.461	1.121
N of Valid Cases	153		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Bahan Bakar Memasak * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Bahan Bakar Memasak * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Bahan Bakar Memasak	Buruk	Count	32	11	43
		% within Kategori Bahan Bakar Memasak	74.4%	25.6%	100.0%
		% within Status Responden	31.4%	21.6%	28.1%
		% of Total	20.9%	7.2%	28.1%
	Baik	Count	70	40	110
		% within Kategori Bahan Bakar Memasak	63.6%	36.4%	100.0%
		% within Status Responden	68.6%	78.4%	71.9%
		% of Total	45.8%	26.1%	71.9%
Total	Count	102	51	153	
	% within Kategori Bahan Bakar Memasak	66.7%	33.3%	100.0%	
	% within Status Responden	100.0%	100.0%	100.0%	
	% of Total	66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.617 ^a	1	.203		
Continuity Correction ^b	1.169	1	.280		
Likelihood Ratio	1.665	1	.197		
Fisher's Exact Test				.254	.139
Linear-by-Linear Association	1.607	1	.205		
N of Valid Cases ^a	153				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14,33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kategori Bahan Bakar Memasak (Buruk / Baik)	1.662	.756	3.654
For cohort Status Responden = Penderita	1.169	.934	1.465
For cohort Status Responden = Non Penderita	.703	.399	1.240
N of Valid Cases	153		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kategori Resiko Kesehatan Lingkungan * Status Responden	153	100.0%	0	.0%	153	100.0%

Kategori Resiko Kesehatan Lingkungan * Status Responden Crosstabulation

			Status Responden		Total
			Penderita	Non Penderita	
Kategori Resiko Kesehatan Lingkungan	Resiko Besar	Count	13	1	14
		% within Kategori Resiko Kesehatan Lingkungan	92.9%	7.1%	100.0%
		% within Status Responden	12.7%	2.0%	9.2%
		% of Total	8.5%	.7%	9.2%
	Resiko Sedang	Count	51	20	71
		% within Kategori Resiko Kesehatan Lingkungan	71.8%	28.2%	100.0%
		% within Status Responden	50.0%	39.2%	46.4%
		% of Total	33.3%	13.1%	46.4%
	Resiko Kecil	Count	31	23	54
		% within Kategori Resiko Kesehatan Lingkungan	57.4%	42.6%	100.0%
		% within Status Responden	30.4%	45.1%	35.3%
		% of Total	20.3%	15.0%	35.3%
	Tidak Beresiko	Count	7	7	14
		% within Kategori Resiko Kesehatan Lingkungan	50.0%	50.0%	100.0%
		% within Status Responden	6.9%	13.7%	9.2%
		% of Total	4.6%	4.6%	9.2%
Total	Count	102	51	153	
	% within Kategori Resiko Kesehatan Lingkungan	66.7%	33.3%	100.0%	
	% within Status Responden	100.0%	100.0%	100.0%	
	% of Total	66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.007 ^a	3	.029
Likelihood Ratio	10.065	3	.018
Linear-by-Linear Association	8.475	1	.004
N of Valid Cases	153		

a. 2 cells (25,0%) have expected count less than 5. The minimum expected count is 4,67.

Risk Estimate

	Value
Odds Ratio for Kategori Resiko Kesehata Lingkungan (Resiko Besar / Resiko Sedang)	^a

a. Risk Estimate statistics cannot be computed. They are only computed for a 2*2 table without empty cells.

Lampiran 11

Dokumentasi Survey



Survey di RW 001



Survey Di RW 002



Survey Di RW 001



Survey Di RW 003



Survey Di RW 004



Survey Di RW 004