

DAFTAR PUSTAKA

- [1] Y. Chen, “Interpretation of Global Strategy for the Diagnosis, Treatment, Management and Prevention of Chronic Obstructive Pulmonary Disease 2022 Report,” *Chinese General Practice*, vol. 25, no. 11. 2022, doi: 10.12114/j.issn.1007-9572.2022.01.302.
- [2] Z. S. Izzati, “Analisis Pemahaman Penderita Asma tentang Penyakit Asma sebagai Cara untuk Mengontrol Penyakit Asma,” *Fak. Kedokteran, Univ. Sebel. Maret, Surakarta, Indones.*, p. 1, 2010, doi: 10.31227/osf.io/u6ntp.
- [3] B. P. dan P. K. K. K. RI, “RISET KESEHATAN DASAR 2013,” May 2013. doi: 10.1517/13543784.7.5.803.
- [4] Kemenkes RI, “Hasil Riset Kesehatan Dasar Tahun 2018,” *Kementrian Kesehat. RI*, vol. 53, no. 9, pp. 1689–1699, 2018.
- [5] Wedri, “Saturasi oksigen perkutan dengan derajat keparahan asma,” *Politek. Kesehat. Denpasar*, 2013, [Online]. Available: W3dr1@yahoo.com.
- [6] I. K. Suardana, N. K. Anita Rismawati, and I. M. Mertha, “Hubungan Efikasi Diri dengan Kualitas Hidup Pasien Penyakit Paru Obstruktif Kronis,” *J. Persat. Perawat Nas. Indones.*, vol. 3, no. 3, p. 141,

- 2020, doi: 10.32419/jppni.v3i3.164.
- [7] A. Bakhtiar and R. I. E. Tantri, “Faal Paru Dinamis,” *J. Respirasi*, vol. 3, no. 3, p. 89, 2019, doi: 10.20473/jr.v3-i.3.2017.89-96.
- [8] R. et al Decker, “Global Initiative for Chronic Obstructive,” 2017. [Online]. Available: http://www.goldcopd.org/uploads/users/files/GOLD_Report_2015_Apr2.pdf.
- [9] K. KEMALASARI, P. S. WARDANA, and R. ADIL, “Spirometer Non-Invasive dengan Sensor Piezoelektrik untuk Deteksi Kesehatan Paru-Paru,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 5, no. 2, p. 188, Feb. 2018, doi: 10.26760/elkomika.v5i2.188.
- [10] A. Novel, “Rancang Bangun Portable Spirometer Menggunakan Air Pressure Sensor MPX5500DP Berbasis Arduino UNO,” Jakarta, 2018. [Online]. Available: https://perpus.poltekkesjkt2.ac.id/setiadi/index.php?p=s how_detail&id=1212.
- [11] Lia andriani, Priyambada Cahya Nugraha, and Sari Lutfiah, “Portable Spirometer for Measuring Lung Function Health (FVC and FEV1),” *J. Electron. Electromed. Eng. Med. Informatics*, vol. 1, no. 1, pp. 16–20, Jul. 2019, doi: 10.35882/jeeemi.v1i1.4.

- [12] L. M. Li Kharis, A. Pudji, and P. C. Nugraha, “Development Portable Spirometer using MPXV7002DP Sensor and TFT Display for Lung Disease Detection.,” *Indones. J. Electron. Electromed. Eng. Med. informatics*, vol. 2, no. 3, pp. 122–129, Nov. 2020, doi: 10.35882/ijeeemi.v2i3.3.
- [13] S. N. Ibrahim, A. Z. Jusoh, N. A. Malik, and S. Mazalan, “Development of portable digital spirometer using NI sbRIO,” in *2017 IEEE 4th International Conference on Smart Instrumentation, Measurement and Application (ICSIMA)*, Nov. 2017, vol. 1, no. January, pp. 1–4, doi: 10.1109/ICSIMA.2017.8311987.
- [14] A. Panahi, A. Hassanzadeh, and A. Moulavi, “Design of a low cost, double triangle, piezoelectric sensor for respiratory monitoring applications,” *Sens. Bio-Sensing Res.*, vol. 30, p. 100378, Dec. 2020, doi: 10.1016/j.sbsr.2020.100378.
- [15] W. Sabani and B. Sumanto, “Purwarupa Spirometer Digital Berbasis LABVIEW,” *J. List. Instrumentasi dan Elektron. Terap.*, vol. 2, no. 1, pp. 11–15, 2021, doi: 10.22146/juliet.v2i1.53796.
- [16] S. Gupta, P. Chang, N. Anyigbo, and A. Sabharwal, “mobileSpiro,” in *Proceedings of the First ACM Workshop on Mobile Systems, Applications, and Services for Healthcare - mHealthSys '11*, 2011, p. 1,

doi: 10.1145/2064942.2064944.

- [17] Y. I. Sokol, R. S. Tomashevsky, and K. V. Kolisnyk, “Turbine spirometers metrological support,” *2016 Int. Conf. Electron. Inf. Technol. EIT 2016 - Conf. Proc.*, pp. 35–38, 2016, doi: 10.1109/ICEAIT.2016.7500986.
- [18] C. . Evelyn, *Anatomi dan Fisiologi untuk Paramedis*. Jakarta: Gramedia, 2009.
- [19] N. Julianti and K. Nisa, “Perbandingan Kapasitas Vital Paru Pada Atlet Pria Cabang Olahraga Renang dan Lari Cepat Persiapan Pekan Olahraga Provinsi 2013 di Bandar Lampung,” *Med. J. Lampung Univ.*, vol. Vol 2, No, pp. 113–118, 2013, [Online]. Available: <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/47>.
- [20] S. Q. Aini and F. Saftarina, “Hubungan Karakteristik Individu dengan Nilai Kapasitas Vital Paru Pekerja di PT . Bukit Asam (Persero) Tbk Unit Tarahan Lampung,” *J. Agromed Unila*, vol. 4, no. 2, pp. 245–250, 2017.
- [21] A. Abidin, F. Yunus, W. H. Wiyono, and A. Ratnawati, “Manfaat Rehabilitasi Paru dalam Meningkatkan atau Mempertahankan Kapasitas Fungsional dan Kualitas Hidup Pasien Penyakit Paru Obstruktif Kronik di RSUP Persahabatan,” *J. respirologi*, pp. 1–13, 2009.
- [22] M. F. Lutfi, “The physiological basis and clinical

- significance of lung volume measurements,” *Multidiscip. Respir. Med.*, vol. 12, no. 1, p. 3, Dec. 2017, doi: 10.1186/s40248-017-0084-5.
- [23] G. J. Fernandez and T. I. A. Saturti, “Sistem Pernafasan,” *Histol. Dasar*, no. 1102005203, pp. 335–355, 2017.
- [24] John E. Hall; Arthur C. Guyton, *Guyton and Hall Textbook of Medical Physiology*. 2010.
- [25] C. C. M. De Jong *et al.*, “Diagnosis of asthma in children: The contribution of a detailed history and test results,” *Eur. Respir. J.*, vol. 54, no. 6, 2019, doi: 10.1183/13993003.01326-2019.
- [26] P. H. Quanjer, G. L. Hall, S. Stanojevic, T. J. Cole, and J. Stocks, “Age- and height-based prediction bias in spirometry reference equations,” *Eur. Respir. J.*, vol. 40, no. 1, pp. 190–197, 2012, doi: 10.1183/09031936.00161011.
- [27] D. N. Ross, *The Heart as a Pump*, vol. 4, no. 4. 1962.
- [28] J. M. Haynes, “Basic spirometry testing and interpretation for the primary care provider,” *Can. J. Respir. Ther.*, vol. 54, no. 4, pp. 92–98, 2018, doi: 10.29390/cjrt-2018-017.
- [29] Rieke Adriati Wijayanti, Ahmad Wilda Yulianto, Dianthy Marya, Muhammad Syirajuddin S., and Nurul Hidayati, “Antarmuka Mikrokontroller IoT (ESP32)

- Dengan USB Host max3421e,” *J. Appl. Smart Electr. Netw. Syst.*, vol. 1, no. 02, pp. 70–75, 2020, doi: 10.52158/jasens.v1i02.141.
- [30] A. Maier, A. Sharp, and V. Yuriy, “Comparative Analysis and Practical Implementation of the ESP32 Microcontroller Module for the Internet of Things,” *2017 Internet Technol. Appl.*, pp. 143–148, 2014.
 - [31] Y. S. Parihar, “Internet of Things and NodeMCU,” *Jetir*, vol. 6, no. 6, pp. 1085–1088, 2019.
 - [32] A. Widiatmoko, I. D. Gede, H. Wisana, and T. Rahmawati, “Rancang Bangun Pengukur Konsentrasi Oksigen Pada Alat Bubble CPAP,” no. 8, pp. 182–188, 2019.
 - [33] D. E. Savitri, “Gelang Pengukur Detak Jantung dan Suhu Tubuh Manusia Berbasis Internet of Things (IoT),” *UIN Syarif Hidayatullah Jakarta*, pp. 1–87, 2020.
 - [34] F. A. Perdana, “Baterai Lithium,” *INKUIRI J. Pendidik. IPA*, vol. 9, no. 2, p. 113, 2021, doi: 10.20961/inkuiri.v9i2.50082.
 - [35] Baskoro Farid, Widodo Arif, and Kholis Nur, “(31) Analisa Performa Baterai Lithium-air, Lithium-sulfur, All-Solid-State,” *J. Tek. Elektro*, vol. 10 No 03, pp. 597–607, 2021.
 - [36] R. Novera, Syaifurrahaman, and A. Aula,

- “Perancangan Sistem Hand Sanitizer Dual Mode Menggunakan Sensor Infrared,” *J. Tanjungpura*, no. 2018, pp. 1–8, 2022.
- [37] N. E. Budiyanta, M. C. Wishnu, D. R. W, and L. Lukas, “Perancangan Fidget Device Berbasis Internet Of Things,” *TESLA J. Tek. Elektro*, vol. 21, no. 1, p. 1, 2019, doi: 10.24912/tesla.v21i1.3241.
- [38] F. Ramadianto, N. B. Aditya, and ..., “Desain Produk Smart Alarm Pada Modul Detektor,” *eProceedings* ..., vol. 8, no. 2, pp. 1352–1366, 2021, [Online]. Available: <https://openlibrarypublications.telkomuniversity.ac.id/index.php/engineering/article/download/14543/14322>.
- [39] A. H. Rifa’i, D. C. Riawan, and H. Suryoatmojo, “Desain dan Implementasi Konverter DC-DC Rasio Tinggi Berbasis Integrated Quadratic Boost Zeta untuk Aplikasi Photovoltaic,” *J. Tek. ITS*, vol. 5, no. 2, 2016, doi: 10.12962/j23373539.v5i2.16051.
- [40] Suwitno, Y. Rahayu, R. Amri, and E. Hamdani, “Perancangan Konverter DC ke DC untuk Menstabilkan Tegangan Keluaran Panel Solar Cell Menggunakan Teknologi Boost Converter,” *J. Electr. Technol.*, vol. 2, no. 3, pp. 61–66, 2017.
- [41] A. Susanto and I. W. Sitanggang, “Rancang Bangun Sistem Monitoring Pengaman Rumah,” *J. Ilm. Elektron. Circuit*, vol. 01, no. 1, pp. 8–17, 2020,

- [Online]. Available:
<http://ojs.polmed.ac.id/index.php/jitel/article/view/217>.
- [42] D. K. Abadi, A. Kholid, S. Sumber, and S. Luthfiyah, “Pemantauan Infus Pump Secara Wireless Menggunakan Modul RF HC-11,” *J. Teknokes*, vol. 12, no. 2, pp. 1–8, 2019, doi: 10.35882/teknokes.v12i2.1.
- [43] L. B. Setyawan, “Prinsip Kerja dan Teknologi OLED,” *Techné J. Ilm. Elektrotek.*, vol. 16, no. 02, pp. 121–132, 2017, doi: 10.31358/techne.v16i02.165.
- [44] Arafat et al., “ALAT PENGUKUR KADAR AIR PADA MEDIA CAMPURAN PEMBUATAN BAGLOG JAMUR TIRAM BERBASIS INTERNET OF THINGS (IOT). Jurnal Ilmiah ‘ Technologia ’ Technologia ” Vol 9 , No . 2 , April – Juni 2018 Jurnal Ilmiah ‘ Technologia ,”” *Technol. Vol 9, No.2, April – Juni 2018*, vol. 9, no. 2, pp. 115–120, 2018.
- [45] T. A. Rismayanti, N. Anriani, and S. Sukirwan, “Pengembangan E-Modul Berbantu Kodular pada Smartphone untuk Meningkatkan Kemampuan Berpikir Kritis Matematis Siswa SMP,” *J. Cendekia J. Pendidik. Mat.*, vol. 6, no. 1, pp. 859–873, 2022, doi: 10.31004/cendekia.v6i1.1286.
- [46] M. Muyasir and R. Musfikar, “Perancangan Aplikasi Media Pembelajaran Dasar Desain Grafis Berbasis Android Menggunakan Web Kodular,” *JINTECH J.*

Inf. Technol., vol. 3, no. 1, pp. 22–28, 2022, doi: 10.22373/jintech.v3i1.1564.

- [47] M. R. Syarlisjiawan, Sukarmin, and D. Wahyuningsih, “The development of e-modules using Kodular software with problem-based learning models in momentum and impulse material,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 1796, no. 1, 2021, doi: 10.1088/1742-6596/1796/1/012078.
- [48] M. Yono, S. Yanto, and A. S. Nugroho, “Sistem Informasi Pencatatan Alat Kesehatan Untuk Mendukung Tugas Elektromedis Dalam Pengelolaan Alat Medik,” *J. Ilmu dan Teknol. Kesehat.*, vol. 9, no. 2, 2018, doi: 10.33666/jitk.v9i2.188.