

DAFTAR PUSTAKA

- [1] I. M. A. Mahardiananta, I. G. A. Haryawan, P. D. Prihananta, and I. N. S. I. Guna, “Design And Construction of Waterbath Based Microcontroller,” *J. Informatics Telecommun. Eng.*, vol. 5, no. 2, pp. 349–359, 2022, doi: 10.31289/jite.v5i2.6176.
- [2] S. Sumardi and B. Untara, “Shaking Water Bath Berbasis Mikrokontroler Atmega 16,” *Med. Tek. J. Tek. Elektromedik Indones.*, vol. 2, no. 1, 2020, doi: 10.18196/mt.020114.
- [3] Mustangin and I. Saputra, “Perancangan Modifikasi Heater dan Sistem Kontrol Water Bath Kapasitas 9 Liter,” *Pros. Semin. Rekayasa Teknol.*, pp. 235–245, 2018, [Online]. Available: <http://teknik.univpancasila.ac.id/semrestek/prosiding/index.php/12345/article/view/234>
- [4] F. Sain, U. Sari, and M. Indonesia, “RANCANG BANGUN ALAT WATERBATH DI LENGKAPİ SENSOR SUHU MENGGUNAKAN MIKROKONTROLER ATMEGA328,” vol. 5, no. 2, pp. 39–45, 2021.

- [5] S. Aslam, S. Hannan, W. Zafar, and M. U. Sajjad, “Temperature control of water-bath system in presence of constraints by using MPC,” *Int. J. Adv. Appl. Sci.*, vol. 3, no. 12, pp. 62–68, 2016, doi: 10.21833/ijaas.2016.12.009.
- [6] O. P. Verma, R. Singla, and R. Kumar, “Intelligent Temperature Controller for Water Bath System,” *World Acad. Sci. Eng. Technol. Int. J. Comput. Information, Syst. Control Eng.*, vol. 6, no. 9, pp. 1232–1238, 2012.
- [7] D. T. Ani Maulidia, Her Gumiwang Ariswati, “WATERBATH DILENGKAPI dengan SAFETY CONTROL dan INDIKATOR LEVEL AIR BERBASIS ARDUINO,” *J. Kesehat.*, vol. 1, no. 2, pp. 1–7, 2016.
- [8] N. I. Khoiron, D. Titisari, and L. Lamidi, “Rancang Bangun Waterbath Dilengkapi Pemantauan Distribusi Suhu,” *J. Teknokes*, vol. 12, no. 2, pp. 9–14, 2019, doi: 10.35882/teknokes.v12i2.2.
- [9] T. A. Salim and A. Pudji, “Modifikasi Waterbath Merk Memmert Berbasis Mikrokontroller

At89S51,” *J. Teknokes*, vol. 7, no. 1, pp. 483–490, 2012.

- [10] Febri Indiani, Dyah Titisari, and Lamidi, “Waterbath Design equipped With Temperature Distribution Monitor,” *J. Electron. Electromed. Eng. Med. Informatics*, vol. 1, no. 1, pp. 11–15, 2019, doi: 10.35882/jeeemi.v1i1.3.
- [11] K. Husni, W. Wildian, and M. Yusfi, “Rancang Bangun Shaking Water Bath Berbasis Mikrokontroler ATmega16,” *J. Fis. Unand*, vol. 6, no. 1, pp. 9–16, 2017, doi: 10.25077/jfu.6.1.9-16.2017.
- [12] , “Ds18B20,” vol. 92, no. 1 (35), pp. 1–20, 2015.
- [13] A. Aswardi, O. Candra, and Z. Saputra, “Sistem Pemanas Logam dengan Induction Heater Berbasis Atmega32,” *JTEV (Jurnal Tek. Elektro dan Vokasional)*, vol. 5, no. 1.1, p. 151, 2019, doi: 10.24036/jtev.v5i1.1.106361.
- [14] Mustangin, “Perancangan Modifikasi Heater dan Sistem Kontrol Water Bath Kapasitas 9 Liter,” *J. Inform. dan Sist. Inf.*, vol. 1, no. 2, pp. 176–183, 2015, [Online]. Available:

<https://journal.uc.ac.id/index.php/JUISI/article/view/90>

- [15] S. Nazira, “Pengaruh Merokok Terhadap PH Dan Aktivitas Enzim Amilase Air Liur Pada Mahasiswa Fakultas Kedokteran Universitas Sumatera Utara (FK USU) Angkatan 2007.,” 2011.
- [16] J. Zabala, “нской организации по разделу «Эпидемиологическая безопасностьNo Title,” *Manaj. Asuhan Kebidanan Pada Bayi Dengan Caput Succedaneum Di Rsud Syekh Yusuf Gowa Tahun*, vol. 4, pp. 9–15, 2017.
- [17] U. Lampung, “Dan Aplikasinya Dalam Reaksi Esterifikasi,” no. November, pp. 978–979, 2008.
- [18] M. Risnawati and S. E. Cahyaningrum, “Pengaruh penambahan ion logam Ca²⁺ terhadap aktivitas enzim papain,” *UNESA J. Chem.*, vol. 2, no. 1, pp. 76–83, 2013.
- [19] N. N. Azizah, M. N. Mazieda, D. Listyorini, and Dahlia, “OPTIMALISASI ISOLASI DAN PURIFIKASI DNA Petunia hybrida SERI ROSE PICOTEDENGAN KIT ISOLASI GENEAID,”

Semin. Nas. XI Pendidik. Biol. FKIP UNS Biol. , Sains , Lingkung. , dan Pembelajarannya, pp. 273–278, 2014.

- [20] H. Maros and S. Juniar, “*済無No Title No Title No Title*,” no. Ic, pp. 1–23, 2016.
- [21] P. Krishnan, “A review of the non-equivalent control group post-test-only design,” *Nurse Res.*, vol. 26, no. 2, pp. 37–40, 2019, doi: 10.7748/nr.2018.e1582.
- [22] D. T. L. Shek and R. C. F. Sun, “Promoting psychosocial competencies in university students: Evaluation based on a one-group pre-test/post-test design,” *Int. J. Disabil. Hum. Dev.*, vol. 11, no. 3, pp. 229–234, 2012, doi: 10.1515/ijdhd-2012-0039.
- [23] Mustangin and I. Saputra, “Perancangan Modifikasi Heater dan Sistem Kontrol Water Bath Kapasitas 9 Liter,” *Pros. Semin. Rekayasa Teknol.*, pp. 235–245, 2018, [Online]. Available: <http://teknik.univpancasila.ac.id/semrestek/prosidin/g/index.php/12345/article/view/234>

- [24] C. Febriana, “Modifikasi Waterbath Berbasis Digital dengan Pemilihan Waktu,” *J. Teknokes*, Surabaya, 2014.
- [25] P. Krishnan, “A review of the non-equivalent control group post-test-only design,” *Nurse Res.*, vol. 26, no. 2, pp. 37–40, 2019, doi: 10.7748/nr.2018.e1582.
- [26] D. T. L. Shek and R. C. F. Sun, “Promoting psychosocial competencies in university students: Evaluation based on a one-group pre-test/post-test design,” *Int. J. Disabil. Hum. Dev.*, vol. 11, no. 3, pp. 229–234, 2012, doi: 10.1515/ijdhd-2012-0039.