

LAMPIRAN

Lampiran 1. Instrument penelitian

FORMULIR PENILAIAN RUMAH SEHAT
HUBUNGAN SANITASI RUMAH DAN PERILAKU DENGAN
KEJADIAN INFEKSI SALURAN PERNAFASAN AKUT
DI DESA WONOREJO KECAMATAN MEJAYAN
KABUPATEN MADIUN TAHUN 2022
 BERDASARKAN PEDOMAN TEKNIS PENILAIAN RUMAH SEHAT
 (DEPARTEMEN KESEHATAN REPUBLIK INDONESIA, 2002)*

Nama KK :
 Nama Penderita :
 Umur :
 Jenis Kelamin : L / P
 Pendidikan Terakhir : 1. Tidak Sekolah
 2. SD
 3. SMP
 4. SMA
 5. Sarjana/Perguruan Tinggi
 Jml. Anggota Keluarga :
 Alamat (Rt/Rw/Desa) :/..... / Wonorejo
 Kecamatan : Mejayan
 Kab/Kota : Madiun
 Provinsi : Jawa Timur
 Nama Petugas :
 Tanggal :
 1. PNS 6. IRT
 2. Karyawan Swasta 7. Pensiunan
 3. Wiraswasta 8. Buruh
 4. Petani 9. TNI/POLRI
 5. Pedagang 10. Lainnya ..

PENILAIAN RUMAH

No	PEKERJAAN	Kriteria	Nilai	Bobot	Hasil
A.	Komponen Rumah			31	
1	Langit-langit	a. Tidak ada	0		
		b. Ada, kotor, sulit dibersihkan dan rawan kecelakaan	1		
		c. Ada, bersih dan tidak rawan kecelakaan	2		
2	Dinding	a. Bukan tembok (terbuat dari anyaman bambu/ilalang)	1		
		b. Semi permanen/ setengah tembok/ pasangan bata atau batu yang tidak diplester/ papan tidak kedap air	2		
		c. Permanen (tembok /pasangan batu bata yang diplester), papan kedap air	3		

3	Lantai	a.Tanah	0		
		b.Papan/ anyaman bambu dekat dengan tanah/ plesteran yang retakdan berdebu	1		
		c.Diplester/ubin/keramik/ papan (rumah panggung)	2		
4	Kelembaban Udara	a. Kelembaban udara <40% atau >70%	0		
		b. Kelembaban udara berkisar 40%-70%	1		
5	Suhu	a. Suhu udara <18°C atau >30 °C	0		
		b. Suhu udara 18°C-30 °C	1		
6	Ventilasi	a.Tidak ada	0		
		b.Ada, luas ventilasi permanen<10% dari luas lantai, laju ventilasi <0,15 m/dtk atau > 0,25 m/dtk	1		
		c. Ada, luas ventilasi permanen >10% dari luas lantai, laju ventilasi=0,15–0,25m/dtk	2		
7	Lubang Asap Dapur	a.Tidak ada	0		
		b.Ada, lubang ventilasi dapur <10% dari luas lantai	1		
		c. Ada, lubang ventilasi dapur >10% dari luas lantai dapur (asap keluar sempurna) atau ada exhaustfan/ peralatan sejenis	2		
8	Pencahayaann Alami	a. Tidak terang (tidak dapat digunakan untuk membaca)	0		
		b.Kurang terang, kurang jelas digunakan membaca dengan normal	1		
		c. Terang, tidak silau, dapat digunakan untuk membaca dengan normal	2		
B.	SaranaSanitasi			25	
1	Sarana air bersih (SGL/SPT/ PP/ KU/ PAH)	a.Tidak ada	0		
		b.Ada, bukan milik sendiri dan tidak memenuhi syarat kesehatan	1		
		c.Ada, milik sendiri dan tidak memenuhi syarat kesehatan	2		
		d.Ada, bukan milik sendiri dan memenuhi syarat kesehatan	3		
		e.Ada, milik sendiri	4		
2	Jamban (sarana pembuangan kotoran)	a.Tidak ada	0		
		b.Ada,bukan leher angsa,tidak ada tutup,disalurkan kesungai/kolam	1		
		c.Ada,bukan leher angsa, ditutup, disalurkan kesungai/ kolam	2		
		d.Ada,bukan leher angsa ada tutup, septic tank	3		
		e.Ada, leher angsa, septic tank	4		

3	Sarana pembuangan air limbah (SPAL)	a. Tidak ada, sehingga tergenang tidak teratur di halaman rumah	0		
		b. Ada, diresapkan tetapi mencemari sumber air (jarak dengan sumber air <10 m)	1		
		c. Ada, dialirkan ke selokan terbuka	2		
		d. Ada, diresapkan dan tidak mencemari sumber air (jarak dengan sumber air >10m)	3		
		e. Ada, disalurkan ke selokan tertutup (saluran kota) untuk diolah lebih lanjut)	4		
4	Sarana sampah (tempat sampah)	a. Tidak ada	0		
		b. Ada, tidak kedap air dan tidak ditutup	1		
		c. Ada, kedap air dan tidak bertutup	2		
		d. Ada, kedap air dan bertutup	3		
C.	Perilaku Penghuni			44	
1	Membuka Pintu dan jendela	a. Tidak pernah dibuka	0		
		b. Kadang-kadang	1		
		c. Setiap hari dibuka	2		
2	Perilaku Batuk	a. Tidak menutup	0		
		b. Kadang- kadang	1		
		c. Selalu menutup hidung saat bersin	2		
3	Membersihkan halaman dan rumah	a. Tidak pernah	0		
		b. Kadang-kadang	1		
		c. Setiap hari	2		
4	Perilaku Merokok	a. Setiap hari	0		
		b. Kadang-kadang merokok	1		
		c. Tidak merokok	2		
5	Menjemur kasur dan peralatan tidur	a. Tidak pernah	0		
		b. Kadang-kadang	1		
		c. Rutin	2		
Total Hasil Penilaian					

* Modifikasi format oleh peneliti menyesuaikan kebutuhan survey.

Lampiran 2. Cara Penilaian

CARA PENILAIAN

Panduan yang digunakan untuk penilaian dan pemberian skoring sesuai dengan Pedoman Teknis Penilaian Rumah Sehat sebagai berikut:

I. Cara Penilaian Rumah

A. Penilaian Rumah.

Dalam penilaian rumah perlu ditentukan nilai minimum yang memenuhi kriteria sehat dan besaran bobot pada kelompok higiene rumah, sarana sanitasi dan perilaku penghuni.

Nilai minimum yang memenuhi kriteria sehat pada masing-masing parameter adalah sebagai berikut :

1. Nilai minimum dari kelompok sanitasi rumah adalah :

- | | |
|---------------------------------|-----|
| a. Langit-langit | = 2 |
| b. Dinding | = 2 |
| c. Lantai | = 2 |
| d. Kelembaban Udara | = 1 |
| e. Suhu Ruang | = 1 |
| f. Ventilasi | = 1 |
| g. Sarana pembuangan asap dapur | = 2 |
| h. Pencahayaan | = 2 |

2. Nilai minimum dari kelompok sarana sanitasi adalah :

- | | |
|---|-----|
| a. Sarana air bersih (SGL/SPT/PP/KU/PAH | = 3 |
| b. Jamban (Sarana pembuangan kotoran) | = 2 |
| c. SPAL | = 2 |
| d. Sarana pembuangan sampah | = 2 |

3. Perilaku

Untuk perilaku penghuni dikenakan nilai maksimum karena perilaku sangat berperan untuk mencapai rumah sehat.

B. Pemberian Nilai.

1. Komponen rumah

a. Langit-langit

- | | |
|-----|--|
| 0 = | Tidak ada |
| 1 = | Ada, otor dan rawan kecelakaan |
| 2 = | Ada, bersih dan tidak rawan kecelakaan |

b. Dinding

- 1 = Bukan tembok (terbuat dari anyaman bambu / ilalang)
- 2 = Semi permanen/setengah tembok pasangan bata atau batu yang tidak diplester/papan yang tidak kedap air.
- 3 = Permanen (tembok, pasangan batu bata atau batu yang diplester), papan kedap air.

c. Lantai

- 1 = Tanah
- 2 = Papan/ Anyaman bambu yang dekat dengan tanah/ plesteran yang retak/berdebu.
- 3 = Diplester/ ubin/ keramik/ papan/ rumah panggung plesteran yang retak/berdebu

d. Kelembaban Udara

- 0 = Tidak ada
- 1 = Ada

e. Suhu Ruang

- 0 = Tidak ada
- 1 = Ada

f. Ventilasi

- 0 = Tidak ada
- 1 = Ada, tetapi luasnya $< 10\%$ luas lantai, laju laju ventilasi $< 0,15$ m/dtk atau $> 0,25$ m/dtk
- 2 = Ada, luas ventilasi $> 10\%$ luas lantai, laju ventilasi = $0,15-0,25$ m/dtk

g. Sarana pembuangan asap dapur

- 0 = Tidak ada
- 1 = Ada, luas lubang ventilasi/asap dapur $< 10\%$ dari luas lantai dapur.
- 2 = Ada, dengan lubang ventilasi $> 10\%$ luas lantai dapur (asap keluar dengan sempurna atau ada exhaust fan atau ada peralatan lain yang sejenis).

h. Pencahayaan Alami

- 1 = Tidak terang, tidak bisa digunakan untuk membaca.
- 2 = Kurang terang, sehingga kurang jelas untuk membaca dengan normal.
- 3 = Terang dan tidak silau sehingga dapat dipergunakan untuk membaca dengan normal.

2. Sarana sanitasi

a. Sarana Air Bersih (SGL/SPT/PP/KU)

0 = Tidak ada

1 = Ada, bukan milik sendiri dan tidak memenuhi syarat kesehatan.

2 = Ada, milik sendiri dan tidak memenuhi syarat kesehatan.

3 = Ada, bukan milik sendiri dan memenuhi syarat

4 = kesehatan.

Ada, milik sendiri dan memenuhi syarat kesehatan.

b. Jamban (Sarana Pembuangan Kotoran)

0 = Tidak ada

1 = Ada, bukan leher angsa, tidak ada tutup, disalurkan ke sungai atau kolam.

3 = Ada, bukan leher angsa, ada tutup (leher angsa) disalurkan ke sungai/kolam.

4 = Ada, bukan leher angsa, ada tutup, septic tank.

Ada, leher angsa, septic tank

c. Sarana Pembuangan Air Limbah (SPAL)

0 = Tidak ada, sehingga tergenang di dalam atau diluar halaman rumah.

1 = Ada, diresapkan mencemari sumber air (jarak dengan sumber air < 10 m).

Ada, dialirkan ke selokan terbuka.

3 = Ada, diresapkan dan tidak mencemari sumber air (jarak dengan sumber air > 10 m).

4 = Ada, dialirkan ke selokan tertutup (saluran kota) untuk diolah lebih lanjut.

d. Sarana Pembuangan Sampah (Tempat Sampah)

0 = Tidak ada

1 = Ada, tetapi tidak kedap air dan tidak ada tutup

2 = Ada, kedap air dan tidak tertutup

3 = Ada, kedap air dan tertutup

3. Perilaku penghuni

a. Membuka pintu dan jendela

0 = Tidak pernah dibuka

1 = Kadang-kadang

2 = Setiap hari dibuka

b. Perilaku Batuk

- 0 = Tidak pernah menutup
- 1 = Kadang-kadang
- 2 = Selalu menutup hidung saat bersin

c. Membersihkan rumah dan halaman

- 0 = Tidak pernah
- 1 = Kadang-kadang
- 2 = Setiap hari

d. Perilaku Merokok

- 0 = Setiap hari
- 1 = Kadang-kadang merokok
- 2 = Tidak merokok

e. Menjemur kasur dan peralatan tidur

- 0 = Tidak pernah
- 1 = Kadang-kadang
- 2 = Rutin

C. Pembobotan

Pembobotan terhadap kelompok higiene rumah, kelompok sarana sanitasi dan kelompok perilaku penghuni berdasarkan Teori Blum, yang diinterpretasikan terhadap :

- 1. Lingkungan = 45 %
- 2. Perilaku = 35 %
- 3. Pelayanan Kesehatan = 15 %
- 4. Keturunan = 5 %

Dalam hal rumah sehat prosentase Pelayanan Kesehatan dan Keturunan diabaikan, sedangkan untuk penilaian lingkungan dan perilaku ditentukan sebagai berikut :

Pemberian bobot penilaian rumah diberikan pada masing-masing indikator :

- 1) Bobot sanitasi rumah = $31(25/80 \times 100\% = 31,25)$
- 2) Bobot sarana sanitasi = $25(20/80 \times 100\% = 25)$
- 3) Bobot perilaku penghuni = $44(35/80 \times 100\% = 43,75)$

Penentuan kriteria rumah:

Penentuan kriteria rumah berdasarkan pada hasil penilaian rumah merupakan perkalian antara nilai dengan bobot. Hasil penilaian rumah didapat :

- 1. Rumah Sehat = 1.068 – 1311
- 2. Rumah Tidak Sehat = < 1.068

Lampiran 3. Surat Ijin Penelitian



**KEMENTERIAN KESEHATAN REPUBLIK INDONESIA
DIREKTORAT JENDERAL TENAGA KESEHATAN
POLITEKNIK KESEHATAN KEMENKES SURABAYA**

Jl. Pucang Jajar Tengah No. 56 Surabaya - 60282 Telp. (031) 5027058 Fax. (031) 5028141
Website : www.poltekkesdepkes-sby.ac.id Email : admin@poltekkesdepkes-sby.ac.id



Magetan, 18 Oktober 2022

Nomor : PP 03.03/1/**364**/2022
Lamp : 1 Exemplar
Hal : **Surat Permohonan Izin Mencari Data**

Kepada Yth :
Kepala Badan Kesatuan Bangsa dan Politik
Kabupaten Madiun
Jl. MT. Haryono - Caruban
Kabupaten Madiun
Jawa Timur

Bersama ini diberitahukan bahwa program belajar mengajar bagi mahasiswa Politeknik Kesehatan Kemenkes Surabaya Jurusan Kesehatan Lingkungan Program Studi Sanitasi Lingkungan Program Sarjana Terapan Kelas Alih Jenjang Kampus Magetan Semester III Tahun Akademik 2022/2023, pada semester akhir adalah pembuatan Skripsi.

Untuk penyusunan Skripsi tersebut maka bersama ini kami hadapkan mahasiswa Program Studi Sanitasi Lingkungan Program Sarjana Terapan Kelas Alih Jenjang Kampus Magetan :

Nama : Khoirul Huda
NIM : P27833321080
Keperluan : Permohonan ijin mencari data dan ijin penelitian untuk skripsi

Demikian atas perhatian dan kerja samanya kami sampaikan terima kasih.

a.n Direktur Poltekkes Kemenkes Surabaya
Ketua Program Studi Sanitasi
Program Diploma III Kampus Magetan



BENY SEYANTO, SPd, MSi
NIP. 19640120 198503 1 003





PEMERINTAH KABUPATEN MADIUN
BADAN KESATUAN BANGSA DAN POLITIK DALAM NEGERI
Jalan Alun MT. HARYONO ☎ (0351) 451295
Email : bakesbangpoldagrikmadiun@gmail.com
CARUBAN (63153)

Caruban, 26 Oktober 2022

Nomor : 072/1027/402.301/2022
Sifat : Biasa
Lampiran : -
Perihal : **Rekomendasi Pengambilan
Data dan Penelitian**

Kepada
Yth. Sdr. Ka. Puskesmas Klecorejo
Kabupaten Madiun
Di - **KLECOREJO**

Menunjuk Surat dari Ketua Progam Studi Sanitasi Politeknik Kesehatan Kemenkes Surabaya, tanggal 18 Oktober 2022. Nomor PP03.03/1/1360/2022 Perihal Permohonan pengambilan Data Dan Penelitian

Bersama ini memberikan Rekomendasi kepada :


Nama : **Khoirul Huda**
Alamat : **Jl. Pucang Jajar Tengah, Surabaya**
Email dan No Tlp. : **choyhuda77@gmail.com & 085732966877**
Pekerjaan : **Mahasiswa**
Instansi/ Civitas/Organisasi : **Politeknik Kesehatan Kemenkes Surabaya**
bermaksud mengadakan Penagmbilan data :
Judul / Tema : -
Tujuan / Bidang : **kesehatan**
Penanggungjawab : -
Peserta : **1 (satu) Orang**
Lokasi : **Puskesmas Klecorejo**
Waktu : **1 nov 2022 - 30 Des 2022**

Sehubungan dengan hal tersebut, diharapkan dukungan dan kerjasama pihak terkait untuk memberikan bantuan yang diperlukan. Adapun kepada peneliti agar memperhatikan hal – hal sebagai berikut:

1. Berkewajiban menghormati serta mentaati peraturan dan tata tertib di daerah setempat / lokasi Penelitian/Survey/Kegiatan ;
2. Melaporkan hal kegiatan kepada Kepala Desa / Kelurahan setempat;
3. Pelaksanaan penelitian/Survey/Kegiatan agar tidak disalahgunakan untuk tujuan tertentu yang dapat mengganggu kestabilan keamanan dan ketertiban di daerah setempat/lokasi Penelitian/Survey/Kegiatan ;
4. Melaporkan hasil penelitian dan sejenisnya kepada Bupati Madiun melalui Badan Kesatuan Bangsa dan Politik Dalam Negeri Kabupaten Madiun;
5. Selalu mematuhi Protokol Kesehatan (memakai masker, menjaga jarak dan melampirkan surat keterangan bebas covid 19) sebelum mengadakan kegiatan.

Demikian untuk menjadikan maklum dan terima kasih.

**An. KEPALA BADAN KESATUAN BANGSA
DAN POLITIK DALAM NEGERI
KABUPATEN MADIUN
Plt Sekretaris**



TEMBUSAN disampaikan kepada :

- Yth. 1. Bp. Bupati Madiun (Sebagai laporan)
2. Sdr. Kadin Kesehatan Kab. Madiun
3. Arsip (Yang Bersangkutan)

Lampiran 4. Pernyataan Kesediaan Menjadi Responden Penelitian

PERNYATAAN KESEDIAAN
MENJADI RESPONDEN PENELITIAN

Dengan menandatangani lembar ini, saya:

Nama :

Usia :

Alamat :

Memberikan persetujuan untuk menjadi responden dalam penelitian yang berjudul “Hubungan Sanitasi Rumah dan Perilaku Dengan Kejadian Infeksi Saluran Pernapasan Akut Di Desa Wonorejo Kecamatan Mejayan Kabupaten Madiun”.

Saya telah dijelaskan bahwa jawaban kuesioner ini hanya digunakan untuk keperluan penelitian dan saya secara suka rela bersedia menjadi responden penelitian ini.

Madiun, Desember 2022
Yang menyatakan

(.....)

Lampiran 5. Uji Validitas Reliabilitas

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	30	100,0
	Excluded ^a	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,770	,930	17

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
Langit	1724,1000	129880,783	,677	.	,754
Dinding	1703,4333	126644,668	,783	.	,747
Lantai	1718,9333	132001,789	,683	.	,758
Kelembaban	1743,7333	133455,582	,720	.	,760
Suhu	1745,8000	132233,683	,760	.	,758
Ventilasi	1742,7000	126380,562	,749	.	,747
Pencahayaan	1724,1000	134564,990	,430	.	,764
LAD	1724,1000	132598,093	,605	.	,759
SAB	1718,7333	133291,168	,438	.	,762
SBAB	1705,4000	132993,007	,721	.	,759
SPAL	1704,5667	133926,599	,625	.	,762
Sampah	1719,5667	132376,254	,489	.	,760
PintuJendela	1691,8333	131767,247	,557	.	,758
Batuk	1690,3667	128620,792	,844	.	,750
Rokok	1713,8333	129690,144	,510	.	,756
Jemur	1706,5000	127022,328	,557	.	,751
ISPA	835,3667	37683,482	,990	.	,902

Lampiran 6. Tabulasi data Survey

Responden Positif ISPA

No	NO SAM PEL	Hasil penilaian																				
		Komponen Rumah (31)								SaranaSanitasi(25)				Perilaku Penghuni (44)					Total Skor			
1	2	3	4	5	6	7	8	1	2	3	4	1	2	3	4	5	R1	R2	R3	Jml		
1	WP 1	31	31	62	0	0	0	31	31	75	75	50	50	44	44	44	88	88	186	250	308	744
2	WP 2	0	31	62	0	0	0	31	31	75	75	50	50	88	44	88	0	44	155	250	264	669
3	WP 3	0	62	62	0	0	0	31	31	75	75	50	25	88	44	88	44	44	186	225	308	719
4	WP 4	31	62	31	0	0	0	31	62	100	75	50	50	44	44	88	88	0	217	275	264	756
5	WP 5	0	31	62	0	0	0	31	31	100	75	50	25	88	44	88	44	44	155	250	308	713
6	WP 6	0	62	62	0	0	0	31	31	100	75	50	50	44	44	88	44	0	186	275	220	681
7	WP 7	31	62	31	0	0	0	31	31	100	75	50	50	88	44	88	88	0	186	275	308	769
8	WP 8	62	31	62	0	0	0	31	62	100	75	50	75	88	88	88	44	44	248	300	352	900
9	WP 9	0	62	62	0	0	0	31	31	100	75	50	50	44	44	88	44	44	186	275	264	725
10	WP 10	0	62	62	0	0	31	31	31	75	75	50	50	44	44	88	44	0	217	250	220	687
11	WP 11	0	31	62	0	0	0	31	31	100	75	50	50	88	44	44	44	44	155	275	264	694
12	WP 12	31	62	31	0	0	0	31	62	100	75	50	50	88	88	88	0	44	217	275	308	800
13	WP 13	62	31	62	0	0	0	31	62	100	75	50	50	44	44	44	88	0	248	275	220	743
14	WP 14	31	31	31	0	31	0	31	31	100	75	50	50	44	44	44	44	44	186	275	220	681
15	WP 15	31	31	62	0	0	0	31	31	100	100	50	50	88	44	88	44	44	186	300	308	794
16	WP 16	31	31	62	0	0	0	31	31	100	75	50	50	44	44	88	44	0	186	275	220	681
17	WP 17	31	31	62	0	0	0	31	62	100	75	50	50	88	88	44	44	44	217	275	308	800
18	WP 18	0	62	0	0	0	0	31	31	100	75	50	50	44	44	44	44	44	124	275	220	619
19	WP 19	0	31	62	0	0	0	31	31	100	75	50	50	44	44	88	44	0	155	275	220	650
20	WP 20	31	0	31	0	0	0	31	62	100	100	50	50	88	44	44	44	44	155	300	264	719
21	WP 21	31	31	62	0	0	0	31	62	100	100	50	50	88	44	88	44	44	217	300	308	825
22	WP 22	31	31	31	0	0	0	31	31	100	100	50	50	44	44	44	88	0	155	300	220	675
23	WP 23	0	31	0	0	0	0	31	31	100	100	50	50	44	44	44	44	44	93	300	220	613
24	WP 24	31	31	62	0	0	31	31	62	75	75	50	50	88	88	88	0	44	248	250	308	806
25	WP 25	0	31	31	0	0	0	31	31	75	100	50	50	44	44	88	88	0	124	275	264	663
26	WP 26	31	31	31	0	0	0	31	31	100	100	50	75	88	44	88	44	44	155	325	308	788
27	WP 27	0	31	0	0	0	0	31	0	75	75	50	25	44	44	88	44	88	62	225	308	595
28	WP 28	31	93	31	0	0	0	31	62	100	75	50	50	88	88	88	88	44	248	275	396	919
29	WP 29	31	62	31	0	0	0	31	31	100	75	50	50	44	44	88	44	0	186	275	220	681
30	WP 30	0	31	0	0	0	0	31	31	100	100	50	50	44	44	88	44	44	93	300	264	657
31	WP 31	31	31	62	0	31	0	31	31	100	75	50	25	44	44	88	44	44	217	250	264	731
32	WP 32	31	93	62	0	31	0	31	62	100	75	50	50	88	44	88	44	0	310	275	264	849
33	WP 33	0	31	31	0	0	0	31	31	100	75	50	50	44	44	88	44	44	124	275	264	663
34	WP 34	31	31	62	0	31	0	31	31	75	75	50	25	88	44	88	44	44	217	225	308	750
35	WP 35	0	31	0	0	0	0	31	31	100	100	50	25	44	88	44	0	0	93	275	176	544
36	WP 36	0	31	0	0	0	0	31	31	100	100	50	50	44	44	88	0	44	93	300	220	613

37	WP 37	31	31	31	31	0	0	31	31	100	75	50	50	44	44	88	44	44	186	275	264	725
38	WP 38	0	62	0	31	0	0	31	31	100	75	50	50	44	44	88	88	44	155	275	308	738
39	WP 39	31	93	62	31	31	0	31	31	100	75	50	50	88	88	88	44	88	310	275	396	981
40	WP 40	31	93	62	31	31	31	62	62	100	75	50	50	88	88	88	44	44	403	275	352	1030
41	WP 41	0	31	31	0	0	0	31	31	100	75	50	25	44	44	88	44	88	124	250	308	682
42	WP 42	31	31	31	0	0	0	31	31	75	75	50	25	44	44	88	44	0	155	225	220	600
43	WP 43	0	31	62	0	0	0	31	31	100	100	50	25	88	88	88	0	44	155	275	308	738
44	WP 44	31	93	31	31	0	31	31	31	75	100	50	50	88	88	88	88	88	279	275	440	994
45	WP 45	31	62	31	31	0	0	31	31	100	75	50	50	44	44	88	44	0	217	275	220	712
46	WP 46	31	31	31	0	0	0	31	31	100	75	50	50	44	44	88	0	44	155	275	220	650
47	WP 47	31	31	31	0	0	0	31	31	100	75	50	50	88	44	88	44	44	155	275	308	738
48	WP 48	31	31	31	31	31	0	31	31	100	100	50	25	44	44	88	44	0	217	275	220	712

Responden Negatif ISPA

No	NO SAM PEL	Hasil penilaian																					
		Komponen Rumah (31)									SaranaSanitasi(25)				Perilaku Penghuni (44)					Total Skor			
		1	2	3	4	5	6	7	8	1	2	3	4	1	2	3	4	5	R1	R2	R3	jml	
1	WN 1	62	93	62	31	31	0	31	62	75	100	75	50	88	88	88	44	44	372	300	352	1024	
2	WN 2	62	62	62	31	31	31	31	31	100	100	75	75	88	88	88	44	44	341	350	352	1043	
3	WN 3	62	93	62	31	31	31	31	62	100	75	75	75	88	88	88	44	44	403	325	352	1080	
4	WN 4	31	62	62	31	31	31	62	31	100	75	50	50	88	88	88	44	88	341	275	396	1012	
5	WN 5	62	93	62	31	31	62	62	62	100	100	75	50	88	88	88	44	88	465	325	396	1186	
6	WN 6	62	62	31	31	31	31	62	62	100	75	50	50	88	88	88	44	88	372	275	396	1043	
7	WN 7	31	62	31	31	31	31	62	31	100	75	50	25	88	88	88	44	44	310	250	352	912	
8	WN 8	62	93	62	31	31	62	62	31	100	75	50	75	88	88	88	88	88	434	300	440	1174	
9	WN 9	62	62	62	31	31	31	62	62	100	100	75	50	88	88	88	44	44	403	325	352	1080	
10	WN 10	62	62	62	31	31	31	62	62	100	75	75	50	44	88	88	88	88	403	300	396	1099	
11	WN 11	62	62	62	31	31	31	62	62	100	100	75	25	88	88	88	88	44	403	300	396	1099	
12	WN 12	31	62	31	31	31	0	62	31	100	75	75	50	88	88	88	88	88	279	300	440	1019	
13	WN 13	62	93	62	31	31	62	62	62	100	75	75	25	88	88	88	44	88	465	275	396	1136	
14	WN 14	62	93	62	31	31	62	62	62	100	100	75	75	88	88	88	44	44	465	350	352	1167	
15	WN 15	62	62	62	31	31	31	31	31	100	50	50	50	88	88	88	44	88	341	250	396	987	
16	WN 16	62	93	62	31	31	31	62	62	75	75	75	25	88	88	88	44	88	434	250	396	1080	
17	WN 17	31	62	62	31	31	62	31	31	75	100	75	75	88	88	88	88	88	341	325	440	1106	
18	WN 18	31	93	62	31	31	31	62	62	100	75	75	75	44	88	88	44	88	403	325	352	1080	
19	WN 19	31	62	31	31	31	0	31	31	100	75	75	75	88	88	88	88	88	248	325	440	1013	
20	WN 20	62	93	62	31	31	62	31	62	100	75	75	75	88	88	88	88	88	434	325	440	1199	
21	WN 21	62	62	62	31	31	62	31	62	100	75	75	75	88	88	88	88	44	403	325	396	1124	
22	WN 22	62	62	62	31	31	31	62	62	100	100	75	25	88	88	88	88	88	403	300	440	1143	
23	WN 23	62	93	62	31	31	62	62	92	100	75	75	75	88	88	88	88	88	495	325	440	1260	
24	WN 24	62	62	62	31	31	0	31	31	75	75	50	50	88	88	88	88	88	310	250	440	1000	

Lampiran 7. Output Chi Square

a. Langit-langit

Crosstabs		Notes
Output Created		4-JAN-2023 23:04:36
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	72
Missing Value	Definition of Missing	User-defined missing values are treated as missing.
Handling	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Rumah BY Kejadian /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT /COUNT ROUND CELL.
Resources	Processor Time	00:00:00,03
	Elapsed Time	00:00:00,14
	Dimensions Requested	2
	Cells Available	524245

[DataSet0]

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Langit-langit * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Langit-langit * Kejadian ISPA Crosstabulation

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Langit-langit	MS	18	2	20
	TMS	6	46	52
Total		24	48	72

Chi-Square Tests

	Value	d f	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	40,015 ^a	1	,000		
Continuity Correction ^b	36,563	1	,000		
Likelihood Ratio	41,461	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	39,460	1	,000		
N of Valid Cases	72				

0 cells (0,0%) have expected count less than 5. The minimum expected count is 6,67.
Computed only for a 2x2 table

b. Dinding

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Dinding * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Dinding * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Dinding MS		24	16	40
ng TMS		0	32	32
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	28,800 ^a	1	,000		
Continuity Correction ^b	26,163	1	,000		
Likelihood Ratio	37,817	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	28,400	1	,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 10,67.

b. Computed only for a 2x2 table

c. Lantai

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Lantai * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Lantai * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Lantai MS		20	16	36
TMS		4	32	36
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	16,000 ^a	1	,000		
Continuity Correction ^b	14,063	1	,000		
Likelihood Ratio	17,081	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	15,778	1	,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 12,00.

b. Computed only for a 2x2 table

d. Kelembaban

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Kelembaban * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Kelembaban * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Kelembaban	MS	24	7	31
	TMS	0	41	41
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	47,613 ^a	1	,000		
Continuity Correction ^b	44,193	1	,000		
Likelihood Ratio	58,540	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	46,952	1	,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 10,33.

b. Computed only for a 2x2 table

e. Suhu

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
suhu * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

suhu * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Suhu	MS	24	7	31
	TMS	0	41	41
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	47,613 ^a	1	,000		
Continuity Correction ^b	44,193	1	,000		
Likelihood Ratio	58,540	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	46,952	1	,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 10,33.

b. Computed only for a 2x2 table

f. Ventilasi

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Ventilasi * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Ventilasi * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Ventilasi	MS	20	1	21
	TMS	4	47	51
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	51,126 ^a	1	,000		
Continuity Correction ^b	47,269	1	,000		
Likelihood Ratio	55,575	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	50,416	1	,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 7,00.

b. Computed only for a 2x2 table

g. Lubang Asap Dapur

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Lubang Asap Dapur * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Lubang Asap Dapur * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Lubang Asap Dapur	MS	15	1	16
	TMS	9	47	56
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	33,790 ^a	1	,000		
Continuity Correction ^b	30,385	1	,000		
Likelihood Ratio	34,801	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	33,321	1	,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 5,33.

b. Computed only for a 2x2 table

h. Pencehayaan Alami

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Pencehayaan * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Pencehayaan * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Pencehayaan	MS	15	11	26
	TMS	9	37	46
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10,866 ^a	1	,001		
Continuity Correction ^b	9,218	1	,002		
Likelihood Ratio	10,755	1	,001		
Fisher's Exact Test				,002	,001
Linear-by-Linear Association	10,715	1	,001		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 8,67.

b. Computed only for a 2x2 table

i. Komponen Rumah

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Komponen Rumah * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Komponen Rumah * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Komponen Rumah	MS	14	1	15
	TMS	10	47	57
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	30,695 ^a	1	,000		
Continuity Correction ^b	27,379	1	,000		
Likelihood Ratio	31,368	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	30,268	1	,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 5,00.

b. Computed only for a 2x2 table

j. Sarana Air Bersih

Crosstabs

Warnings

No measures of association are computed for the crosstabulation of Sarana Air Bersih * Kejadian ISPA. At least one variable in each 2-way table upon which measures of association are computed is a constant.

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Sarana Air Bersih * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Sarana Air Bersih * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Sarana Air Bersih	MS	24	48	72
Total		24	48	72

Chi-Square Tests

	Value
Pearson Chi-Square	. ^a
N of Valid Cases	72

a. No statistics are computed because Sarana Air Bersih is a constant.

k. Sarana Buang Air Besar

Crosstabs

Warnings

No measures of association are computed for the crosstabulation of Sarana BAB * Kejadian ISPA. At least one variable in each 2-way table upon which measures of association are computed is a constant.

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Sarana BAB * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Sarana BAB * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Sarana BAB	MS	24	48	72
Total		24	48	72

Chi-Square Tests

	Value
Pearson Chi-Square	. ^a
N of Valid Cases	72

a. No statistics are computed because Sarana BAB is a constant.

l. Sarana Pembuangan Air Limbah

Crosstabs

Warnings

No measures of association are computed for the crosstabulation of SPAL * Kejadian ISPA. At least one variable in each 2-way table upon which measures of association are computed is a constant.

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
SPAL * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

SPAL * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
SPAL	MS	24	48	72
Total		24	48	72

Chi-Square Tests

	Value
Pearson Chi-Square	.a
N of Valid Cases	72

a. No statistics are computed because SPAL is a constant.

m. Sarana Pembuangan Sampah

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Sarana Sampah * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Sarana Sampah * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Sarana Sampah	MS	19	38	57
	TMS	5	10	15
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	,000 ^a	1	1,000		
Continuity Correction ^b	,000	1	1,000		
Likelihood Ratio	,000	1	1,000		
Fisher's Exact Test				1,000	,613
Linear-by-Linear Association	,000	1	1,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 5,00.

b. Computed only for a 2x2 table

n. Sarana Sanitasi

Crosstabs

Warnings

No measures of association are computed for the crosstabulation of Sarana Sanitasi * Kejadian ISPA. At least one variable in each 2-way table upon which measures of association are computed is a constant.

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Sarana Sanitasi * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Sarana Sanitasi * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Sarana Sanitasi	MS	24	48	72
Total		24	48	72

Chi-Square Tests

	Value
Pearson Chi-Square	. ^a
N of Valid Cases	72

a. No statistics are computed because Sarana Sanitasi is a constant.

o. Perilaku Membuka Pintu Jendela

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Membuka Pintu dan Jendela * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Membuka Pintu dan Jendela * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Membuka Pintu dan Jendela	Baik	22	21	43
	Buruk	2	27	29
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	15,272 ^a	1	,000		
Continuity Correction ^b	13,345	1	,000		
Likelihood Ratio	17,515	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	15,060	1	,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 9,67.

b. Computed only for a 2x2 table

p. Perilaku Batuk

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Perilaku Batukl * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Perilaku Batuk * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Perilaku Batuk	Baik	24	10	34
	Buruk	0	38	38
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	40,235 ^a	1	,000		
Continuity Correction ^b	37,122	1	,000		
Likelihood Ratio	50,464	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	39,676	1	,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 11,33.

b. Computed only for a 2x2 table

q. Menjaga Kebersihan Rumah

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Menjaga Kebersiha Rumah * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Menjaga Kebersiha Rumah * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Menjaga Kebersihan Rumah	Baik	24	38	62
	Buruk	0	10	10
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5,806 ^a	1	,016		
Continuity Correction ^b	4,195	1	,041		
Likelihood Ratio	8,897	1	,003		
Fisher's Exact Test				,025	,012
Linear-by-Linear Association	5,726	1	,017		
N of Valid Cases	72				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,33.

b. Computed only for a 2x2 table

r. Perilaku Merokok

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Perilaku Merokok * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Perilaku Merokok * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Perilaku Merokok	Baik	11	9	20
	Buruk	13	39	52
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5,850 ^a	1	,016		
Continuity Correction ^b	4,578	1	,032		
Likelihood Ratio	5,650	1	,017		
Fisher's Exact Test				,025	,017
Linear-by-Linear Association	5,769	1	,016		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 6,67.

b. Computed only for a 2x2 table

s. Menjemur Kasur dan Peralatan Tidur

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Menjemur Kasur dan Peralatan Tidur * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Menjemur Kasur dan Peralatan Tidur * Kejadian ISPA Crosstabulation

Count

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Menjemur Kasur dan Peralatan Tidur	Baik	16	5	21
	Buruk	8	43	51
Total		24	48	72

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	24,504 ^a	1	,000		
Continuity Correction ^b	21,857	1	,000		
Likelihood Ratio	24,293	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	24,164	1	,000		
N of Valid Cases	72				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 7,00.

b. Computed only for a 2x2 table

t. Perilaku

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Perilaku Kesehatan * Kejadian ISPA	72	100,0%	0	0,0%	72	100,0%

Perilaku Kesehatan * Kejadian ISPA Crosstabulation

		Kejadian ISPA		Total
		Tidak ISPA	ISPA	
Perilaku Kesehatan	Baik	8	0	8
	Buruk	16	48	64
Total		24	48	72

Chi-Square Tests

	Value	Df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	18,000 ^a	1	,000		
Continuity Correction ^b	14,783	1	,000		
Likelihood Ratio	19,679	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	17,750	1	,000		
N of Valid Cases	72				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 2,67.

b. Computed only for a 2x2 table

Lampiran 8. Uji Corelasi I

Correlations

Notes

Output Created		5-JAN-2023 11:28:00
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	72
Missing Value	Definition of Missing	User-defined missing values are treated as missing.
Handling	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X1 X2 X3 X4 X5 X6 X7 X8 X9 X10 X11 X12 X13 X14 X15 X16 X17 Y /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,06

Correlations

		Langit- langit	Din- ding	Lantai	Kelem- baban	Suhu	Venti- lasi	LAD	Penca- hayaan	SAB	S BAB	SPAL	S Sampah	Buka Pintu Jendela	Bersin	Keber- sihan	Merokok	Jemur	ISPA
Langit- langit	Pearson Correlation	1	,481**	,468**	,632**	,670**	,627**	,489**	,623**	,105	,599**	,310**	,477**	,625**	,171	,349**	,347**	-,707**	-,707**
	Sig. (2-tailed)		,000	,000	,000	,000	,000	,000	,000	,382	,000	,008	,000	,000	,150	,003	,003	,000	,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Dinding	Pearson Correlation	,481**	1	,308**	,662**	,591**	,597**	,504**	,441**	,022	,545**	,293*	,383**	,612**	,379**	,306**	,361**	-,593**	-,593**
	Sig. (2-tailed)	,000		,008	,000	,000	,000	,000	,000	,854	,220	,000	,012	,001	,000	,001	,009	,002	,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Lantai	Pearson Correlation	,468**	,308**	1	,250*	,418**	,395**	,262*	,404**	-,116	-,162	,349**	,152	,471**	,354**	,233*	,095	,181	-,368**
	Sig. (2-tailed)	,000	,008		,034	,000	,001	,026	,000	,334	,173	,003	,202	,000	,002	,049	,425	,129	,001
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Kelemba- ban	Pearson Correlation	,632**	,662**	,250*	1	,773**	,681**	,615**	,304**	,073	,023	,664**	,243*	,371**	,695**	,349**	,355**	,536**	-,813**
	Sig. (2-tailed)	,000	,000	,034		,000	,000	,000	,009	,543	,849	,000	,040	,001	,000	,003	,002	,000	,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Suhu	Pearson Correlation	,670**	,591**	,418**	,773**	1	,681**	,615**	,357**	,073	-,036	,664**	,151	,428**	,638**	,268*	,259*	,496**	-,813**
	Sig. (2-tailed)	,000	,000	,000	,000		,000	,000	,002	,543	,765	,000	,205	,000	,000	,023	,028	,000	,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Ventilasi	Pearson Correlation	,627**	,597**	,395**	,681**	,681**	1	,666**	,477**	,136	,040	,695**	,341**	,403**	,626**	,238*	,271*	,482**	-,794**
	Sig. (2-tailed)	,000	,000	,001	,000	,000		,000	,000	,254	,736	,000	,003	,000	,000	,044	,021	,000	,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
LAD	Pearson Correlation	,489**	,504**	,262*	,615**	,615**	,666**	1	,451**	,178	,039	,540**	-,018	,303**	,565**	,215	,178	,460**	-,685**
	Sig. (2-tailed)	,000	,000	,026	,000	,000	,000		,000	,134	,746	,000	,879	,010	,000	,070	,136	,000	,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Pencaha- yaan	Pearson Correlation	,623**	,441**	,404**	,304**	,357**	,477**	,451**	1	,201	,043	,509**	,258*	,396**	,506**	,046	,146	,141	-,404**
	Sig. (2-tailed)	,000	,000	,000	,009	,002	,000	,000		,091	,721	,000	,029	,001	,000	,703	,222	,238	,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
SAB	Pearson Correlation	,105	,022	-,116	,073	,073	,136	,178	,201	1	-,008	,041	,196	-,046	,043	-,096	-,028	-,092	-,050
	Sig. (2-tailed)	,382	,854	,334	,543	,543	,254	,134	,091		,946	,735	,098	,703	,720	,423	,813	,444	,679
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72

S BAB	Pearson Correlation	-,011	-,146	-,162	,023	-,036	,040	,039	,043	-,008	1	,201	-,008	,063	,032	-,103	-,030	-,110	-,021
	Sig. (2-tailed)	,927	,220	,173	,849	,765	,736	,746	,721	,946		,090	,947	,602	,787	,391	,800	,356	,864
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
SPAL	Pearson Correlation	,599**	,545**	,349**	,664**	,664**	,695**	,540**	,509**	,041	,201	1	,302**	,343**	,610**	,232	,315**	,434**	-,816**
	Sig. (2-tailed)	,000	,000	,003	,000	,000	,000	,000	,000	,735	,090		,010	,003	,000	,050	,007	,000	,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
S Sampah	Pearson Correlation	,310**	,293*	,152	,243*	,151	,341**	-,018	,258*	,196	-,008	,302**	1	,176	,247*	,038	,254*	,138	-,289*
	Sig. (2-tailed)	,008	,012	,202	,040	,205	,003	,879	,029	,098	,947	,010		,140	,037	,749	,031	,249	,014
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Buka Pintu Jendela	Pearson Correlation	,477**	,383**	,471**	,371**	,428**	,403**	,303**	,396**	-,046	,063	,343**	,176	1	,607**	,243*	,060	,420**	-,461**
	Sig. (2-tailed)	,000	,001	,000	,001	,000	,000	,010	,001	,703	,602	,003	,140		,000	,039	,618	,000	,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Bersin	Pearson Correlation	,625**	,612**	,354**	,695**	,638**	,626**	,565**	,506**	,043	,032	,610**	,247*	,607**	1	,219	,136	,561**	-,748**
	Sig. (2-tailed)	,000	,000	,002	,000	,000	,000	,000	,000	,720	,787	,000	,037	,000		,065	,255	,000	,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Kebersihan	Pearson Correlation	,171	,379**	,233*	,349**	,268*	,238*	,215	,046	-,096	-,103	,232	,038	,243*	,219	1	-,013	,162	-,284*
	Sig. (2-tailed)	,150	,001	,049	,003	,023	,044	,070	,703	,423	,391	,050	,749	,039	,065		,911	,174	,016
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Merokok	Pearson Correlation	,349**	,306**	,095	,355**	,259*	,271*	,178	,146	-,028	-,030	,315**	,254*	,060	,136	-,013	1	,200	-,336**
	Sig. (2-tailed)	,003	,009	,425	,002	,028	,021	,136	,222	,813	,800	,007	,031	,618	,255	,911		,092	,004
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
Jemur	Pearson Correlation	,347**	,361**	,181	,536**	,496**	,482**	,460**	,141	-,092	-,110	,434**	,138	,420**	,561**	,162	,200	1	-,587**
	Sig. (2-tailed)	,003	,002	,129	,000	,000	,000	,000	,238	,444	,356	,000	,249	,000	,000	,174	,092		,000
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
ISPA	Pearson Correlation	-,707**	-,593**	-,368**	-,813**	-,813**	-,794**	-,685**	-,404**	-,050	-,021	-,816**	-,289*	-,461**	-,748**	-,284*	-,336**	-,587**	1
	Sig. (2-tailed)	,000	,000	,001	,000	,000	,000	,000	,000	,679	,864	,000	,014	,000	,000	,016	,004	,000	
	N	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Lampiran 9. Uji Corelasi II

Correlations

Notes

Output Created		5-JAN-2023 11:34:41
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	72
Missing	Definition of Missing	User-defined missing values are treated as missing.
Value Handling	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=X1 X2 X3 Y /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

Correlations

		Rumah	Sarana	Perilaku	ISPA
Rumah	Pearson Correlation	1	,464**	,750**	-,843**
	Sig. (2-tailed)		,000	,000	,000
	N	72	72	72	72
Sarana	Pearson Correlation	,464**	1	,335**	-,493**
	Sig. (2-tailed)	,000		,004	,000
	N	72	72	72	72
Perilaku	Pearson Correlation	,750**	,335**	1	-,763**
	Sig. (2-tailed)	,000	,004		,000
	N	72	72	72	72
ISPA	Pearson Correlation	-,843**	-,493**	-,763**	1
	Sig. (2-tailed)	,000	,000	,000	
	N	72	72	72	72

** . Correlation is significant at the 0.01 level (2-tailed).

Lampiran 10. Dokumentasi Gambar







Lampiran 11

The screenshot shows the Turnitin web interface. At the top, there's a navigation bar with links like 'Assignments', 'Students', 'Grade Book', 'Libraries', 'Calendar', 'Discussion', and 'Preferences'. Below this, the document title 'HUDA.ISPA.15/03/2023' is displayed. A table lists the document's similarity index as 14%. The table has columns for 'Action', 'File', 'Similarity', 'Grade', 'Response', 'File', 'Paper ID', and 'Date'. The document 'HUDA.ISPA.15/03/2023' is listed with a similarity of 14%.

HUDA.ISPA.15/03/2023

ORIGINALITY REPORT

14%	14%	5%	%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	rama.binahusada.ac.id:81	1%
	Internet Source	
2	akper-sandikarsa.e-journal.id	1%
	Internet Source	
3	repository.stikeshangtuahsby-library.ac.id	1%
	Internet Source	
4	docplayer.info	1%
	Internet Source	
5	text-id.123dok.com	1%
	Internet Source	
6	ejournal.unsrat.ac.id	<1%
	Internet Source	
7	repository.poltekkes-tjk.ac.id	<1%
	Internet Source	
8	es.scribd.com	<1%
	Internet Source	
9	journal.ukmc.ac.id	<1%
	Internet Source	