

DAFTAR PUSTAKA

- [1] P. B. Tarigan, “thermometer,” *J. Chem. Inf. Model.*, vol. 53, no. 9, pp. 1689–1699, 2013, doi: 10.1017/CBO9781107415324.004.
- [2] M. A. Saputro, E. R. Widasari, and H. Fitriyah, “Implementasi Sistem Monitoring Detak Jantung dan Suhu Tubuh Manusia Secara Wireless,” *Pengemb. Teknol. Inf. Dan Ilmu Komput.*, vol. 1, no. 2, pp. 1–9, 2017.
- [3] I. The Institute of Electrical and Electronics Engineers, “Device specialization - Thermometer,” vol. 10408, no. December, pp. 1–48, 2008, doi: 10.1109/IEEEESTD.2008.4723945.
- [4] C. Lee, “Electronic clinical thermometer,” EP 1 533 599 A1, 2007.
- [5] B. P. Monitors *et al.*, *Inspection and Preventive Maintenance*, vol. 1, no. 610. pp. 1–362.
- [6] V. Žužek and I. Pušnik, “Calibration of Air Thermometers in a Climatic Chamber and Liquid Baths,” *Int. J. Thermophys.*, vol. 38, no. 7, pp. 1–7, 2017, doi: 10.1007/s10765-017-2234-6.
- [7] isothermal technology, “Temperature Calibration With Isotech Block Baths,” 1997, pp. 1–80.
- [8] A. Ostfeld, E. Salomons, L. Ormsbee, J. G. Uber, C. M. Bros, and P. Kalungi, “Battle of the Water Calibration Networks Battle of the Water Calibration Networks,” no. May 2014, 2012, doi: 10.1061/(ASCE)WR.1943-5452.0000191.

- [9] V. Ramamohan, Y. Yih, and G. Klee, “Analysis of Uncertainty due to Calibration in Clinical Laboratory Measurement Analysis of Uncertainty due to Calibration in Clinical Laboratory Measurement Processes,” no. January, 2012.
- [10] furia ega tyas S, D. A. N. Kedalaman, P. Pada, T. D. Dengan, and M. D. R. Y. Block, “Analisis pengaruh variasi letak dan kedalaman pencelupan pada kalibrasi termometer digital dengan media dry block furia ega tyas s,” p. 1=4, 2018.
- [11] V. nur Yunita, R. Maulana, S. Rahayu, and I. sari Ratu, “Kalibrasi,” *J. Kalbirasi*, 2015.
- [12] handayani, “PERANCANGAN MEDIA KALIBRASI TERMOMETER SUHU BADAN DENGAN SENSOR DS18B20 BERBASIS ARDUINO,” pp. 161–166, 2019.
- [13] A. Ramadhani and E. D. Setioningsih, “Design Dryblock In Digital Thermometer Calibrator Based on Arduino,” vol. 2, no. 1, pp. 1–5, 2020, doi: 10.35882/ijeeemi.v2i1.4.
- [14] T. Calibration, “About Dry Block Calibrators,” vol. 4967, pp. 1–4, 2019.
- [15] J. A. Pearce, J. W. Valvano, and S. Emelianov, “Temperature measurements,” *Opt. Response Laser-Irradiated Tissue*, pp. 399–453, 2011, doi: 10.1007/978-90-481-8831-4_11.
- [16] EURAMET, “Calibration of Temperature Block Calibrators,” vol. 0, pp. 0–13, 2015.

- [17] C. Buffone and K. Sefiane, “Temperature measurement near the triple line during phase change using thermochromic liquid crystal thermography,” *Exp. Fluids*, vol. 39, no. 1, pp. 99–110, 2005, doi: 10.1007/s00348-005-0986-4.
- [18] I. G. P. Rochelle and M. Rey, “DRY ELEMENT WATER HEATER,” 6,154,608, 2000.
- [19] atmel corporation, “ATmega 328.” pp. 1–33.
- [20] P. Sandeep and V. Prakasam, “LM35 temperature sensor using labview and NI myDAQ,” *Int. J. Innov. Technol. Explor. Eng.*, vol. 9, no. 1, pp. 3073–3077, 2019, doi: 10.35940/ijitee.A9136.119119.
- [21] Texas Instruments, “Datasheet Lm35,” no. November, pp. 1–13, 2013, [Online]. Available: <https://pdf1.alldatasheet.com/datasheet-pdf/view/517588/TI1/LM35.html>.