

DAFTAR PUSTAKA

- Agung , Albert. (2017). *Perbedaan Kadar Glukosa Darah Serum dan Plasma Natrium Flourida (NaF) dengan Penundaan Pemeriksaan*. Retrieved from <https://ejournal3.undip.ac.id/index.php/medico/article/view/18533>
- Almatsier, Sunita. (2003). *Prinsip Dasar Ilmu Gizi*. PT. Gramedia Pustaka.
- Ambarsari, Anita. (2013). *Analisa Model Matematika Pada Proses Produksi Sel Darah (Hematopoiesis)*. Retrieved from <http://etheses.uin-malang.ac.id/7090/1/09610068.pdf>
- Asri, Andiesta. (2017). *Pengarun Penundaan Waktu Sentrifugasi pada Red Top Tube dan Serum Separator Tube Terhadap Kadar Glukosa Darah*. Poltekkes Kemenkes Surabaya , Jurusan Analis Kesehatan. Surabaya: Poltekkes Kemenkes Surabaya .
- Atul, Mehta; A. Victor, Hoffbrand;. (2006). *At a Glance Hematologi* (2th ed.). Pernerbit Erlangga.
- Auliya, Putri;. (2016). *Gambaran Kadar Glukosa Darah Pada Mahasiswa Fakultas Kedokteran Universitas Andalas Yang Memiliki Berat Badan Berlebih dan Obesitas*. Retrieved from <http://jurnal.fk.unand.ac.id/index.php/jka/article/view/571>
- Baskin, L., Dias, V., Chin, A., Abdullah, A., & Naugler, C. (2013). Effect of Patient Preparation, Specimen Collection, Anticoagulants, and Preservatives on Laboratory Test Results. In *Accurate Results in the Clinical Laboratory: A Guide to Error Detection and Correction*. Berasal dari: doi.org/10.1016/B978-0-12-415783-5.00003-7
- Bender, David A.; Mayes, Peter A. (2012). Glukoneogenesis dan Kontrol Glukosa Darah. In R. K. Murray, *Biokimia Harper* (29nd ed., pp. 209-210). EGC.
- Bender, David A.; Mayes, Peter A. (2012). Metabolisme Glikogen. In R. K. Murray, & D. A. Bender, *Biokimia Harper* (29nd ed., pp. 200-203). EGC.
- Berg, J. (2002). *Biochemistry* (5 ed.). New York: W.H Freeman and Company.
- Bowen, R. A. R., Hortin, G. L., Csako, G., Otañez, O. H., & Remaley, A. T. (2010). Impact of blood collection devices on clinical chemistry assays. *Clinical Biochemistry*. <https://doi.org/10.1016/j.clinbiochem.2009.10.001>
- Chou, D. (2007) ‘Henry’s Clinical Diagnosis and Management by Laboratory Methods’, *JAMA*. Berasal dari: doi: 10.1001/jama.297.16.1829.
- Damin, Sumardjo. (2006). *Pengantar Kimia* . Jakarta: EGC.
- Desmawati. (2013). *Sistem Hematologi dan Imunologi*. In Media.

- Evelyn. (2011). *Anatomi dan Fisiologi Untuk Paramedis*. Gramedia, Jakarta.
- Etiek, N., Suwono, & Everiandi, F. N. (2018). *PERBEDAAN KADAR GLUKOSA DARAH PADA PLASMA EDTA DAN SERUM DENGAN PENUNDAAN PEMERIKSAAN*. Retrieved from <http://ejournal.poltekkes-pontianak.ac.id/index.php/JVK/article/view/126>
- Firani, N. (2017). *Metabolisme Karbohidrat Tinjauan Biokimia dan Patologis*. Malang, Indonesia: UB Press.
- Gandasoebrata. (2014). *Penuntun Laboratorium Klinik*. Jakarta: Dian Rakyat.
- Ganong, W. F. (2015). *W. F. Ganong - Review of Medical Physiology*. EGC, Jakarta.
- Guder, Walther;. (2003). *Diagnosis Samples From The Patient to the Laboratory* (3rd ed.). Germany: Wilet-VCH.
- Hall , John Edward. (2008). *Guyton and Hall Textbook of Medical Physiology* (13th ed.). Elsevier.
- Hickman, JR. ; Roberts, L; Larson, A. (2014). Integrated principles of Zoology. In *Integrated principles of Zoology*. Berasal dari: doi.org/10.1039/b818618a
- Joyce, LF Kee;. (2003). *Pedoman Pemeriksaan Laboratorium dan Diagnostik* (6 ed.). (P. K. Ramona, Ed., S. Kurnianingsih, & dkk, Trans.) EGC.
- Lippi, G., Chance, J. J., Church, S., Dazzi, P., Fontana, R., Giavarina, D., ... Simundic, A. M. (2011). Preanalytical quality improvement: From dream to reality. *Clinical Chemistry and Laboratory Medicine*. Berasal dari: doi.org/10.1515/CCLM.2011.600
- Lubis, Fatahillah Sang. (2013). *Asuhan Keperawatan Pada An. A Dengan Myeloid Leukimia Di Ruang Melati II RSUD Dr. Moewardi Surakarta*. Retrieved from http://eprints.ums.ac.id/25925/11/naskah_publikasi.pdf
- Malena, Citra. (2014). *Pengaruh Penambahan Natrium Flourida Terhadap Kadar 6 Monoacetylmorphine dan Morfin Pada Sampel Darah*. Retrieved from <http://lib.ui.ac.id/file?file=digital/2016-4/20391177-SP-Citra%20Manela.pdf>
- Marieb, E., & Katja, H. (2014). *Human Anatomy & Physiology. Principles of neural science*.doi/10.1007/BF00845519
- Michael, Turchiano. (2012). Impact of Blood Sampel Colection and Processing Methods on Glucose Level Community Outrach Studies. *Journal Environmental and Public Health*, 1-5.
- Mulyadi. (2013). *Perbedaan Jumlah Sel Darah Berdasarkan Variasi Konsentrasi Dan Volume Antikoagulan Na2EDTA Metode Impedansi Elektrik*. Retrieved from <http://digilib.unimus.ac.id/gdl.php?mod=browse&op=read&id=jptunimus-gdl-mulyadinim-7279>

- Nugraha, Gilang. (2015). *Panduan Pemeriksaan Laboratorium Hematologi Dasar*. Jakarta : CV Trans Info Medika.
- Onne , Degita Santi. (2011, January). Pengaruh Suhu dan Interval Waktu Penyimpanan Sampel Serum pada Pengukuran Kadar Glukosa Darah. *JKKI, III*, 40.
- Mcpherson, R. A. and Pincus, M. R. (2011) *Henry's Clinical Diagnosis and Management*, *Henry's Clinical Diagnosis and Management by Laboratory Methods*. Berasal dari: doi: 10.1016/B978-1-4377-0974-2.00080-4.
- Price;. (2006). *Patofisiologi dan Konsep Klinis Proses-Proses Penyakit* (6th ed.). EGC.
- Rahardjo, pudji, susalit, Endang, S. (2009). Hemodialisis. In *Buku Ilmu Ajar Penyakit Dalam*.
- Sacher, R. A. (2004). *Tinjauan Klinis Hasil Pemeriksaan Laboratorium*. EGC.
- Sherwood, Lauralee. (2012). *Fisiologi Manusia Dari Sel ke Sistem* (8th ed.). EGC.
- Subiyono, Martsiningsih, M. A., & Gabrela, D. (2016). Gambaran Kadar Glukosa Darah Metode GOD-PAP (Glucose Oksidase – Peroxidase Aminoantpirin) Sampel Serum dan Plasma EDTA (Ethylen Diamin Terta Acetat). *JURNAL TEKNOLOGI LABORATORIUM*.
- Susiwati. (2017). *Perbedaan Kadar Glukosa Darah Puasa Pasien Diabetes Melitus Tipe 2 Pada Plasma NaF berdasarkan Waktu Pemeriksaan di RSUD dr. M. YUNUS PROVINSI BENGKULU*. Retrieved from <https://jurnal.unived.ac.id/index.php/jnph/article/view/502>
- Spulveda, Jorge. (2013). Variation, Errors, and Quality in the Clinical Laboratory. In A. Dasgupta, & J. Spulveda, *Accurate Result in the Clinical Laboratory* (pp. 1-8). Elsevier.
- Turgeon , M. (2012). *Clinical Hematology: Theory and Procedure*. Philadelphia: Lippincott Williams & Wilkins.
- WHO. (2002). Use Of Anticoagulants in Diagnostic Laboratory Investigations. 5.
- Woodworth, A., & Pyle, A. L. (2013). Sample Processing and Specimen Misidentification Issues. In *Accurate Results in the Clinical Laboratory: A Guide to Error Detection and Correction*. Berasal dari: doi.org/10.1016/B978-0-12-415783-5.00004-9